I

*(Akty přijaté na základě Smlouvy o ES a Smlouvy o Euratomu, jejichž uveřejnění je povinné)*

# NAŘÍZENÍ

## NAŘÍZENÍ EVROPSKÉHO PARLAMENTU A RADY (ES) č. 1272/2008

**ze dne 16. prosince 2008**

**o klasifikaci, označování a balení látek a směsí, o změně a zrušení směrnic 67/548/EHS a 1999/45/ES a o změně nařízení (ES) č. 1907/2006**

**(Text s významem pro EHP)**

*PŘÍLOHA VI*

**Harmonizované klasifikace a označení některých nebezpečných látek**

Část 1 této přílohy obsahuje úvod k seznamu harmonizovaných klasifikací a označení včetně informací uvedených pro každý záznam a souvisejících klasifikací a standardních vět o nebezpečnosti v tabulce 3.1, jež podléhají některým úvahám vyplývajícím z převodu klasifikací uvedených v příloze I směrnice 67/548/EHS.

Část 2 této přílohy stanoví obecné zásady přípravy dokumentace k návrhu a odůvodnění harmonizované klasifikace a označování látek na úrovni Společenství.

Část 3 této přílohy obsahuje seznam nebezpečných látek, pro něž byly na úrovni Společenství stanoveny harmonizovaná klasifikace a označení. Klasifikace a označení v tabulce 3.1 vychází z kritérií stanovených v příloze I tohoto nařízení. Klasifikace a označení v tabulce 3.2 vychází z kritérií stanovených v příloze VI směrnice 67/548/EHS.

1. ČÁST 1: ÚVOD K SEZNAMŮM HARMONIZOVANÝCH KLASIFIKACÍ A OZNAČENÍ

1.1 **Informace uvedené pro každý záznam**

1.1.1 ***Číslování záznamů a identifikace látky***

1.1.1.1 *Indexová čísla*

Záznamy v části 3 jsou seřazeny podle atomového čísla prvku, který nejvíce charakterizuje vlastnosti látky. Organické látky jsou z důvodu své rozmanitosti rozděleny do tříd. Indexové číslo každé látky je ve tvaru číselného kódu ABC-RST-VW-Y. ABC odpovídá atomovému číslu nejcharakterističtějšího prvku nebo organické skupiny v molekule. RST je pořadové číslo látky v sériích ABC. VW označuje formu, v níž je látka vyráběna nebo uváděna na trh. Y je kontrolní číslo vypočtené metodou ISBN pro desetimístná čísla. Toto číslo je uvedeno ve sloupci nadepsaném „Indexové číslo“.

1.1.1.2 *Čísla ES*

Číslo ES, tj. EINECS, ELINCS nebo NLP, je úřední číslo látky v Evropské unii. Číslo EINECS lze získat z Evropského seznamu existujících obchodovaných chemických látek (EINECS) ([1]). Číslo ELINCS lze získat z Evropského seznamu oznámených látek (v platném znění) (EUR 22543 EN, Úřad pro úřední tisky Evropských společenství, 2006, ISSN 1018-5593). Číslo NLP lze získat ze seznamu „látek nadále nepovažovaných za polymery“ (v platném znění) (dokument Úřadu pro úřední tisky Evropských společenství, 1997, ISBN 92-827-8995-0). Číslo ES je sedmimístným číslem typu XXX-XXX-X, přičemž číslování začíná od 200-001-8 (EINECS), od 400-010-9 (ELINCS) a od 500-001-0 (NLP). Toto číslo je uvedeno ve sloupci nadepsaném „Číslo ES“.

1.1.1.3 *Číslo CAS*

Pro usnadnění identifikace záznamu je uvedeno číslo podle Chemical Abstracts Service (číslo CAS). Je nutno poznamenat, že číslo EINECS označuje bezvodou i hydratovanou formu látky, zatímco v případě čísla CAS často existují různá čísla pro bezvodou a hydratovanou formu látky. Uvedené číslo CAS platí pouze pro bezvodou formu, a z tohoto důvodu nepopisuje záznamy vždy tak přesně jako číslo EINECS. Toto číslo je uvedeno ve sloupci nadepsaném „Číslo CAS“.

1.1.1.4 *Mezinárodní identifikace chemických látek*

Kdykoli je to možné, jsou nebezpečné látky uvedeny pod svými názvy podle IUPAC. Látky uvedené v seznamech EINECS, ELINCS nebo v seznamu „látek nadále nepovažovaných za polymery“ jsou uvedeny pod názvy v těchto seznamech. V některých případech jsou uvedeny i jiné názvy, například obvyklý nebo obecný název. Kdykoli je to možné, jsou přípravky na ochranu rostlin uvedeny pod svými názvy ISO.

([1]) Úř. věst. C 146 A, 15.6.1990.

Nečistoty, přídatné látky a minoritní jednotlivé složky obvykle uvedeny nejsou, pokud nemají významný vliv na klasifikaci látky.

Některé látky jsou charakterizovány čistotou vyjádřenou v procentech. Látky s vyšším obsahem aktivní látky (např. organické peroxidy), než je tento procentní podíl, nejsou v části 3 uvedeny a mohou mít další nebezpečné vlastnosti (např. výbušnost), měly by být proto klasifikovány a označeny odpovídajícím způsobem.

Jsou-li uvedeny určité koncentrační limity, platí pro látku nebo látky uvedené v daném záznamu. Zejména v případě záznamů pro směsi látek nebo záznamů charakterizovaných čistotou vyjádřenou v procentech se tyto limity vztahují pouze na látku, jak je popsána v části 3, a nikoliv na čistou látku.

Aniž je dotčen čl. 17 odst. 2, uvádí se pro látky uvedené v části 3 na štítku jeden z názvů uvedených v této příloze. Pro některé látky jsou v hranatých závorkách uvedeny doplňkové informace pro usnadnění identifikace látky. Tyto informace nemusí být na štítku uvedeny.

Některé záznamy obsahují odkaz na nečistoty. V tom případě za názvem látky následuje text: „(containing ≥ xx % impurity)“ („(obsahuje ≥ xx % nečistot)“). Odkaz v závorkách se pak považuje za součást názvu a musí být uveden na štítku.

1.1.1.5 *Záznamy pro skupiny látek*

V části 3 je uvedena řada záznamů pro skupiny látek. V těchto případech budou požadavky na klasifikaci a na označování platit pro všechny látky, na které se popis vztahuje.

V některých případech existují požadavky na klasifikaci a označování pro určité látky spadající do skupinového záznamu. V takových případech je v části 3 uveden pro látku zvláštní záznam a u skupinového záznamu je uvedena poznámka „except those specified elsewhere in this Annex“ („s výjimkou látek uvedených jinde v této příloze“).

V některých případech může jednotlivá látka spadat do více než jednoho skupinového záznamu. V takových případech je v klasifikaci látky zohledněna klasifikace pro všechny skupinové záznamy. Je-li uvedena rozdílná klasifikace pro stejný druh nebezpečnosti, použije se nejpřísnější klasifikace.

Záznamy v části 3 pro soli (pod jakýmkoli označením) se vztahují na bezvodé i hydratované formy, není-li stanoveno jinak.

Čísla ES nebo čísla CAS obvykle nejsou uvedena pro záznamy, které zahrnují více než čtyři jednotlivé látky.

1.1.2 ***Informace týkající se klasifikace a označení jednotlivých záznamů v tabulce 3.1***

1.1.2.1 *Klasifikační kódy*

1.1.2.1.1 Kódy tříd a kategorií nebezpečnosti

Klasifikace pro každý záznam je založena na kritériích stanovených v příloze I v souladu s čl. 13 písm. a) a je uvedena formou kódu označujícího třídu nebezpečnosti a kategorii nebo kategorie/podtřídy/typy v této třídě nebezpečnosti.

Kódy tříd a kategorií nebezpečnosti použité pro jednotlivé kategorie/podtřídy/typy nebezpečnosti zahrnuté v dané třídě jsou uvedeny v tabulce 1.1.

*Tabulka 1.1*

| Třída nebezpečnosti | Kód třídy a kategorie nebezpečnosti |
|---|---|
| Výbušnina | Unst. Expl.<br>Expl. 1.1<br>Expl. 1.2<br>Expl. 1.3<br>Expl. 1.4<br>Expl. 1.5<br>Expl. 1.6 |
| Hořlavý plyn | Flam. Gas 1<br>Flam. Gas 2 |
| Hořlavý aerosol | Flam. Aerosol 1<br>Flam. Aerosol 2 |
| Oxidující plyn | Ox. Gas 1 |
| Plyny pod tlakem | Press. Gas (*) |
| Hořlavá kapalina | Flam. Liq. 1<br>Flam. Liq. 2<br>Flam. Liq. 3 |
| Hořlavá tuhá látka | Flam. Sol. 1<br>Hoř. Sol. 2 |
| Samovolně reagující látka nebo směs | Self-react. A<br>Self-react. B<br>Self-react. CD<br>Self-react. EF<br>Self-react. G |
| Samozápalná kapalina | Pyr. Liq. 1 |
| Samozápalná tuhá látka | Pyr. Sol. 1 |
| Samozahřívající se látka nebo směs | Self-heat. 1<br>Self-heat. 2 |
| Látka nebo směs, která při styku s vodou uvolňuje hořlavé plyny | Water-react. 1<br>Water-react. 2<br>Water-react. 3 |
| Oxidující kapalina | Ox. Liq. 1<br>Ox. Liq. 2<br>Ox. Liq. 3 |
| Oxidující tuhá látka | Ox. Sol. 1<br>Ox. Sol. 2<br>Ox. Sol. 3 |
| Organický peroxid | Org. Perox. A<br>Org. Perox. B<br>Org. Perox. CD<br>Org. Perox. EF<br>Org. Perox. G |
| Látka nebo směs korozivní pro kovy | Met. Corr. 1 |
| Akutní toxicita | Acute Tox. 1<br>Acute Tox. 2<br>Acute Tox. 3<br>Acute Tox. 4 |

| Třída nebezpečnosti | Kód třídy a kategorie nebezpečnosti |
|---|---|
| Žíravost/dráždivost pro kůži | Skin Corr. 1A<br>Skin Corr. 1B<br>Skin Corr. 1C<br>Skin Irrit. 2 |
| Vážné poškození očí / podráždění očí | Eye Dam 1<br>Eye Irrit. 2 |
| Senzibilizace dýchacích cest / senzibilizace kůže | Resp. Sens. 1<br>Skin Sens. 1 |
| Mutagenita v zárodečných buňkách | Muta. 1A<br>Muta. 1B<br>Muta. 2 |
| Karcinogenita | Carc. 1A<br>Carc. 1B<br>Carc. 2 |
| Toxicita pro reprodukci | Repr. 1A<br>Repr. 1B<br>Repr. 2<br>Lact. |
| Toxicita pro specifické cílové orgány – jednorázová expozice | STOT SE 1<br>STOT SE 2<br>STOT SE 3 |
| Toxicita pro specifické cílové orgány – opakovaná expozice | STOT RE 1<br>STOT RE 2 |
| Nebezpečná při vdechnutí | Asp. Tox. 1 |
| Nebezpečný pro vodní prostředí | Aquatic Acute 1<br>Aquatic Chronic 1<br>Aquatic Chronic 2<br>Aquatic Chronic 3<br>Aquatic Chronic 4 |
| Nebezpečná pro ozonovou vrstvu | Ozone |

(*) Viz poznámka U v oddíle 1.1.3.

1.1.2.1.2 Kódy standardních vět o nebezpečnosti

Standardní věty o nebezpečnosti přiřazené podle čl. 13 písm. b) jsou uvedeny v souladu s přílohou III. U některých standardních vět o nebezpečnosti jsou k třímístnému kódu připojena písmena. Jsou použity tyto doplňkové kódy:

| | |
|---|---|
| H350i | Může vyvolat rakovinu při vdechování. |
| H360F | Může poškodit reprodukční schopnost. |
| H360D | Může poškodit plod v těle matky. |
| H361f | Podezření na poškození reprodukční schopnosti. |
| H361d | Podezření na poškození plodu v těle matky. |
| H360FD | Může poškodit reprodukční schopnost. Může poškodit plod v těle matky. |

| | |
|---|---|
| H361fd | Podezření na poškození reprodukční schopnosti. Podezření na poškození plodu v těle matky. |
| H360Fd | Může poškodit reprodukční schopnost. Podezření na poškození plodu v těle matky. |
| H360Df | Může poškodit plod v těle matky. Podezření na poškození reprodukční schopnosti. |

1.1.2.2 *Kódy označení*

Ve sloupci pro označení jsou uvedeny tyto údaje:

i) kódy výstražných symbolů nebezpečnosti podle přílohy V, a to v souladu s pravidly priority podle článku 26;

ii) kód signálního slova: „Dgr." pro „nebezpečí" nebo „Wng" pro „varování" v souladu s pravidlem priority podle čl. 20 odst. 3;

iii) kódy standardních vět o nebezpečnosti podle přílohy III v souladu s klasifikací;

iv) kódy doplňujících standardních vět přiřazené v souladu s čl. 25 odst. 1 a pravidly podle části 1 přílohy II.

1.1.2.3 *Specifické koncentrační limity a multiplikační faktory*

Pokud se specifické koncentrační limity liší pro některou kategorii od obecných koncentračních limitů uvedených v příloze I, jsou uvedeny v samostatném sloupci spolu s příslušnou klasifikací pomocí stejných kódů jako v bodě 1.1.2.1.1. Pokud v této příloze specifické koncentrační limity pro určitou kategorii uvedeny nejsou, použijí se pro klasifikaci látek obsahujících nečistoty, přídatné látky či jednotlivých složek nebo pro klasifikaci směsí obecné koncentrační limity uvedené v příloze I. Pokud je v tomto sloupci uvedena hvězdička (*), znamená to, že u příslušného záznamu existují specifické koncentrační limity pro akutní toxicitu podle směrnice 67/548/EHS (tabulka 3.2); viz také oddíl 1.2.1.

Není-li uvedeno jinak, jsou uvedené koncentrační limity vyjádřeny jako procentní podíl hmotnosti látky na hmotnosti celé směsi.

Pokud byl pro chemické látky klasifikované jako nebezpečné pro vodní prostředí v kategoriích Aquatic Acute 1 nebo Aquatic Chronic 1 harmonizován multiplikační faktor, je tento multiplikační faktor uveden ve stejném sloupci jako specifické koncentrační limity. Není-li multiplikační faktor v tabulce 3.1 uveden, stanoví jej výrobce, dovozce nebo následný uživatel na základě dostupných údajů o dané látce. Pokud výrobce, dovozce nebo následný uživatel klasifikuje směs obsahující danou látku sumační metodou, použije se tento multiplikační faktor. Bližší informace o stanovení multiplikačního faktoru jsou uvedeny v bodě 4.1.3.5.5.5 přílohy I.

1.1.3 ***Poznámky k jednotlivým záznamům***

Poznámky k jednotlivým záznamům jsou uvedeny ve sloupci nadepsaném „Pozn.". Význam jednotlivých poznámek je tento:

1.1.3.1 *Poznámky týkající se identifikace, klasifikace a označování látek*

Poznámka A:

Aniž je dotčen čl. 17 odst. 2, musí být název látky na štítku uveden v jedné z forem označení uvedených v části 3.

V části 3 se někdy používá obecné označení jako „… compounds" („… sloučeniny") nebo „… salts" („… soli"). V takovém případě musí dodavatel uvést na štítku správný název, přičemž náležitě zohlední oddíl 1.1.1.4.

Poznámka B:

Některé látky (kyseliny, hydroxidy atd.) jsou uváděny na trh ve vodných roztocích o různé koncentraci, a vyžadují tedy rozdílnou klasifikaci a označení, protože jejich nebezpečnost je při různých koncentracích různá.

V části 3 mají záznamy s poznámkou B obecné označení tohoto typu: „… % nitric acid“ („… % kyselina dusičná“).

V tomto případě musí dodavatel uvést na štítku koncentraci roztoku vyjádřenou v procentech. Není-li uvedeno jinak, předpokládá se, že koncentrace je uvedena v hmotnostních procentech.

Poznámka C:

Některé organické látky mohou být uvedeny na trh buď v určité isomerní formě, nebo jako směs několika isomerů.

V tomto případě musí dodavatel na štítku uvést, zda je látka určitým isomerem nebo směsí isomerů.

Poznámka D:

Některé látky, které jsou náchylné ke spontánní polymeraci nebo rozkladu, jsou obvykle uváděny na trh ve stabilizované formě. V této formě jsou také uvedeny v části 3.

Někdy jsou však tyto látky uváděny na trh v nestabilizované formě. V tomto případě musí výrobce uvést na štítku název látky následovaný slovem „nestabilizovaná“.

Poznámka E (tabulka 3.2):

Poznámka E je uvedena u látek se specifickými účinky na lidské zdraví (viz kapitola 4 přílohy VI směrnice 67/548/EHS), které jsou klasifikovány jako karcinogenní, mutagenní a/nebo toxické pro reprodukci kategorie 1 nebo 2, pokud jsou současně klasifikovány jako vysoce toxické (T+), toxické (T) nebo zdraví škodlivé (Xn). U těchto látek musí být před R-větami R20, R21, R22, R23, R24, R25, R26, R27, R28, R39, R68 (zdraví škodlivá), R48 a R65 a všemi jejich kombinacemi uvedeno slovo „rovněž“.

Poznámka F:

Tato látka může obsahovat stabilizátor. Jestliže stabilizátor mění nebezpečné vlastnosti látky, jež jsou uvedeny klasifikací podle části 3, stanoví se klasifikace a označení podle pravidel pro klasifikaci a označování nebezpečných směsí.

Poznámka G:

Tato látka může být uváděna na trh ve výbušné formě; v takovém případě se provede její hodnocení příslušnými zkušebními metodami. Klasifikace a označení se provede tak, aby byly zřejmé její výbušné vlastnosti.

Poznámka H (tabulka 3.1):

Klasifikace a označení na štítku uvedené pro tuto látku se vztahují na jednu nebo více nebezpečných vlastností označené standardními větami o nebezpečnosti v kombinaci s uvedenými třídami a kategoriemi nebezpečnosti. Požadavky článku 4 týkající se výrobců, dovozců nebo následných uživatelů této látky platí pro všechny ostatní třídy a kategorie nebezpečnosti. Pro třídy nebezpečnosti, kde se klasifikace liší podle cesty expozice nebo způsobu účinků, musí výrobce, dovozce nebo následný uživatel vzít v úvahu cesty expozice nebo způsoby účinků, ke kterým dosud nebylo přihlédnuto.

Konečný štítek musí odpovídat požadavkům článku 17 a oddílu 1.2 přílohy I.

Poznámka H (tabulka 3.2):

Klasifikace a označení na obalu uvedené pro tuto látku se vztahuje na jednu nebo více nebezpečných vlastností označených jednou nebo více R-větami ve spojení s uvedenými kategoriemi nebezpečnosti. Výrobci, dovozci a následní uživatelé této látky jsou pro účely klasifikace a označování povinni provádět šetření, aby zjistili relevantní a dostupné údaje, které existují o všech dalších vlastnostech dané látky. Konečné označení na obalu musí splňovat požadavky oddílu 7 přílohy VI směrnice 67/548/EHS.

Poznámka J:

Klasifikace látky jako karcinogenní nebo mutagenní není povinná, jestliže lze prokázat, že látka obsahuje méně než 0,1 % hmotnostních benzenu (číslo EINECS 200-753-7). Tato poznámka se vztahuje pouze na některé složité látky uvedené v části 3, které vznikají při zpracování uhlí a ropy.

Poznámka K:

Klasifikace látky jako karcinogenní nebo mutagenní není povinná, jestliže lze prokázat, že látka obsahuje méně než 0,1 % hmotnostních buta-1,3-dienu (číslo EINECS 203–450–8). Pokud není látka klasifikována jako karcinogen nebo mutagen, měly by se použít alespoň pokyny pro bezpečné zacházení (P102-)P210-P403 (tabulka 3.1) nebo S-věty (2-)9-16 (tabulka 3.2). Tato poznámka se vztahuje pouze na některé složité látky uvedené v části 3, které vznikají při zpracování ropy.

Poznámka L:

Klasifikace látky jako karcinogenní není povinná, jestliže lze prokázat, že látka obsahuje méně než 3 % hmotnostních látek extrahovatelných do dimethylsulfoxidu (DMSO) při stanovení postupem IP 346 „Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method“ („Stanovení polycyklických aromatických látek v nepoužitých mazacích olejích a ropných frakcích bez asfalténu – metoda refrakčního indexu dimethylsulfoxidového extraktu“), Institute of Petroleum, Londýn. Tato poznámka se vztahuje pouze na některé složité látky uvedené v části 3, které vznikají při zpracování ropy.

Poznámka M:

Klasifikace látky jako karcinogenní není povinná, jestliže lze prokázat, že látka obsahuje méně než 0,005 % hmotnostních benzo[a]pyrenu (číslo EINECS 200–028–5). Tato poznámka se vztahuje pouze na některé složité látky uvedené v části 3, které vznikají při zpracování uhlí.

Poznámka N:

Klasifikace látky jako karcinogenní není povinná, je-li znám celý technologický proces rafinace a lze-li prokázat, že látky, ze kterých je vyrobena, nejsou karcinogenní. Tato poznámka se vztahuje pouze na některé směsi látek uvedené v části 3, které vznikají při zpracování ropy.

Poznámka P:

Klasifikace látky jako karcinogenní nebo mutagenní není povinná, jestliže lze prokázat, že látka obsahuje méně než 0,1 % hmotnostních benzenu (číslo EINECS 200-753-7).

Není-li látka klasifikována jako karcinogenní, použijí se alespoň pokyny pro bezpečné zacházení (P102-) P260-P262-P301 + P310-P331 (tabulka 3.1) nebo S-věty (2-)23-24-62 (tabulka 3.2).

Tato poznámka se vztahuje pouze na některé složité látky uvedené v části 3, které vznikají při zpracování ropy.

Poznámka Q:

Klasifikace látky jako karcinogenní není povinná, jestliže lze prokázat, že látka splňuje jednu z těchto podmínek:

— krátkodobá zkouška bioperzistence při vdechování prokázala, že vlákna o délce větší než 20 μm mají vážený poločas bioperzistence kratší než 10 dnů, nebo

— krátkodobá zkouška bioperzistence při intratracheální instilaci prokázala, že vlákna o délce větší než 20 μm mají vážený poločas bioperzistence kratší než 40 dnů, nebo

— vhodná intraperitoneální zkouška prokázala, že neexistuje důkaz o zvýšené karcinogenitě, nebo

— při vhodné dlouhodobé inhalační zkoušce nedochází k významným patogenním ani neoplastickým změnám.

Poznámka R:

Klasifikace látky jako karcinogenní nemusí být použita u vláken, u nichž je geometrický průměr jejich tloušťky vážené délkou po odečtení dvou směrodatných odchylek větší než 6 μm.

Poznámka S:

Tato látka nemusí být opatřena štítkem podle článku 17 (viz oddíl 1.3 přílohy I) (tabulka 3.1).

Tato látka nemusí být opatřena štítkem podle článku 23 směrnice 67/548/EHS (viz oddíl 8 přílohy VI uvedené směrnice) (tabulka 3.2).

Poznámka T:

Tato látka může být uváděna na trh ve formě, která nepředstavuje fyzikální nebezpečí uvedené klasifikací v části 3 této přílohy. Pokud výsledky příslušné metody podle části 2 přílohy I tohoto nařízení prokazují, že určitá forma látky uváděná na trh nevykazuje tuto fyzikální vlastnost nebo nepředstavuje toto fyzikální nebezpečí, látka se klasifikuje podle výsledků této zkoušky. V bezpečnostním listu se uvedou příslušné informace, včetně odkazu na příslušnou zkušební metodu (metody).

Poznámka U (tabulka 3.1):

Plyny patřící do skupiny „stlačený plyn", „zkapalněný plyn", „zchlazený plyn" nebo Rozpuštěný plyn musí být při uvádění na trh klasifikovány jako „plyny pod tlakem". Skupina je závislá na skupenství, ve kterém se plyn v obalu nachází, a proto musí být přiřazována jednotlivě.

1.1.3.2 *Poznámky ke klasifikaci a označování směsí*

Poznámka 1:

Uvedené koncentrace nebo, nejsou-li koncentrace uvedeny, obecné koncentrace podle tohoto nařízení (tabulka 3.1) či obecné koncentrace podle směrnice 1999/45/ES (tabulka 3.2) jsou vyjádřeny v hmotnostních procentech kovového prvku vztažených k celkové hmotnosti směsi.

Poznámka 2:

Uvedená koncentrace isokyanátů je vyjádřena v hmotnostních procentech volného monomeru vztažených k celkové hmotnosti směsi.

Poznámka 3:

Uvedená koncentrace chromanových iontů rozpuštěných ve vodě je vyjádřena v hmotnostních procentech vztažených k celkové hmotnosti směsi.

Poznámka 5:

Koncentrační limity pro plynné nebezpečné směsi jsou vyjádřeny v objemových procentech.

Poznámka 7:

Slitiny obsahující nikl jsou klasifikovány jako senzibilizující kůži, přesáhne-li rychlost uvolňování niklu stanovená referenční zkušební metodou podle evropské normy EN 1811 hodnotu 0,5 μg/cm$^2$ za týden.

1.1.4 ***Informace týkající se klasifikace a označování jednotlivých záznamů v tabulce 3.2***

1.1.4.1 *Klasifikační kódy*

Klasifikace každé kategorie nebezpečnosti (podle čl. 2 odst. 2 směrnice 67/548/EHS) je obvykle uvedena ve formě zkratky odpovídající kategorii nebezpečnosti s odpovídající standardní větou nebo standardními větami označujícími specifickou rizikovost. V některých případech (tj. u látek klasifikovaných jako hořlavé, senzibilizující a některých látek klasifikovaných jako nebezpečné pro životní prostředí) je však použita pouze standardní věta označující specifickou rizikovost.

Zkratka pro každou z kategorií nebezpečnosti je uvedena níže:

— výbušné: E

— oxidující: O

— extrémně hořlavé: F+

— vysoce hořlavé: F

— hořlavé: R10

— vysoce toxické: T+

— toxické: T

— zdraví škodlivé: Xn

— žíravé: C

— dráždivé: Xi

— senzibilizující: R42 a/nebo R43

— karcinogenní: Carc. Cat. (1, 2 nebo 3)

— mutagenní: Muta. Cat. (1, 2 nebo 3)

— toxické pro reprodukci: Repr. Cat. (1, 2 nebo 3)

— nebezpečné pro životní prostředí: N nebo R52 a/nebo R53.

1.1.4.2 *Kódy pro označování*

i) písmeno přiřazené látce v souladu s přílohou II směrnice 67/548/EHS (viz čl. 23 odst. 2 písm. c) směrnice 67/548/EHS). Slouží jako zkratka pro symbol (je-li přiřazen) a pro označení nebezpečnosti (je-li přiřazeno);

ii) standardní věty označující specifickou rizikovost v podobě řady čísel, kterým předchází písmeno R, a udávající povahu specifických rizik v souladu s přílohou III směrnice 67/548/EHS (viz čl. 23 odst. 2 písm. d) směrnice 67/548/EHS). Čísla jsou oddělena buď spojovníkem (-) pro samostatné standardní věty týkající se specifických rizik (R), nebo lomítkem (/) pro kombinovanou standardní větu o specifických rizicích v jedné větě, jak je stanoveno v příloze III směrnice 67/548/EHS;

iii) standardní pokyny pro bezpečné zacházení v podobě řady čísel, kterým předchází písmeno S, uvádějící doporučená bezpečnostní opatření v souladu s přílohou IV směrnice 67/548/EHS (viz čl. 23 odst. 2 písm. e) směrnice 67/548/EHS). Čísla jsou opět oddělena buď spojovníkem, nebo lomítkem; význam doporučených bezpečnostních opatření je uveden v příloze IV směrnice 67/548/EHS. Uvedené standardní pokyny pro bezpečné zacházení platí pouze pro látky; pokyny pro bezpečné zacházení pro směsi se volí podle obvyklých pravidel.

Pro některé nebezpečné látky a směsi prodávané široké veřejnosti jsou určité S-věty povinné.

Věty S1, S2 a S45 jsou povinné pro vysoce toxické, toxické a žíravé látky a směsi prodávané široké veřejnosti.

Věty S2 a S46 jsou povinné pro všechny ostatní nebezpečné látky a směsi prodávané široké veřejnosti kromě těch, které byly klasifikovány pouze jako nebezpečné pro životní prostředí.

Standardní pokyny pro bezpečné zacházení S1 a S2 jsou v příloze I uvedeny v závorkách a mohou být z označení vynechány jen tehdy, je-li látka nebo směs prodávána pouze pro průmyslové využití.

1.1.4.3 *Specifické koncentrační limity*

Koncentrační limity a odpovídající klasifikace nezbytné pro klasifikaci nebezpečných směsí, které látku obsahují, v souladu se směrnicí 1999/45/ES.

Není-li uvedeno jinak, jsou uvedené koncentrační limity vyjádřeny jako hmotnostní procenta látky vzhledem k hmotnosti celé směsi.

Nejsou-li koncentrační limity uvedeny, platí při použití konvenční metody hodnocení nebezpečnosti pro zdraví koncentrační limity stanovené v příloze II a při použití konvenční metody hodnocení nebezpečnosti pro životní prostředí koncentrační limity stanovené v příloze III směrnice 1999/45/ES.

1.1.4.4 *Nesoulad s tabulkou 3.1 u fyzikální nebezpečnosti*

Fyzikální nebezpečnost by u některých záznamů uvedených v tabulce 3.2 měla být aktualizována s ohledem na nadcházející přizpůsobení technickému pokroku.

Dokud tyto záznamy nebudou aktualizovány, nebude se fyzikální nebezpečnost u odpovídajících záznamů v obou tabulkách shodovat. U příslušných záznamů je v tabulce 3.2 uveden symbol ⊗.

1.2 **Klasifikace a standardní věty o nebezpečnosti v tabulce 3.1 vyplývající z převodu klasifikací uvedených v příloze i směrnice 67/548/EHS**

1.2.1 ***Minimální klasifikace***

Pro některé třídy nebezpečnosti, včetně akutní toxicity a toxicity pro specifické cílové orgány při opakované expozici, neodpovídá klasifikace podle kritérií ve směrnici 67/548/EHS přesně zařazení do třídy a kategorie nebezpečnosti podle tohoto nařízení. V těchto případech se klasifikace v této příloze považuje za minimální klasifikaci. Tato klasifikace se použije, není-li splněna žádná z těchto podmínek:

— výrobce nebo dovozce má přístup k údajům nebo jiným informacím uvedeným v části 1 přílohy I, které v porovnání s minimální klasifikací vedou k zařazení do závažnější kategorie. Pak se musí použít zařazení do závažnější kategorie;

— minimální klasifikaci lze dále zpřesnit na základě převodní tabulky v příloze VII, je-li výrobci nebo dovozci znám fyzikální stav látky použité při zkoušce akutní inhalační toxicity. Klasifikace získaná z přílohy VII poté nahradí minimální klasifikaci uvedenou v této příloze, jestliže se tato liší.

Minimální klasifikace pro kategorii je v tabulce 3.1 ve sloupci „Klasifikace“ označena hvězdičkou (*).

Odkaz hvězdičkou lze nalézt rovněž ve sloupci „Specifické koncentrační limity a multiplikační faktory“ jako upozornění na to, že u dotyčného záznamu existují specifické koncentrační limity pro akutní toxicitu podle směrnice 67/548/EHS (tabulka 3.2). Tyto koncentrační limity nelze „převádět“ na koncentrační limity podle tohoto nařízení, zejména pokud je stanovena minimální klasifikace. Je-li však uvedena hvězdička, může být klasifikace akutní toxicity u tohoto záznamu hodna zvláštního zřetele.

1.2.2 ***Nelze vyloučit cestu expozice***

Pro některé třídy nebezpečnosti, např. toxicity pro specifické cílové orgány (STOT), by se ve standardní větě o nebezpečnosti měla uvést cesta expozice pouze tehdy, je-li přesvědčivě prokázáno, že žádná jiná cesta expozice nemůže vyvolat nebezpečí podle kritérií v příloze I. Podle směrnice 67/548/EHS byla cesta expozice uvedena tehdy, pokud existovaly údaje odůvodňující klasifikaci R48 pro danou cestu expozice. Klasifikace podle směrnice 67/548/EHS udávající cestu expozice byla převedena do příslušné třídy a kategorie podle tohoto nařízení, avšak s obecnou standardní větou o nebezpečnosti, která cestu expozice neupřesňuje, jelikož nejsou k dispozici potřebné informace.

Tyto standardní věty o nebezpečnosti jsou v tabulce 3.1 označeny dvěma hvězdičkami (**).

1.2.3 ***Standardní věty o nebezpečnosti pro toxicitu pro reprodukci***

Standardní věty o nebezpečnosti H360 a H361 udávají pro oba parametry toxicity pro reprodukci obecnou informaci: „Může poškodit reprodukční schopnost nebo plod v těle matky / Podezření na poškození reprodukční schopnosti nebo plodu v těle matky“. Podle kritérií lze obecnou standardní větu o nebezpečnosti nahradit standardní větou o nebezpečnosti, která udává pouze jednu vlastnost, pokud se prokáže, že jeden z účinků není relevantní.

Aby nedošlo ke ztrátě informací z harmonizovaných klasifikací pro reprodukční schopnost a vývojové vady podle směrnice 67/548/EHS, byly klasifikace převedeny pouze pro účinky klasifikované podle uvedené směrnice.

Tyto standardní věty o nebezpečnosti jsou v tabulce 3.1 označeny třemi hvězdičkami (***).

1.2.4 ***Správnou klasifikaci na základě fyzikální nebezpečnosti nebylo možno stanovit***

U některých záznamů nebylo možno stanovit správnou klasifikaci na základě fyzikální nebezpečnosti, protože nejsou k dispozici dostatečné údaje pro uplatnění klasifikačních kritérií podle tohoto nařízení. Takový záznam může být přiřazen do jiné (i vyšší) kategorie nebo dokonce do jiné třídy nebezpečnosti, než je uvedeno. Správná klasifikace musí být potvrzena pomocí zkoušek.

Záznamy, u nichž je třeba potvrdit fyzikální nebezpečnost pomocí zkoušek, jsou v tabulce 3.1 označeny čtyřmi hvězdičkami (****).

2. ČÁST 2: DOKUMENTACE K HARMONIZOVANÉ KLASIFIKACI A OZNAČOVÁNÍ

V této části jsou stanoveny všeobecné zásady přípravy dokumentace k návrhu a odůvodnění harmonizované klasifikace a označování.

Na metodiku a formát veškeré dokumentace se použijí příslušné části oddílů 1, 2 a 3 přílohy I nařízení (ES) č. 1907/2006.

Pro veškerou dokumentaci se zohlední všechny významné informace z dokumentací k registraci a lze využít i jiné dostupné informace. Pokud jde o standardní věty o nebezpečnosti, které agentuře ještě nebyly předloženy, je nutné do dokumentace rovněž zahrnout podrobný souhrn studie.

Dokumentace k harmonizované klasifikaci a označování obsahuje:

— Návrh

  Součástí návrhu je identifikace příslušné látky nebo látek a návrh na harmonizovanou klasifikaci a označování.

— Odůvodnění navrhované harmonizované klasifikace a označení

  Porovnání dostupných údajů s kritérii uvedenými v částech 2 až 5, při zohlednění obecných zásad uvedených v části 1 přílohy I tohoto nařízení, se vykoná a zaznamená ve formátu podle části B zprávy o chemické bezpečnosti v příloze I nařízení (ES) č. 1907/2006.

— Odůvodnění pro jiné účinky na úrovni Společenství

  Pro jiné účinky, než je karcinogenita, mutagenita, toxicita pro reprodukci a senzibilizace dýchacích cest, se uvede odůvodnění prokazující, že je nutné přijmout opatření na úrovni Společenství. To neplatí pro aktivní látky ve smyslu směrnice 91/414/EHS nebo směrnice 98/8/ES.

3. ČÁST 3: TABULKY S HARMONIZOVANOU KLASIFIKACÍ A OZNAČOVÁNÍM

Tabulka 3.1: Seznam harmonizovaných klasifikací a označení nebezpečných látek je uveden v samostatném svazku IIIa.

Tabulka 3.2: Seznam harmonizovaných klasifikací a označení nebezpečných látek z přílohy I směrnice 67/548/EHS je uveden v samostatném svazku IIIb.

**Tabulka 3.1**

*Seznam harmonizovaných klasifikací a označení nebezpečných látek*

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 001-001-00-9 | hydrogen | 215-605-7 | 1333-74-0 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |
| 001-002-00-4 | aluminium lithium hydride | 240-877-9 | 16853-85-3 | Water-react. 1 | H260 | GHS02<br>Dgr | H260 | | | |
| 001-003-00-X | sodium hydride | 231-587-3 | 7646-69-7 | Water-react. 1 | H260 | GHS02<br>Dgr | H260 | | | |
| 001-004-00-5 | calcium hydride | 232-189-2 | 7789-78-8 | Water-react. 1 | H260 | GHS02<br>Dgr | H260 | | | |
| 003-001-00-4 | lithium | 231-102-5 | 7439-93-2 | Water-react. 1<br>Skin Corr. 1B | H260<br>H314 | GHS02<br>GHS05<br>Dgr | H260<br>H314 | EUH014 | | |
| 003-002-00-X | n-hexyllithium | 404-950-0 | 21369-64-2 | Water-react. 1<br>Pyr. Sol. 1<br>Skin Corr. 1A | H260<br>H250<br>H314 | GHS02<br>GHS05<br>Dgr | H260<br>H250<br>H314 | EUH014 | | |
| 004-001-00-7 | beryllium | 231-150-7 | 7440-41-7 | Carc. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H350i<br>H330<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H317 | GHS06<br>GHS08<br>Dgr | H350i<br>H330<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 004-002-00-2 | beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex | — | — | Carc. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350i<br>H330<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350i<br>H330<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H317<br>H411 | | | A |
| 004-003-00-8 | beryllium oxide | 215-133-1 | 1304-56-9 | Carc. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H350i<br>H330<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H317 | GHS06<br>GHS08<br>Dgr | H350i<br>H330<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H317 | | | |
| 005-001-00-X | boron trifluoride | 231-569-5 | 7637-07-2 | Press. Gas<br>Acute Tox. 2 (*)<br>Skin Corr. 1A | H330<br>H314 | GHS04<br>GHS06<br>GHS05<br>Dgr | H330<br>H314 | EUH014 | | U |
| 005-002-00-5 | boron trichloride | 233-658-4 | 10294-34-5 | Press. Gas<br>Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Skin Corr. 1B | H330<br>H300<br>H314 | GHS04<br>GHS06<br>GHS05<br>Dgr | H330<br>H300<br>H314 | EUH014 | | U |
| 005-003-00-0 | boron tribromide | 233-657-9 | 10294-33-4 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Skin Corr. 1A | H330<br>H300<br>H314 | GHS06<br>GHS05<br>Dgr | H330<br>H300<br>H314 | EUH014 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 005-004-00-6 | trialkylboranes, solid | — | — | Pyr. Sol. 1<br>Skin Corr. 1B | H250<br>H314 | GHS02<br>GHS05<br>Dgr | H250<br>H314 | | | A |
| 005-004-01-3 | trialkylboranes, liquid | — | — | Pyr. Liq. 1<br>Skin Corr. 1B | H250<br>H314 | GHS02<br>GHS05<br>Dgr | H250<br>H314 | | | A |
| 005-005-00-1 | trimethyl borate | 204-468-9 | 121-43-7 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H312 | GHS02<br>GHS07<br>Wng | H226<br>H312 | | | |
| 005-006-00-7 | dibutyltin hydrogen borate | 401-040-5 | 75113-37-0 | STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H372 (**)<br>H312<br>H302<br>H318<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H372 (**)<br>H312<br>H302<br>H318<br>H317<br>H410 | | | |
| 005-009-00-3 | tetrabutylammonium butyltriphenylborate | 418-080-4 | 120307-06-4 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 005-010-00-9 | *N*,*N*-dimethylanilinium tetrakis(pentafluorophenyl)borate | 422-050-6 | 118612-00-3 | Carc. 2<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H351<br>H302<br>H315<br>H318 | GHS08<br>GHS05<br>GHS07<br>Dgr | H351<br>H302<br>H315<br>H318 | | | |
| 005-012-00-X | diethyl{4-[1,5,5-tris(4-diethylaminophenyl) penta-2,4-dienylidene]cyclohexa-2,5-dienylidene}ammonium butyltriphenylborate | 418-070-1 | 141714-54-7 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-001-00-2 | carbon monoxide | 211-128-3 | 630-08-0 | Flam. Gas 1<br>Press. Gas<br>Repr. 1A<br>Acute Tox. 3 (*)<br>STOT RE 1 | H220<br>H360-D (***)<br>H331<br>H372 (**) | GHS02<br>GHS04<br>GHS06<br>GHS08<br>Dgr | H220<br>H360D (***)<br>H331<br>H372 (**) | | | U |
| 006-002-00-8 | phosgene;<br>carbonyl chloride | 200-870-3 | 75-44-5 | Press. Gas<br>Acute Tox. 2 (*)<br>Skin Corr. 1B | H330<br>H314 | GHS04<br>GHS06<br>GHS05<br>Dgr | H330<br>H314 | | | U |
| 006-003-00-3 | carbon disulphide | 200-843-6 | 75-15-0 | Flam. Liq. 2<br>Repr. 2<br>STOT RE 1<br>Eye Irrit. 2<br>Skin Irrit. 2 | H225<br>H361f-d<br>H372 (**)<br>H319<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H361fd<br>H372 (**)<br>H319<br>H315 | | Repr. 2; H361fd: C ≥ 1 %<br>STOT RE 1; H372: C ≥ 1 %<br>STOT RE 2; H373: 0.2 % ≤C < 1 % | |
| 006-004-00-9 | calcium carbide | 200-848-3 | 75-20-7 | Water-react. 1 | H260 | GHS02<br>Dgr | H260 | | | T |
| 006-005-00-4 | thiram (ISO);<br>tetramethylthiuram disulphide | 205-286-2 | 137-26-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H373 (**)<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H332<br>H302<br>H373 (**)<br>H319<br>H315<br>H317<br>H410 | | M=10 | |
| 006-006-00-X | hydrogen cyanide;<br>hydrocyanic acid | 200-821-6 | 74-90-8 | Flam. Liq. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H224<br>H330<br>H400<br>H410 | GHS02<br>GHS06<br>GHS09<br>Dgr | H224<br>H330<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-006-01-7 | hydrogen cyanide … %;<br>hydrocyanic acid … % | 200-821-6 | 74-90-8 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H410 | | | B |
| 006-007-00-5 | salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H410 | EUH032 | | A |
| 006-008-00-0 | antu (ISO);<br>1-(1-naphthyl)-2-thiourea | 201-706-3 | 86-88-4 | Acute Tox. 2 (*)<br>Carc. 2 | H300<br>H351 | GHS06<br>GHS08<br>Dgr | H300<br>H351 | | | |
| 006-009-00-6 | 1-isopropyl-3-methylpyrazol-5-yl dimethylcarbamate;<br>isolan | 204-318-2 | 119-38-0 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 006-010-00-1 | 5,5-dimethyl-3-oxocyclohex-1-enyl dimethylcarbamate 5,5-dimethyldihydroresorcinol dimethylcarbamate;<br>dimetan | 204-525-8 | 122-15-6 | Acute Tox. 3 (*) | H301 | GHS06<br>Dgr | H301 | | | |
| 006-011-00-7 | carbaryl (ISO);<br>1-naphthyl methylcarbamate | 200-555-0 | 63-25-2 | Carc. 2<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H351<br>H302<br>H400 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-012-00-2 | ziram (ISO);<br>zinc bis dimethyldithiocarbamate | 205-288-3 | 137-30-4 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>STOT SE 3<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H302<br>H373 (**)<br>H335<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H330<br>H302<br>H373 (**)<br>H335<br>H318<br>H317<br>H410 | | M=100 | |
| 006-013-00-8 | metam-sodium (ISO);<br>sodium methyldithiocarbamate | 205-293-0 | 137-42-8 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H317<br>H410 | EUH031 | | |
| 006-014-00-3 | nabam (ISO);<br>disodium ethylenebis(*N,N'*-dithiocarbamate) | 205-547-0 | 142-59-6 | Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H335<br>H317<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H335<br>H317<br>H410 | | | |
| 006-015-00-9 | diuron (ISO);<br>3-(3,4-dichlorophenyl)-1,1-dimethylurea | 206-354-4 | 330-54-1 | Carc. 2<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H373 (**)<br>H410 | | | |
| 006-016-00-4 | propoxur (ISO);<br>2-isopropyloxyphenyl *N*-methylcarbamate;<br>2-isopropoxyphenyl methylcarbamate | 204-043-8 | 114-26-1 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-017-00-X | aldicarb (ISO);<br>2-methyl-2-(methylthio)propanal-O-(*N*-methylcarbamoyl)oxime | 204-123-2 | 116-06-3 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H311<br>H410 | | | |
| 006-018-00-5 | aminocarb (ISO);<br>4-dimethylamino-3-tolyl methylcarbamate | 217-990-7 | 2032-59-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | | |
| 006-019-00-0 | di-allate (ISO);<br>*S*-(2,3-dichloroallyl)-*N*,*N*-diisopropylthiocarbamate | 218-961-1 | 2303-16-4 | Carc. 2<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410 | | | |
| 006-020-00-6 | barban (ISO);<br>4-chlorbut-2-ynyl *N*-(3-chlorophenyl)carbamate | 202-930-4 | 101-27-9 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 006-021-00-1 | linuron (ISO);<br>3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea | 206-356-5 | 330-55-2 | Repr. 1B<br>Carc. 2<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-Df<br>H351<br>H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360Df<br>H351<br>H302<br>H373 (**)<br>H410 | | | |
| 006-022-00-7 | decarbofuran (ISO);<br>2,3-dihydro-2-methylbenzofuran-7-yl methylcarbamate | — | 1563-67-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-023-00-2 | mercaptodimethur (ISO);<br>methiocarb (ISO);<br>3,5-dimethyl-4-methylthiophenyl *N*-methylcarbamate | 217-991-2 | 2032-65-7 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | | |
| 006-024-00-8 | proxan-sodium (ISO);<br>sodium *O*-isopropyldithiocarbonate | 205-443-5 | 140-93-2 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H302<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H315<br>H411 | | | |
| 006-025-00-3 | allethrin;<br>(*RS*)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1*RS*,3*RS*;1*RS*,3*SR*)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate;<br>bioallethrin;<br>(*RS*)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1*R*,3*R*)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate; [1]<br>S-bioallethrin;<br>(*S*)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1*R*,3*R*)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate; [2]<br>esbiothrin;<br>(*RS*)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1*R*,3*R*)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [3] | 209-542-4 [1]<br>249-013-5 [2]<br>— [3] | 584-79-2 [1]<br>28434-00-6 [2]<br>84030-86-4 [3] | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H410 | | | C |
| 006-026-00-9 | carbofuran (ISO);<br>2,3-dihydro-2,2-dimethylbenzofuran-7-yl *N*-methylcarbamate | 216-353-0 | 1563-66-2 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H410 | | | |
| 006-028-00-X | dinobuton (ISO);<br>2-(1-methylpropyl)-4,6-dinitrophenyl isopropyl carbonate | 213-546-1 | 973-21-7 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-029-00-5 | dioxacarb (ISO);<br>2-(1,3-dioxolan-2-yl)phenyl *N*-methylcarbamate | 230-253-4 | 6988-21-2 | Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H301<br>H411 | GHS06<br>GHS09<br>Dgr | H301<br>H411 | | | |
| 006-030-00-0 | EPTC (ISO);<br>*S*-ethyl dipropylthiocarbamate | 212-073-8 | 759-94-4 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 006-031-00-6 | formetanate (ISO);<br>3-[(*EZ*)-dimethylaminomethyleneamino] phenyl methylcarbamate | 244-879-0 | 22259-30-9 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H317<br>H410 | | | |
| 006-032-00-1 | monolinuron (ISO);<br>3-(4-chlorophenyl)-1-methoxy-1-methylurea | 217-129-5 | 1746-81-2 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H410 | | | |
| 006-033-00-7 | metoxuron (ISO);<br>3-(3-chloro-4-methoxyphenyl)-1,1-dimethylurea | 243-433-2 | 19937-59-8 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 006-034-00-2 | pebulate (ISO);<br>*N*-butyl-*N*-ethyl-*S*-propylthiocarbamate | 214-215-4 | 1114-71-2 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 006-035-00-8 | pirimicarb (ISO);<br>5,6-dimethyl-2-dimethylamino-pyrimidin-4-yl *N*,*N*-dimethylcarbamate | 245-430-1 | 23103-98-2 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | | |
| 006-036-00-3 | benzthiazuron (ISO);<br>1-benzothiazol-2-yl-3-methylurea | 217-685-9 | 1929-88-0 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-037-00-9 | promecarb (ISO);<br>3-isopropyl-5-methylphenyl *N*-methylcarbamate | 220-113-0 | 2631-37-0 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | | |
| 006-038-00-4 | sulfallate (ISO);<br>2-chloroallyl *N*,*N*-dimethyldithiocarbamate | 202-388-9 | 95-06-7 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410 | | | |
| 006-039-00-X | tri-allate (ISO);<br>*S*-2,3,3-trichloroallyl diisopropylthiocarbamate | 218-962-7 | 2303-17-5 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H317<br>H410 | | | |
| 006-040-00-5 | 3-methylpyrazol-5-yl-dimethylcarbamate;<br>monometilan | — | 2532-43-6 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | |
| 006-041-00-0 | dimethylcarbamoyl chloride | 201-208-6 | 79-44-7 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H350<br>H331<br>H302<br>H319<br>H335<br>H315 | GHS06<br>GHS08<br>Dgr | H350<br>H331<br>H302<br>H319<br>H335<br>H315 | | Carc. 1B; H350: C ≥ 0,001 % | |
| 006-042-00-6 | monuron (ISO);<br>3-(4-chlorophenyl)-1,1-dimethylurea | 205-766-1 | 150-68-5 | Carc. 2<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-043-00-1 | 3-(4-chlorophenyl)-1,1-dimethyluronium trichloroacetate;<br>monuron-TCA | — | 140-41-0 | Carc. 2<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H319<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H319<br>H315<br>H410 | | | |
| 006-044-00-7 | isoproturon (ISO);<br>3-(4-isopropylphenyl)-1,1-dimethylurea | 251-835-4 | 34123-59-6 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | M=10 | |
| 006-045-00-2 | methomyl (ISO);<br>1-(methylthio)ethylideneamino *N*-methylcarbamate | 240-815-0 | 16752-77-5 | Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H410 | | | |
| 006-046-00-8 | bendiocarb (ISO);<br>2,2-dimethyl-1,3-benzodioxol-4-yl N-methylcarbamate | 245-216-8 | 22781-23-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H312<br>H410 | | | |
| 006-047-00-3 | bufencarb (ISO);<br>reaction mass of 3-(1-methylbutyl)phenyl *N*-methylcarbamate and 3-(1-ethylpropyl)phenyl *N*-methylcarbamate | — | 8065-36-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | | |
| 006-048-00-9 | ethiofencarb (ISO);<br>2-(ethylthiomethyl)phenyl *N*-methylcarbamate | 249-981-9 | 29973-13-5 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 006-049-00-4 | dixanthogen;<br>*O*,*O*-diethyl dithiobis(thioformate) | 207-944-4 | 502-55-6 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-050-00-X | 1,1-dimethyl-3-phenyluronium trichloroacetate;<br>fenuron-TCA | — | 4482-55-7 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H410 | | | |
| 006-051-00-5 | ferbam (ISO);<br>iron tris(dimethyldithiocarbamate) | 238-484-2 | 14484-64-1 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H410 | | | |
| 006-052-00-0 | formetanate hydrochloride;<br>3-(*N*,*N*-dimethylaminomethyleneamino) phenyl *N*-methylcarbamate | 245-656-0 | 23422-53-9 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H317<br>H410 | | | |
| 006-053-00-6 | isoprocarb (ISO);<br>2-isopropylphenyl *N*-methylcarbamate | 220-114-6 | 2631-40-5 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 006-054-00-1 | mexacarbate (ISO);<br>3,5-dimethyl-4-dimethylaminophenyl *N*-methylcarbamate | 206-249-3 | 315-18-4 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H312<br>H410 | | | |
| 006-055-00-7 | xylylcarb (ISO);<br>3,4-dimethylphenyl N-methylcarbamate;<br>3,4-xylyl methylcarbamate;<br>MPMC | 219-364-9 | 2425-10-7 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 006-056-00-2 | metolcarb (ISO);<br>*m*-tolyl methylcarbamate;<br>MTMC | 214-446-0 | 1129-41-5 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-057-00-8 | nitrapyrin (ISO);<br>2-chloro-6-trichloromethylpyridine | 217-682-2 | 1929-82-4 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 006-058-00-3 | noruron (ISO);<br>1,1-dimethyl-3-(perhydro-4,7-methanoinden-5-yl)urea | — | 2163-79-3 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 006-059-00-9 | oxamyl (ISO);<br>*N*',*N*'-dimethylcarbamoyl(methylthio)methylenamine *N*-methylcarbamate; | 245-445-3 | 23135-22-0 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H330<br>H300<br>H312<br>H411 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H312<br>H411 | | | |
| 006-060-00-4 | oxycarboxin (ISO);<br>2,3-dihydro-6-methyl-5-(*N*-phenylcarbamoyl)-1,4-oxothiine 4,4-dioxide | 226-066-2 | 5259-88-1 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 006-061-00-X | *S*-ethyl *N*-(dimethylaminopropyl)thiocarbamatehydrochloride;<br>prothiocarb hydrochloride | 243-193-9 | 19622-19-6 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 006-062-00-5 | methyl 3,4-dichlorophenylcarbanilate;<br>SWEP. | — | 1918-18-9 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 006-063-00-0 | thiobencarb (ISO);<br>*S*-4-chlorobenzyl diethylthiocarbamate | 248-924-5 | 28249-77-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 006-064-00-6 | thiofanox (ISO);<br>3,3-dimethyl-1-(methylthio)butanone-O-(*N*-methylcarbamoyl)oxime | 254-346-4 | 39196-18-4 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-065-00-1 | 3-chloro-6-cyano-bicyclo(2,2,1)heptan-2-one-O-(*N*-methylcarbamoyl)oxime; triamid | — | 15271-41-7 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H300<br>H311<br>H411 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H411 | | | |
| 006-066-00-7 | vernolate (ISO); *S*-propyl dipropylthiocarbamate | 217-681-7 | 1929-77-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 006-067-00-2 | XMC; 3,5-xylyl methylcarbamate | — | 2655-14-3 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 006-068-00-8 | diazomethane | 206-382-7 | 334-88-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | |
| 006-069-00-3 | thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido) benzene | 245-740-7 | 23564-05-8 | Muta. 2<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H332<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H332<br>H317<br>H410 | | | |
| 006-070-00-9 | furmecyclox (ISO); *N*-cyclohexyl-*N*-methoxy-2,5-dimethyl-3-furamide | 262-302-0 | 60568-05-0 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |
| 006-071-00-4 | cyclooct-4-en-1-yl methyl carbonate | 401-620-8 | 87731-18-8 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 006-072-00-X | prosulfocarb (ISO); *S*-benzyl *N*,*N*-dipropylthiocarbamate | 401-730-6 | 52888-80-9 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H411 | | | |
| 006-073-00-5 | 3-(dimethylamino)propylurea | 401-950-2 | 31506-43-1 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-074-00-0 | 2-(3-(prop-1-en-2-yl)phenyl)prop-2-yl isocyanate | 402-440-2 | 2094-99-7 | Acute Tox. 2 (*)<br>Skin Corr. 1B<br>STOT RE 2 (*)<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H314<br>H373 (**)<br>H334<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H330<br>H314<br>H373 (**)<br>H334<br>H317<br>H410 | | | |
| 006-076-00-1 | mancozeb (ISO) | — | 8018-01-7 | STOT SE 3<br>Skin Sens. 1 | H335<br>H317 | GHS07<br>Wng | H335<br>H317 | | | |
| 006-077-00-7 | maneb (ISO) | 235-654-8 | 12427-38-2 | STOT SE 3<br>Skin Sens. 1 | H335<br>H317 | GHS07<br>Wng | H335<br>H317 | | | |
| 006-078-00-2 | zineb (ISO);<br>zinc ethylenebis(dithiocarbamate) (polymeric) | 235-180-1 | 12122-67-7 | STOT SE 3<br>Skin Sens. 1 | H335<br>H317 | GHS07<br>Wng | H335<br>H317 | | | |
| 006-079-00-8 | disulfiram;<br>tetraethylthiuramdisulfide | 202-607-8 | 97-77-8 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H317<br>H410 | | | |
| 006-080-00-3 | tetramethylthiuram monosulphide | 202-605-7 | 97-74-5 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H411 | | | |
| 006-081-00-9 | zinc bis(dibutyldithiocarbamate) | 205-232-8 | 136-23-2 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-082-00-4 | zinc bis(diethyldithiocarbamate) | 238-270-9 | 14324-55-1 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H335<br>H315<br>H317<br>H410 | | | |
| 006-083-00-X | butocarboxim (ISO);<br>3-(methylthio)-2-butanone O-[(methylamino)carbonyl]oxime | 252-139-3 | 34681-10-2 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H331<br>H311<br>H301<br>H319<br>H400<br>H410 | GHS02<br>GHS06<br>GHS09<br>Dgr | H226<br>H331<br>H311<br>H301<br>H319<br>H410 | | | |
| 006-084-00-5 | carbosulfan (ISO);<br>2,3-dihydro-2,2-dimethyl-7-benzofuryl [(dibutylamino)thio]methylcarbamate | 259-565-9 | 55285-14-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H317<br>H410 | | | |
| 006-085-00-0 | fenobucarb (ISO);<br>2-butylphenyl methylcarbamate | 223-188-8 | 3766-81-2 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 006-086-00-6 | ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate;<br>fenoxycarb | 276-696-7 | 72490-01-8 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 006-087-00-1 | 2,3-dihydro-2,2-dimethyl-7-benzofuryl 2,4-dimethyl-6-oxa-5-oxo-3-thia-2,4-diazadecanoate;<br>furathiocarb | 265-974-3 | 65907-30-4 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H373 (**)<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H301<br>H373 (**)<br>H319<br>H315<br>H317<br>H410 | | | |
| 006-088-00-7 | benfuracarb;<br>ethyl *N*-[2,3-dihydro-2,2-dimethylbenzofuran-7-yloxycarbonyl(methyl)aminothio]-*N*-isopropyl- β-alaninate | — | 82560-54-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H410 | | | |
| 006-089-00-2 | chlorine dioxide | 233-162-8 | 10049-04-4 | Ox. Gas 1<br>Press. Gas<br>Acute Tox. 2 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H270<br>H330<br>H314<br>H400 | GHS03<br>GHS04<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H270<br>H330<br>H314<br>H400 | EUH006 | M=1000 | U |
| 006-089-01-X | chlorine dioxide . . . % | 233-162-8 | 10049-04-4 | Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H301<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H314<br>H400 | | Skin Corr. 1B; H314: C ≥ 10 %<br>Skin Irrit. 2; H315: 3 % ≤ C < 10 %<br>Eye Irrit. 2; H319: 0,3 % ≤ C < 10 %<br>STOT SE 3; H335: C ≥ 3 %<br>M=10 | B |
| 006-090-00-8 | 2-(3-iodoprop-2-yn-1-yloxy)ethyl phenylcarbamate | 408-010-0 | 88558-41-2 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H332<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H332<br>H318<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 007-001-00-5 | ammonia, anhydrous | 231-635-3 | 7664-41-7 | Flam. Gas 2<br>Press. Gas<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H221<br>H331<br>H314<br>H400 | GHS04<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H221<br>H331<br>H314<br>H400 | | | U |
| 007-001-01-2 | ammonia …. % | 215-647-6 | 1336-21-6 | Skin Corr. 1B<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | | STOT SE 3;<br>H335: C ≥ 5 % | B |
| 007-002-00-0 | nitrogen dioxide; [1]<br>dinitrogen tetraoxide [2] | 233-272-6 [1]<br>234-126-4 [2] | 10102-44-0 [1]<br>10544-72-6 [2] | Press. Gas<br>Acute Tox. 2 (*)<br>Skin Corr. 1B | H330<br>H314 | GHS04<br>GHS06<br>GHS05<br>Dgr | H330<br>H314 | | (*) | U<br>5 |
| 007-003-00-6 | chlormequat chloride (ISO);<br>2-chloroethyltrimethylammonium chloride | 213-666-4 | 999-81-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 007-004-00-1 | nitric acid … % | 231-714-2 | 7697-37-2 | Ox. Liq. 3<br>Skin Corr. 1A | H272<br>H314 | GHS03<br>GHS05<br>Dgr | H272<br>H314 | | Skin Corr. 1A;<br>H314: C ≥ 20 %<br>Skin Corr. 1B;<br>H314: 5 % ≤ C < 20 %<br>Ox. Liq. 3; H272:<br>C ≥ 65 % | B |
| 007-006-00-2 | ethyl nitrite | 203-722-6 | 109-95-5 | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H220<br>H332<br>H312<br>H302 | GHS02<br>GHS04<br>GHS07<br>Dgr | H220<br>H332<br>H312<br>H302 | | | U |
| 007-007-00-8 | ethyl nitrate | 210-903-3 | 625-58-1 | Unst. Expl. | H200 | GHS01<br>Dgr | H200 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 007-008-00-3 | hydrazine | 206-114-9 | 302-01-2 | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317<br>H410 | | Skin Corr. 1B; H314: C ≥ 10 %<br>Skin Irrit. 2; H315: 3 % ≤ C < 10 %<br>Eye Irrit. 2; H319: 3 % ≤ C < 10 % | |
| 007-009-00-9 | dicyclohexylammonium nitrite | 221-515-9 | 3129-91-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | (*) | |
| 007-010-00-4 | sodium nitrite | 231-555-9 | 7632-00-0 | Ox. Sol. 3<br>Acute Tox. 3 (*)<br>Aquatic Acute 1 | H272<br>H301<br>H400 | GHS03<br>GHS06<br>GHS09<br>Dgr | H272<br>H301<br>H400 | | (*) | |
| 007-011-00-X | potassium nitrite | 231-832-4 | 7758-09-0 | Ox. Sol. 2<br>Acute Tox. 3 (*)<br>Aquatic Acute 1 | H272<br>H301<br>H400 | GHS03<br>GHS06<br>GHS09<br>Dgr | H272<br>H301<br>H400 | | (*) | |
| 007-012-00-5 | *N,N*-dimethylhydrazine | 200-316-0 | 57-14-7 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H225<br>H350<br>H331<br>H301<br>H314<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H331<br>H301<br>H314<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 007-013-00-0 | 1,2-dimethylhydrazine | — | 540-73-8 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H350<br>H331<br>H311<br>H301<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H411 | | Carc. 1B; H350: C ≥ 0.01 % | |
| 007-014-00-6 | salts of hydrazine | — | — | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H311<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H317<br>H410 | | | A |
| 007-015-00-1 | O-ethylhydroxylamine | 402-030-3 | 624-86-2 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H225<br>H331<br>H311<br>H301<br>H372 (**)<br>H319<br>H317<br>H400 | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H225<br>H331<br>H311<br>H301<br>H372 (**)<br>H319<br>H317<br>H400 | | | |
| 007-016-00-7 | butyl nitrite | 208-862-1 | 544-16-1 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H225<br>H331<br>H301 | GHS02<br>GHS06<br>Dgr | H225<br>H331<br>H301 | | | |
| 007-017-00-2 | isobutyl nitrite | 208-819-7 | 542-56-3 | Flam. Liq. 2<br>Carc. 1B<br>Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H350<br>H341<br>H332<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H341<br>H332<br>H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 007-018-00-8 | *sec*-butyl nitrite | 213-104-8 | 924-43-6 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H302 | | | |
| 007-019-00-3 | *tert*-butyl nitrite | 208-757-0 | 540-80-7 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H302 | | | |
| 007-020-00-9 | pentyl nitrite; [1]<br>'amyl nitrite', mixed isomers [2] | 207-332-7 [1]<br>203-770-8 [2] | 463-04-7 [1]<br>110-46-3 [2] | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H302 | | | |
| 007-021-00-4 | hydrazobenzene;<br>1,2-diphenylhydrazine | 204-563-5 | 122-66-7 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410 | | | |
| 007-022-00-X | hydrazine bis(3-carboxy-4-hydroxybenzenesulfonate) | 405-030-1 | — | Carc. 1B<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H350<br>H302<br>H314<br>H317<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H350<br>H302<br>H314<br>H317<br>H412 | | | |
| 007-023-00-5 | sodium 3,5-bis(3-(2,4-di-tert-pentylphenoxy)propylcarbamoyl)benzenesulfonate | 405-510-0 | — | Skin Irrit. 2<br>Skin Sens. 1 | H315<br>H317 | GHS07<br>Wng | H315<br>H317 | | | |
| 007-024-00-0 | 2-(decylthio)ethylammonium chloride | 405-640-8 | 36362-09-1 | STOT RE 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H315<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS09<br>Dgr | H373 (**)<br>H315<br>H318<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 007-025-00-6 | (4-hydrazinophenyl)-*N*-methylmethanesulfonamide hydrochloride | 406-090-1 | 81880-96-8 | Muta. 2<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H301<br>H372 (**)<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H301<br>H372 (**)<br>H317<br>H410 | | | |
| 007-026-00-1 | oxo-((2,2,6,6-tetramethylpiperidin-4-yl)amino)carbonylacetohydrazide | 413-230-5 | 122035-71-6 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 007-027-00-7 | 1,6-bis(3,3-bis((1-methylpentylidenimino)propyl)ureido)hexane | 420-190-2 | 771478-66-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373 (**)<br>H314<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 (**)<br>H314<br>H317<br>H410 | | | |
| 008-001-00-8 | oxygen | 231-956-9 | 7782-44-7 | Ox. Gas 1<br>Press. Gas | H270 | GHS03<br>GHS04<br>Dgr | H270 | | | U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 008-003-00-9 | hydrogen peroxide solution ... % | 231-765-0 | 7722-84-1 | Ox. Liq. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H271<br>H332<br>H302<br>H314 | GHS03<br>GHS05<br>GHS07<br>Dgr | H271<br>H332<br>H302<br>H314 | | Ox. Liq. 1; H271: C ≥ 70 %(****)<br>Ox. Liq. 2; H272: 50 % ≤ C < 70 % (****)<br>(*)<br>Skin Corr. 1A; H314: C ≥ 70 %<br>Skin Corr. 1B; H314: 50 % ≤ C < 70 %<br>Skin Irrit. 2; H315: 35 % ≤ C < 50 %<br>Eye Dam. 1; H318: 8 % ≤ C < 50 %<br>Eye Irrit. 2; H319: 5 % ≤ C < 8 %<br>STOT SE 3; H335; C ≥ 35 % | B |
| 009-001-00-0 | fluorine | 231-954-8 | 7782-41-4 | Ox. Gas 1<br>Press. Gas<br>Acute Tox. 2 (*)<br>Skin Corr. 1A | H270<br>H330<br>H314 | GHS03<br>GHS04<br>GHS06<br>GHS05<br>Dgr | H270<br>H330<br>H314 | | | U |
| 009-002-00-6 | hydrogen fluoride | 231-634-8 | 7664-39-3 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Skin Corr. 1A | H330<br>H310<br>H300<br>H314 | GHS06<br>GHS05<br>Dgr | H330<br>H310<br>H300<br>H314 | | | |
| 009-003-00-1 | hydrofluoric acid ... % | 231-634-8 | 7664-39-3 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Skin Corr. 1A | H330<br>H310<br>H300<br>H314 | GHS06<br>GHS05<br>Dgr | H330<br>H310<br>H300<br>H314 | | Skin Corr. 1A; H314: C ≥ 7 %<br>Skin Corr. 1B; H314: 1 % ≤ C < 7 %<br>Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | B |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 009-004-00-7 | sodium fluoride | 231-667-8 | 7681-49-4 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H301<br>H319<br>H315 | GHS06<br>Dgr | H301<br>H319<br>H315 | EUH032 | | |
| 009-005-00-2 | potassium fluoride | 232-151-5 | 7789-23-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | |
| 009-006-00-8 | ammonium fluoride | 235-185-9 | 12125-01-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | |
| 009-007-00-3 | sodium bifluoride;<br>sodium hydrogen difluoride | 215-608-3 | 1333-83-1 | Acute Tox. 3 (*)<br>Skin Corr. 1B | H301<br>H314 | GHS06<br>GHS05<br>Dgr | H301<br>H314 | | (*)<br>Skin Corr. 1B; H314: C ≥ 1 %<br>Skin Irrit. 2; H315: 0,1 % ≤ C < 1 %<br>Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | |
| 009-008-00-9 | potassium bifluoride;<br>potassium hydrogen difluoride | 232-156-2 | 7789-29-9 | Acute Tox. 3 (*)<br>Skin Corr. 1B | H301<br>H314 | GHS06<br>GHS05<br>Dgr | H301<br>H314 | | (*)<br>Skin Corr. 1B; H314: C ≥ 1 %<br>Skin Irrit. 2; H315: 0,1 % ≤ C < 1 %<br>Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | |
| 009-009-00-4 | ammonium bifluoride;<br>ammonium hydrogen difluoride | 215-676-4 | 1341-49-7 | Acute Tox. 3 (*)<br>Skin Corr. 1B | H301<br>H314 | GHS06<br>GHS05<br>Dgr | H301<br>H314 | | (*)<br>Skin Corr. 1B; H314: C ≥ 1 %<br>Skin Irrit. 2; H315: 0,1 % ≤ C < 1 %<br>Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 009-010-00-X | fluoroboric acid ... % | 240-898-3 | 16872-11-0 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |
| 009-011-00-5 | fluorosilicic acid ... % | 241-034-8 | 16961-83-4 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | B |
| 009-012-00-0 | alkali fluorosilicates(Na); [1]<br>alkali fluorosilicates(K); [2]<br>alkali fluorosilicates(NH4) [3] | 240-934-8 [1]<br>240-896-2 [2]<br>240-968-3 [3] | 16893-85-9 [1]<br>16871-90-2 [2]<br>16919-19-0 [3] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | (*) | A |
| 009-013-00-6 | fluorosilicates, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | (*) | A |
| 009-014-00-1 | lead hexafluorosilicate | 247-278-1 | 25808-74-6 | Repr. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-Df<br>H332<br>H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360Df<br>H332<br>H302<br>H373 (**)<br>H410 | | | 1 |
| 009-015-00-7 | sulphuryl difluoride | 220-281-5 | 2699-79-8 | Press. Gas<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1 | H331<br>H373 (**)<br>H400 | GHS04<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H373 (**)<br>H400 | | | U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 009-016-00-2 | trisodium hexafluoroaluminate; cryolite | 237-410-6<br>239-148-8 | 13775-53-6<br>15096-52-3 | STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H372 (**)<br>H332<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H372 (**)<br>H332<br>H302<br>H411 | | | C |
| 009-017-00-8 | potassium mu-fluoro-bis(triethylaluminium) | 400-040-2 | 12091-08-6 | Flam. Sol. 1<br>Water-react. 1<br>Skin Corr. 1A<br>Acute Tox. 4 (*) | H228<br>H270<br>H314<br>H332 | GHS02<br>GHS05<br>GHS07<br>Dgr | H228<br>H270<br>H314<br>H332 | EUH014 | | T |
| 009-018-00-3 | magnesium hexafluorosilicate | 241-022-2 | 16949-65-8 | Acute Tox. 3 (*) | H301 | GHS06<br>Dgr | H301 | | (*) | |
| 011-001-00-0 | sodium | 231-132-9 | 7440-23-5 | Water-react. 1<br>Skin Corr. 1B | H260<br>H314 | GHS02<br>GHS05<br>Dgr | H260<br>H314 | EUH014 | | |
| 011-002-00-6 | sodium hydroxide; caustic soda | 215-185-5 | 1310-73-2 | Skin Corr. 1A | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 5 %<br>Skin Corr. 1B; H314: 2 % ≤ C < 5 %<br>Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %<br>Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % | |
| 011-003-00-1 | sodium peroxide | 215-209-4 | 1313-60-6 | Ox. Sol. 1<br>Skin Corr. 1A | H271<br>H314 | GHS03<br>GHS05<br>Dgr | H271<br>H314 | | | |
| 011-004-00-7 | sodium azide | 247-852-1 | 26628-22-8 | Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H400<br>H410 | EUH032 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 011-005-00-2 | sodium carbonate | 207-838-8 | 497-19-8 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 011-006-00-8 | sodium cyanate | 213-030-6 | 917-61-3 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 011-007-00-3 | propoxycarbazone-sodium | — | 181274-15-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | M=10 | |
| 012-001-00-3 | magnesium powder (pyrophoric) | 231-104-6 | 7439-95-4 | Water-react. 1<br>Pyr. Sol. 1 | H260<br>H250 | GHS02<br>Dgr | H260<br>H250 | | | T |
| 012-002-00-9 | magnesium, powder or turnings | 231-104-6 | — | Flam. Sol. 1<br>Water-react. 2<br>Self-heat. 1 | H228<br>H261<br>H252 | GHS02<br>Dgr | H228<br>H261<br>H252 | | | T |
| 012-003-00-4 | magnesium alkyls | — | — | Pyr. Liq. 1<br>Water-react. 1<br>Skin Corr. 1B | H250<br>H260<br>H314 | GHS02<br>GHS05<br>Dgr | H250<br>H260<br>H314 | EUH014 | | A |
| 013-001-00-6 | aluminium powder (pyrophoric) | 231-072-3 | 7429-90-5 | Water-react. 2<br>Pyr. Sol. 1 | H261<br>H250 | GHS02<br>Dgr | H261<br>H250 | | | T |
| 013-002-00-1 | aluminium powder (stabilised) | 231-072-3 | — | Water-react. 2<br>Flam.Sol. 3 | H261<br>H228 | GHS02<br>Dgr | H261<br>H228 | | | T |
| 013-003-00-7 | aluminium chloride, anhydrous | 231-208-1 | 7446-70-0 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 013-004-00-2 | aluminium alkyls | — | — | Pyr. Liq. 1<br>Water-react. 1<br>Skin Corr. 1B | H250<br>H260<br>H314 | GHS02<br>GHS05<br>Dgr | H250<br>H260<br>H314 | EUH014 | | A |
| 013-005-00-8 | diethyl(ethyldimethylsilanolato)aluminium | 401-160-8 | 55426-95-4 | Water-react. 1<br>Pyr. Liq. 1<br>Skin Corr. 1A | H260<br>H250<br>H314 | GHS02<br>GHS05<br>Dgr | H260<br>H250<br>H314 | EUH014 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 013-006-00-3 | (ethyl-3-oxobutanoato-O'1,O'3)(2-dimethylaminoethanolato)(1-methoxypropan-2-olato)aluminium(III), dimerised | 402-370-2 | — | Flam. Liq. 3<br>Eye Dam. 1 | H226<br>H318 | GHS02<br>GHS05<br>Dgr | H226<br>H318 | | | |
| 013-007-00-9 | poly(oxo(2-butoxyethyl-3-oxobutanoato-O'1,O'3)aluminium) | 403-430-0 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 013-008-00-4 | di-*n*-octylaluminium iodide | 408-190-0 | 7585-14-0 | Pyr. Liq. 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H250<br>H314<br>H400<br>H410 | GHS02<br>GHS05<br>GHS09<br>Dgr | H250<br>H314<br>H410 | EUH014 | | |
| 013-009-00-X | sodium (n-butyl)x(ethyl)y-1,5-dihydro)aluminate x = 0.5 y = 1.5 | 418-720-2 | — | Flam. Sol. 1<br>Water-react. 1<br>Pyr. Sol. 1<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H228<br>H260<br>H250<br>H332<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H228<br>H260<br>H250<br>H332<br>H314 | EUH014 | | T |
| 014-001-00-9 | trichlorosilane | 233-042-5 | 10025-78-2 | Flam. Liq. 1<br>Pyr. Liq. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H224<br>H250<br>H332<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H224<br>H250<br>H332<br>H302<br>H314 | EUH014<br>EUH029 | (*)<br>STOT SE 3;<br>H335: C ≥ 1 % | T |
| 014-002-00-4 | silicon tetrachloride | 233-054-0 | 10026-04-7 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | EUH014 | | |
| 014-003-00-X | dimethyldichlorosilane | 200-901-0 | 75-78-5 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H319<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335<br>H315 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 014-004-00-5 | trichloro(methyl)silane;<br>methyltrichlorosilane | 200-902-6 | 75-79-6 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H319<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335<br>H315 | EUH014 | Skin Irrit. 2; H315: C ≥ 1 %<br>Eye Irrit. 2; H319: C ≥ 1 %<br>STOT SE 3; H335: C ≥ 1 % | |
| 014-005-00-0 | tetraethyl silicate;<br>ethyl silicate | 201-083-8 | 78-10-4 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H226<br>H332<br>H319<br>H335 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H319<br>H335 | | | |
| 014-006-00-6 | bis(4-fluorophenyl)-methyl-(1,2,4-triazol-4-ylmethyl)silane hydrochloride | 401-380-4 | — | Eye Irrit. 2<br>Aquatic Chronic 2 | H319<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H411 | | | |
| 014-007-00-1 | triethoxyisobutylsilane | 402-810-3 | 17980-47-1 | Skin Irrit. 2 | H315 | GHS07<br>Wng | H315 | | | |
| 014-008-00-7 | (chloromethyl)bis(4-fluorophenyl)methylsilane | 401-200-4 | 85491-26-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-009-00-2 | isobutylisopropyldimethoxysilane | 402-580-4 | 111439-76-0 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Skin Irrit. 2 | H226<br>H332<br>H315 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H315 | | | |
| 014-010-00-8 | disodium metasilicate | 229-912-9 | 6834-92-0 | Skin Corr. 1B<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | | | |
| 014-011-00-3 | cyclohexyldimethoxymethylsilane | 402-140-1 | 17865-32-6 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 014-012-00-9 | bis(3-(trimethoxysilyl)propyl)amine | 403-480-3 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 014-013-00-4 | α-hydroxypoly(methyl-(3-(2,2,6,6-tetramethylpiperidin-4-yloxy)propyl)siloxane) | 404-920-7 | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H312<br>H302<br>H314<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H411 | | | |
| 014-014-00-X | etacelasil (ISO);<br>6-(2-chloroethyl)-6-(2-methoxyethoxy)-2,5,7,10-tetraoxa-6-silaundecane | 253-704-7 | 37894-46-5 | Repr. 1B<br>Acute Tox. 4 (*)<br>STOT RE 2 (*) | H360-D (***)<br>H302<br>H373 (**) | GHS08<br>GHS07<br>Dgr | H360D (***)<br>H302<br>H373 (**) | | | |
| 014-015-00-5 | α-trimethylsilanyl-ω-trimethylsiloxypoly[oxy(methyl-3-(2-(2-methoxypropoxy)propoxy)propylsilanediyl]- co-oxy(dimethylsilane)) | 406-420-4 | 69430-40-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 014-016-00-0 | reaction mass of: 1,3-dihex-5-en-1-yl-1,1,3,3-tetramethyldisiloxane;<br>1,3-dihex-n-en-1-yl-1,1,3,3-tetramethyldisiloxane | 406-490-6 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-017-00-6 | flusilazole (ISO);<br>bis(4-fluorophenyl)(methyl)(1*H*-1,2,4-triazol-1-ylmethyl)silane | — | 85509-19-9 | Carc. 2<br>Repr. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H351<br>H360-D (***)<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360D (***)<br>H302<br>H411 | | | |
| 014-018-00-1 | octamethylcyclotetrasiloxane | 209-136-7 | 556-67-2 | Repr. 2<br>Aquatic Chronic 4 | H361f (***)<br>H413 | GHS08<br>Wng | H361f (***)<br>H413 | | | |
| 014-019-00-7 | reaction mass of: 4-[[bis-(4-fluorophenyl) methylsilyl]methyl]-4*H*-1,2,4-triazole;<br>1-[[bis-(4-fluorophenyl)methylsilyl]methyl]-1*H*-1,2,4-triazole | 403-250-2 | — | Carc. 2<br>Repr. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H351<br>H360-D (***)<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360D (***)<br>H302<br>H411 | | | |
| 014-020-00-2 | bis(1,1-dimethyl-2-propynyloxy)dimethylsilane | 414-960-7 | 53863-99-3 | Acute Tox. 4 (*) | H332 | GHS07<br>Wng | H332 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 014-021-00-8 | tris(isopropenyloxy)phenyl silane | 411-340-8 | 52301-18-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H400<br>H410 | | | |
| 014-022-00-3 | reaction product of: (2-hydroxy-4-(3-propenoxy)benzophenone and triethoxysilane) with (hydrolysis product of silica and methyltrimethoxysilane) | 401-530-9 | — | Flam. Sol. 1<br>STOT SE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H228<br>H370 (**)<br>H332<br>H312<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H228<br>H370 (**)<br>H332<br>H312<br>H302 | | | T |
| 014-023-00-9 | α,ω-dihydroxypoly(hex-5-en-1-ylmethylsiloxane)hoxysilane with (hydrolysis product of silica and methyltrimethoxysilane)iazole | 408-160-7 | 125613-45-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-024-00-4 | 1-((3-(3-chloro-4-fluorophenyl)propyl)dimethylsilanyl)-4-ethoxybenzene | 412-620-2 | 121626-74-2 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-025-00-X | 4-[3-(diethoxymethylsilylpropoxy)-2,2,6,6-tetramethyl]piperidine | 411-400-3 | 102089-33-8 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H373 (**)<br>H315<br>H318<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 (**)<br>H315<br>H318<br>H412 | | | |
| 014-026-00-5 | dichloro-(3-(3-chloro-4-fluorophenyl)propyl)methylsilane | 407-180-3 | 770722-36-6 | Skin Corr. 1A | H314 | GHS05<br>Dgr | H314 | | | |
| 014-027-00-0 | chloro(3-(3-chloro-4-fluorophenyl)propyl) dimethylsilane | 410-270-5 | 770722-46-8 | Skin Corr. 1A | H314 | GHS05<br>Dgr | H314 | | | |
| 014-028-00-6 | α-[3-(1-oxoprop-2-eny)l-1-oxypropyl]dimethoxysilyloxy-ω-[3(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyl poly(dimethylsiloxane) | 415-290-8 | 193159-06-7 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 014-029-00-1 | *O*,*O*'-(ethenylmethylsilylene)di[(4-methylpentan-2-one)oxime] | 421-870-1 | 156145-66-3 | Repr. 2<br>Acute Tox. 4 (*)<br>STOT RE 2 (*) | H361f (***)<br>H302<br>H373 (**) | GHS08<br>GHS07<br>Wng | H361f (***)<br>H302<br>H373 (**) | | | |
| 014-030-00-7 | [(dimethylsilylene)bis((1,2,3,3a,7a-η)-1*H*-inden-1-ylidene)dimethyl]hafnium | 422-060-0 | 137390-08-0 | Acute Tox. 2 (*) | H300 | GHS06<br>Dgr | H300 | | | |
| 014-031-00-2 | bis(1-methylethyl)-dimethoxysilane | 421-540-7 | 18230-61-0 | Flam. Liq. 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H226<br>H315<br>H317<br>H412 | GHS02<br>GHS07<br>Wng | H226<br>H315<br>H317<br>H412 | | | |
| 014-032-00-8 | dicyclopentyldimethoxysilane | 404-370-8 | 126990-35-0 | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H315<br>H318<br>H410 | | | |
| 015-001-00-1 | white phosphorus | 231-768-7 | 12185-10-3 | Pyr. Sol. 1<br>Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H250<br>H330<br>H300<br>H314<br>H400 | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H250<br>H330<br>H300<br>H314<br>H400 | | | |
| 015-002-00-7 | red phosphorus | 231-768-7 | 7723-14-0 | Flam. Sol. 1<br>Aquatic Chronic 3 | H228<br>H412 | GHS02<br>Dgr | H228<br>H412 | | | |
| 015-003-00-2 | calcium phosphide;<br>tricalcium diphosphide | 215-142-0 | 1305-99-3 | Water-react. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H260<br>H300<br>H400 | GHS02<br>GHS06<br>GHS09<br>Dgr | H260<br>H300<br>H400 | EUH029 | | T |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-004-00-8 | aluminium phosphide | 244-088-0 | 20859-73-8 | Water-react. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H260<br>H300<br>H400 | GHS02<br>GHS06<br>GHS09<br>Dgr | H260<br>H300<br>H400 | EUH029<br>EUH032 | | T |
| 015-005-00-3 | magnesium phosphide;<br>trimagnesium diphosphide | 235-023-7 | 12057-74-8 | Water-react. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H260<br>H300<br>H400 | GHS02<br>GHS06<br>GHS09<br>Dgr | H260<br>H300<br>H400 | EUH029 | | T |
| 015-006-00-9 | trizinc diphosphide;<br>zinc phosphide | 215-244-5 | 1314-84-7 | Water-react. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H260<br>H300<br>H400<br>H410 | GHS02<br>GHS06<br>GHS09<br>Dgr | H260<br>H300<br>H410 | EUH029<br>EUH032 | | T |
| 015-007-00-4 | phosphorus trichloride | 231-749-3 | 7719-12-2 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1A | H330<br>H300<br>H373 (**)<br>H314 | GHS06<br>GHS08<br>GHS05<br>Dgr | H330<br>H300<br>H373 (**)<br>H314 | EUH014<br>EUH029 | | |
| 015-008-00-X | phosphorus pentachloride | 233-060-3 | 10026-13-8 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B | H330<br>H302<br>H373 (**)<br>H314 | GHS06<br>GHS08<br>GHS05<br>Dgr | H330<br>H302<br>H373 (**)<br>H314 | EUH014<br>EUH029 | | |
| 015-009-00-5 | phosphoryl trichloride | 233-046-7 | 10025-87-3 | Acute Tox. 2 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H330<br>H372 (**)<br>H302<br>H314 | GHS06<br>GHS08<br>GHS05<br>Dgr | H330<br>H372 (**)<br>H302<br>H314 | EUH014<br>EUH029 | | |
| 015-010-00-0 | phosphorus pentoxide | 215-236-1 | 1314-56-3 | Skin Corr. 1A | H314 | GHS05<br>Dgr | H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-011-00-6 | phosphoric acid ... %, orthophosphoric acid ... % | 231-633-2 | 7664-38-2 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |
| 015-012-00-1 | tetraphosphorus trisulphide;<br>phosphorus sesquisulphid | 215-245-0 | 1314-85-8 | Flam. Sol. 2<br>Water-react. 1<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H228<br>H260<br>H302<br>H400 | GHS02<br>GHS07<br>GHS09<br>Dgr | H228<br>H260<br>H302<br>H400 | | | T |
| 015-013-00-7 | triethyl phosphate | 201-114-5 | 78-40-0 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 015-014-00-2 | tributyl phosphate | 204-800-2 | 126-73-8 | Carc. 2<br>Acute Tox. 4 (*)<br>Skin Irrit. 2 | H351<br>H302<br>H315 | GHS08<br>GHS07<br>Wng | H351<br>H302<br>H315 | | | |
| 015-015-00-8 | tricresyl phosphate (*o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-*);<br>tritolyl phosphate (*o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-*); | 201-103-5 | 78-30-8 | STOT SE 1<br>Aquatic Chronic 2 | H370 (**)<br>H411 | GHS08<br>GHS09<br>Dgr | H370 (**)<br>H411 | | STOT SE 1; H370: C ≥ 1 %<br>STOT SE 2; H371: 0,2 % ≤ C < 1 % | C |
| 015-016-00-3 | tricresyl phosphate (*m-m-m-, m-m-p-, m-p-p-, p-p-p-*);<br>tritolyl phosphate (*m-m-m-, m-m-p-, m-p-p-, p-p-p-*); | 201-105-6 | 78-32-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H312<br>H302<br>H411 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H411 | | (*) | C |
| 015-019-00-X | dichlorvos (ISO);<br>2,2-dichlorovinyl dimethyl phosphate | 200-547-7 | 62-73-7 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1 | H330<br>H311<br>H301<br>H317<br>H400 | GHS06<br>GHS09<br>Dgr | H330<br>H311<br>H301<br>H317<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-020-00-5 | mevinphos (ISO);<br>2-methoxycarbonyl-1-methylvinyl dimethyl phosphate | 232-095-1 | 7786-34-7 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | M=10000 | |
| 015-021-00-0 | trichlorfon (ISO);<br>dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate | 200-149-3 | 52-68-6 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H400<br>H410 | | M=1000 | |
| 015-022-00-6 | phosphamidon (ISO);<br>2-chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate | 236-116-5 | 13171-21-6 | Muta. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H300<br>H311<br>H410 | | | |
| 015-023-00-1 | pyrazoxon;<br>diethyl 3-methylpyrazol-5-yl phosphate | — | 108-34-9 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*) | H330<br>H310<br>H300 | GHS06<br>Dgr | H330<br>H310<br>H300 | | | |
| 015-024-00-7 | triamiphos (ISO);<br>5-amino-3-phenyl-1,2,4-triazol-1-yl-*N*,*N*,*N*',*N*'-tetramethylphosphonic diamide | — | 1031-47-6 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 015-025-00-2 | TEPP (ISO);<br>tetraethyl pyrophosphate | 203-495-3 | 107-49-3 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H310<br>H300<br>H400 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H400 | | | |
| 015-026-00-8 | schradan (ISO);<br>octamethylpyrophosphoramide | 205-801-0 | 152-16-9 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-027-00-3 | sulfotep (ISO);<br>*O,O,O,O*-tetraethyl dithiopyrophosphate | 222-995-2 | 3689-24-5 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | M=1000 | |
| 015-028-00-9 | demeton-*O* (ISO);<br>*O,O*-diethyl-O-2-ethylthioethyl phosphorothioate | 206-053-8 | 298-03-3 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H310<br>H300<br>H400 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H400 | | | |
| 015-029-00-4 | demeton-*S* (ISO);<br>diethyl-*S*-2-ethylthioethyl phosphorothioate | 204-801-8 | 126-75-0 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 015-030-00-X | demeton-*O*-methyl (ISO);<br>*O*-2-ethylthioethyl *O,O*-dimethyl phosphorothioate | 212-758-1 | 867-27-6 | Acute Tox. 3 (*) | H301 | GHS06<br>Dgr | H301 | | | |
| 015-031-00-5 | demeton-*S*-methyl (ISO);<br>*S*-2-ethylthioethyl dimethyl phosphorothioate | 213-052-6 | 919-86-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H311<br>H301<br>H411 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H411 | | | |
| 015-032-00-0 | prothoate (ISO);<br>*O,O*-diethyl isopropylcarbamoylmethyl phosphorodithioate | 218-893-2 | 2275-18-5 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Chronic 3 | H310<br>H300<br>H412 | GHS06<br>Dgr | H310<br>H300<br>H412 | | | |
| 015-033-00-6 | phorate (ISO);<br>*O,O*-diethyl ethylthiomethyl phosphorodithioate | 206-052-2 | 298-02-2 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | M=1000 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-034-00-1 | parathion (ISO);<br>*O*,*O*-diethyl *O*-4-nitrophenyl phosphorothioate | 200-271-7 | 56-38-2 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H311<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H300<br>H311<br>H372 (**)<br>H410 | | M=100 | |
| 015-035-00-7 | parathion - methyl (ISO);<br>*O*,*O*-dimethyl *O*-4-nitrophenyl phosphorothioate | 206-050-1 | 298-00-0 | Flam. Liq. 3<br>Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H330<br>H300<br>H311<br>H373 (**)<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H226<br>H330<br>H300<br>H311<br>H373 (**)<br>H410 | | M=100 | |
| 015-036-00-2 | *O*-ethyl *O*-4-nitrophenyl phenylphosphonothioate;<br>EPN | 218-276-8 | 2104-64-5 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |
| 015-037-00-8 | phenkapton (ISO);<br>*S*-(2,5-dichlorophenylthiomethyl) *O*,*O*-diethyl phosphorodithioate | 218-892-7 | 2275-14-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | | |
| 015-038-00-3 | coumaphos (ISO);<br>*O*-3-chloro-4-methylcoumarin-7-yl *O*,*O*-diethyl phosphorothioate | 200-285-3 | 56-72-4 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H312<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-039-00-9 | azinphos-methyl (ISO);<br>*O*,*O*-dimethyl-4-oxobenzotriazin-3-ylmethyl phosphorodithioate | 201-676-1 | 86-50-0 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H311<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H311<br>H317<br>H410 | | | |
| 015-040-00-4 | diazinon (ISO);<br>*O*,*O*-diethyl *O*-2-isopropyl-6-methylpyrimidin-4-yl phosphorothioate | 206-373-8 | 333-41-5 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H400<br>H410 | | | |
| 015-041-00-X | malathion (ISO);<br>1,2-bis (ethoxycarbonyl) ethyl *O*,*O*-dimethyl phosphorodithioate | 204-497-7 | 121-75-5 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H400<br>H410 | | M=100 | |
| 015-042-00-5 | chlorthion<br>*O*-(3-chloro-4-nitrophenyl) *O*,*O*-dimethyl phosphorothioate | 207-902-5 | 500-28-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | M=100 | |
| 015-043-00-0 | phosnichlor (ISO);<br>*O*-4-chloro-3-nitrophenyl *O*,*O*-dimethyl phosphorothioate | — | 5826-76-6 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | |
| 015-044-00-6 | carbophenothion (ISO);<br>4-chlorophenylthiomethyl *O*,*O*-diethyl phosphorodithioate | 212-324-1 | 786-19-6 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-045-00-1 | mecarbam (ISO);<br>*N*-ethoxycarbonyl-*N*-methylcarbamoylmethyl *O*,*O*-diethyl phosphorodithioate | 219-993-9 | 2595-54-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H400<br>H410 | | | |
| 015-046-00-7 | oxydemeton-methyl;<br>*S*-2-(ethylsulphinyl)ethyl *O*,*O*-dimethyl phosphorothioate | 206-110-7 | 301-12-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1 | H311<br>H301<br>H400 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H400 | | | |
| 015-047-00-2 | ethion (ISO);<br>*O*,*O*,*O*',*O*'-tetraethyl *S*,*S*'-methylenedi (phosphorodithioate);<br>diethion | 209-242-3 | 563-12-2 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H410 | | M=10000 | |
| 015-048-00-8 | fenthion (ISO);<br>*O*,*O*-dimethyl-*O*-(4-methylthion-*m*-tolyl) phosphorothioate | 200-231-9 | 55-38-9 | Muta. 2<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H331<br>H372 (**)<br>H312<br>H302<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H372 (**)<br>H312<br>H302<br>H410 | | | |
| 015-049-00-3 | endothion (ISO);<br>*S*-5-methoxy-4-oxopyran-2-ylmethyl dimethyl phosphorothioate | 220-472-3 | 2778-04-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H311<br>H301 | GHS06<br>Dgr | H311<br>H301 | | | |
| 015-050-00-9 | thiometon (ISO);<br>*S*-2-ethylthioethyl *O*,*O*-dimethyl phosphorodithioate | 211-362-6 | 640-15-3 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*) | H301<br>H312 | GHS06<br>Dgr | H301<br>H312 | | | |
| 015-051-00-4 | dimethoate (ISO);<br>*O*,*O*-dimethyl methylcarbamoylmethyl phosphorodithioate | 200-480-3 | 60-51-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-052-00-X | fenchlorphos (ISO);<br>*O*,*O*-dimethyl *O*-2,4,5-trichlorophenyl phosphorothioate | 206-082-6 | 299-84-3 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 015-053-00-5 | menazon (ISO);<br>S-[(4,6-diamino-1,3,5-triazin-2-yl)methyl] O,O-dimethyl phosphorodithioate | 201-123-4 | 78-57-9 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 015-054-00-0 | fenitrothion (ISO);<br>*O*,*O*-dimethyl *O*-4-nitro-*m*-tolyl phosphorothioate | 204-524-2 | 122-14-5 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 015-055-00-6 | naled (ISO);<br>1,2-dibromo-2,2-dichloroethyl dimethyl phosphate | 206-098-3 | 300-76-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1 | H312<br>H302<br>H319<br>H315<br>H400 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H319<br>H315<br>H400 | | M=1000 | |
| 015-056-00-1 | azinphos-ethyl (ISO);<br>*O*,*O*-diethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate | 220-147-6 | 2642-71-9 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | | |
| 015-057-00-7 | formothion (ISO);<br>*N*-formyl-*N*-methylcarbamoylmethyl *O*,*O*-dimethyl phosphorodithioate | 219-818-6 | 2540-82-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 015-058-00-2 | morphothion (ISO);<br>*O*,*O*-dimethyl-*S*-(morpholinocarbonylmethyl) phosphorodithioate | 205-628-0 | 144-41-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-059-00-8 | vamidothion (ISO);<br>*O*,*O*-dimethyl *S*-2-(1-methylcarbamoylethylthio) ethyl phosphorothioate | 218-894-8 | 2275-23-2 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H301<br>H312<br>H400 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H400 | | | |
| 015-060-00-3 | disulfoton (ISO);<br>*O*,*O*-diethyl 2-ethylthioethyl phosphorodithioate | 206-054-3 | 298-04-4 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |
| 015-061-00-9 | dimefox (ISO);<br>tetramethylphosphorodiamidic fluoride | 204-076-8 | 115-26-4 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 015-062-00-4 | mipafox (ISO);<br>*N*,*N*'- di-isopropylphosphorodiamidic fluoride | 206-742-3 | 371-86-8 | STOT SE 1 | H370 (**) | GHS08<br>Dgr | H370 (**) | | | |
| 015-063-00-X | dioxathion (ISO);<br>1,4-dioxan-2,3-diyl-*O*,*O*,*O*',*O*'-tetraethyl di (phosphorodithioate) | 201-107-7 | 78-34-2 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H311<br>H410 | | M=1000 | |
| 015-064-00-5 | bromophos-ethyl (ISO);<br>*O*-4-bromo-2,5-dichlorophenyl *O*,*O*-diethyl phosphorothioate | 225-399-0 | 4824-78-6 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H410 | | | |
| 015-065-00-0 | *S*-[2-(ethylsulphinyl)ethyl] *O*,*O*-dimethyl phosphorodithioate | — | 2703-37-9 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Chronic 2 | H330<br>H310<br>H300<br>H411 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-066-00-6 | omethoate (ISO);<br>*O*,*O*-dimethyl *S*-methylcarbamoylmethyl phosphorothioate | 214-197-8 | 1113-02-6 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H301<br>H312<br>H400 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H400 | | | |
| 015-067-00-1 | phosalone (ISO);<br>*S*-(6-chloro-2-oxobenzoxazolin-3-ylmethyl) *O*,*O*-diethyl phosphorodithioate | 218-996-2 | 2310-17-0 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H410 | | | |
| 015-068-00-7 | dichlofenthion (ISO);<br>*O*-2,4-dichlorophenyl *O*,*O*-diethyl phosphorothioate | 202-564-5 | 97-17-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H400<br>H410 | | | |
| 015-069-00-2 | methidathion (ISO);<br>2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-ylmethyl-*O*,*O*-dimethylphosphorodithioate | 213-449-4 | 950-37-8 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H312<br>H410 | | | |
| 015-070-00-8 | cyanthoate (ISO);<br>*S*-(*N*-(1-cyano-1-methylethyl)carbamoylmethyl) *O*,*O*-diethyl phosphorothioate | 223-099-4 | 3734-95-0 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*) | H300<br>H311 | GHS06<br>Dgr | H300<br>H311 | | | |
| 015-071-00-3 | chlorfenvinphos (ISO);<br>2-chloro-1-(2,4 dichlorophenyl) vinyl diethyl phosphate | 207-432-0 | 470-90-6 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | | |
| 015-072-00-9 | monocrotophos (ISO);<br>dimethyl-1-methyl-2-(methylcarbamoyl) vinyl phosphate | 230-042-7 | 6923-22-4 | Muta. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H330<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H330<br>H300<br>H311<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-073-00-4 | dicrotophos (ISO);<br>(*Z*)-2-dimethylcarbamoyl-1-methylvinyl dimethyl phosphate | 205-494-3 | 141-66-2 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | | |
| 015-074-00-X | crufomate (ISO);<br>4-tert-butyl-2-chlorophenyl methyl methylphosphoramidate | 206-083-1 | 299-86-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 015-075-00-5 | *S*-[2-(isopropylsulphinyl)ethyl] *O*,*O*-dimethyl phosphorothioate | — | 2635-50-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | |
| 015-076-00-0 | potasan;<br>*O*,*O*-diethyl *O*-(4-methylcoumarin-7-yl) phosphorothioate | — | 299-45-6 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H410 | | M=1000 | |
| 015-077-00-6 | 2,2-dichlorovinyl 2-ethylsulphinylethyl methyl phosphate | — | 7076-53-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | |
| 015-078-00-1 | demeton-*S*-methylsulphon (ISO);<br>*S*-2-ethylsulphonylethyl dimethyl phosphorothioate | 241-109-5 | 17040-19-6 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H301<br>H312<br>H411 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H411 | | | |
| 015-079-00-7 | acephate (ISO);<br>*O*,*S*-dimethyl acetylphosphoramidothioate | 250-241-2 | 30560-19-1 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 015-080-00-2 | amidithion (ISO);<br>2-methoxyethylcarbamoylmethyl *O*,*O*-dimethyl phosphorodithioate | — | 919-76-6 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-081-00-8 | *O,O,O',O'*-tetrapropyl dithiopyrophosphate | 221-817-0 | 3244-90-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 015-082-00-3 | azothoate (ISO);<br>*O*-4-(4-chlorophenylazo)phenyl *O,O*-dimethyl phosphorothioate | 227-419-3 | 5834-96-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | | |
| 015-083-00-9 | bensulide (ISO);<br>*O,O*-diisopropyl 2-phenylsulphonylaminoethyl phosphorodithioate | 212-010-4 | 741-58-2 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 015-084-00-4 | chlorpyrifos (ISO);<br>*O,O*-diethyl *O*-3,5,6-trichloro-2-pyridyl phosphorothioate | 220-864-4 | 2921-88-2 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H400<br>H410 | | M=10000 | |
| 015-085-00-X | chlorphonium chloride (ISO);<br>tributyl (2,4-dichlorobenzyl) phosphonium chloride | 204-105-4 | 115-78-6 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H301<br>H312<br>H319<br>H315 | GHS06<br>Dgr | H301<br>H312<br>H319<br>H315 | | | |
| 015-086-00-5 | coumithoate (ISO);<br>*O,O*-diethyl *O*-7,8,9,10-tetrahydro-6-oxobenzo(c)chromen-3-yl phosphorothioate | — | 572-48-5 | Acute Tox. 3 (*) | H301 | GHS06<br>Dgr | H301 | | | |
| 015-087-00-0 | cyanophos (ISO);<br>*O*-4-cyanophenyl *O,O*-dimethyl phosphorothioate | 220-130-3 | 2636-26-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-088-00-6 | dialifos (ISO);<br>2-chloro-1-phthalimidoethyl *O*,*O*-diethyl phosphorodithioate | 233-689-3 | 10311-84-9 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H400<br>H410 | | | |
| 015-089-00-1 | ethoate-methyl (ISO);<br>ethylcarbamoylmethyl *O*,*O*-dimethyl phosphorodithioate | 204-121-1 | 116-01-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 015-090-00-7 | fensulfothion (ISO);<br>*O*,*O*-diethyl *O*-4-methylsulfinylphenyl phosphorothioate | 204-114-3 | 115-90-2 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |
| 015-091-00-2 | fonofos (ISO);<br>*O*-ethyl phenyl ethylphosphonodithioate | 213-408-0 | 944-22-9 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |
| 015-092-00-8 | phosacetim (ISO);<br>*O*,*O*-bis(4-chlorophenyl) *N*-acetimidoylphosphoramidothioate | 223-874-7 | 4104-14-7 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |
| 015-093-00-3 | leptophos (ISO);<br>*O*-4-bromo-2,5-dichlorophenyl *O*-methyl phenylphosphorothioate | 244-472-8 | 21609-90-5 | Acute Tox. 3 (*)<br>STOT SE 1<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H370 (**)<br>H312<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H370 (**)<br>H312<br>H410 | | | |
| 015-094-00-9 | mephosfolan (ISO);<br>diethyl 4-methyl-1,3-dithiolan-2-ylidenephosphoramidate | 213-447-3 | 950-10-7 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Chronic 2 | H310<br>H300<br>H411 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-095-00-4 | methamidophos (ISO);<br>*O,S*-dimethyl phosphoramidothioate | 233-606-0 | 10265-92-6 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1 | H330<br>H300<br>H311<br>H400 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H311<br>H400 | | | |
| 015-096-00-X | oxydisulfoton (ISO);<br>*O,O*-diethyl *S*-2-ethylsulphinylethyl phosphorodithioate | 219-679-1 | 2497-07-6 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | M=10 | |
| 015-097-00-5 | phenthoate (ISO);<br>ethyl 2-(dimethoxyphosphinothioylthio)-2-phenylacetate | 219-997-0 | 2597-03-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | M=100 | |
| 015-098-00-0 | trichloronate (ISO);<br>*O*-ethyl *O*-2,4,5-trichlorophenyl ethylphosphonothioate | 206-326-1 | 327-98-0 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | | |
| 015-099-00-6 | pirimiphos-ethyl (ISO);<br>*O,O*-diethyl *O*-2-diethylamino-6-methylpyrimidin-4-yl phosphorothioate | 245-704-0 | 23505-41-1 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H410 | | | |
| 015-100-00-X | phoxim (ISO);<br>α-(diethoxyphosphinothioylimino) phenylacetonitrile | 238-887-3 | 14816-18-3 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | M=1000 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-101-00-5 | phosmet (ISO);<br>*O*,*O*-dimethyl phthalimidomethyl *S*-phosphorodithioate | 211-987-4 | 732-11-6 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | M=100 | |
| 015-102-00-0 | tris(2-chloroethyl) phosphate | 204-118-5 | 115-96-8 | Carc. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H351<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H411 | | | |
| 015-103-00-6 | phosphorus tribromide | 232-178-2 | 7789-60-8 | Skin Corr. 1B<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | EUH014 | | |
| 015-104-00-1 | diphosphorus pentasulphide;<br>phosphorus pentasulphide | 215-242-4 | 1314-80-3 | Flam. Sol. 1<br>Water-react. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H228<br>H260<br>H332<br>H302<br>H400 | GHS02<br>GHS07<br>GHS09<br>Dgr | H228<br>H260<br>H332<br>H302<br>H400 | EUH029 | | T |
| 015-105-00-7 | triphenyl phosphite | 202-908-4 | 101-02-0 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H410 | | Skin Irrit. 2; H315: C ≥ 5 %<br>Eye Irrit. 2; H319: C ≥ 5 % | |
| 015-106-00-2 | hexamethylphosphoric triamide;<br>hexamethylphosphoramide | 211-653-8 | 680-31-9 | Carc. 1B<br>Muta. 1B | H350<br>H340 | GHS08<br>Dgr | H350<br>H340 | | Carc. 1B; H350: C ≥ 0.01 % | |
| 015-107-00-8 | ethoprophos (ISO);<br>ethyl-*S*,*S*-dipropyl phosphorodithioate | 236-152-1 | 13194-48-4 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H301<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-108-00-3 | bromophos (ISO);<br>*O*-4-bromo-2,5-dichlorophenyl *O*,*O*-dimethyl phosphorothioate | 218-277-3 | 2104-96-3 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | M=100 | |
| 015-109-00-9 | crotoxyphos (ISO);<br>1-phenylethyl 3-(dimethoxyphosphinyloxy) isocrotonate | 231-720-5 | 7700-17-6 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | M=10 | |
| 015-110-00-4 | cyanofenphos (ISO);<br>*O*-4-cyanophenyl *O*-ethyl phenylphosphonothioate | — | 13067-93-1 | Acute Tox. 3 (*)<br>STOT SE 1<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Chronic 2 | H301<br>H370 (**)<br>H312<br>H319<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H370 (**)<br>H312<br>H319<br>H411 | | | |
| 015-111-00-X | phosfolan (ISO);<br>diethyl 1,3-dithiolan-2-ylidenephosphoramidate | 213-423-2 | 947-02-4 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 015-112-00-5 | thionazin (ISO);<br>*O*,*O*-diethyl *O*-pyrazin-2-yl phosphorothioate; | 206-049-6 | 297-97-2 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 015-114-00-6 | chlormephos (ISO);<br>*S*-chloromethyl *O*,*O*-diethyl phosphorodithioate | 246-538-1 | 24934-91-6 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |
| 015-115-00-1 | chlorthiophos (ISO) | 244-663-6 | 21923-23-9 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-116-00-7 | demephion-*O* (ISO);<br>*O*,*O*-dimethyl *O*-2-methylthioethyl phosphorothioate | 211-666-9 | 682-80-4 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*) | H300<br>H311 | GHS06<br>Dgr | H300<br>H311 | | | |
| 015-117-00-2 | demephion-*S* (ISO);<br>*O*,*O*-dimethyl *S*-2-methylthioethyl phosphorothioate | 219-971-9 | 2587-90-8 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*) | H300<br>H311 | GHS06<br>Dgr | H300<br>H311 | | | |
| 015-118-00-8 | demeton | — | 8065-48-3 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H310<br>H300<br>H400 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H400 | | | |
| 015-119-00-3 | dimethyl 4-(methylthio)phenyl phosphate | — | 3254-63-5 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 015-120-00-9 | ditalimfos (ISO);<br>*O*,*O*-diethyl phthalimidophosphonothioate | 225-875-8 | 5131-24-8 | Skin Irrit. 2<br>Skin Sens. 1 | H315<br>H317 | GHS07<br>Wng | H315<br>H317 | | | |
| 015-121-00-4 | edifenphos (ISO);<br>*O*-ethyl *S*,*S*-diphenyl phosphorodithioate | 241-178-1 | 17109-49-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H312<br>H317<br>H410 | | | |
| 015-122-00-X | etrimfos (ISO);<br>*O*-6-ethoxy-2-ethylpyrimidin-4-yl *O*,*O*-dimethylphosphorothioate | 253-855-9 | 38260-54-7 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | M=10 | |
| 015-123-00-5 | fenamiphos (ISO);<br>ethyl-4-methylthio-*m*-tolyl isopropyl phosphoramidate | 244-848-1 | 22224-92-6 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | M=100 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-124-00-0 | fosthietan (ISO);<br>diethyl 1,3-dithietan-2-ylidenephosphoramidate | 244-437-7 | 21548-32-3 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 015-125-00-6 | glyphosine (ISO);<br>*N*,*N*-bis(phosphonomethyl)glycine | 219-468-4 | 2439-99-8 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 015-126-00-1 | heptenophos (ISO);<br>7-chlorobicyclo(3.2.0)hepta-2,6-dien-6-yl dimethyl phosphate | 245-737-0 | 23560-59-0 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | M=100 | |
| 015-127-00-7 | iprobenfos(ISO);<br>*S*-benzyl diisopropyl phosphorothioate | 247-449-0 | 26087-47-8 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 015-128-00-2 | IPSP;<br>*S*-ethylsulphinylmethyl *O*,*O*-diisopropylphosphorodithioate | — | 5827-05-4 | Acute Tox. 1<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H301<br>H410 | | M=100 | |
| 015-129-00-8 | isofenphos (ISO);<br>*O*-ethyl *O*-2-isopropoxycarbonylphenyl-isopropylphosphoramidothioate | 246-814-1 | 25311-71-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | M=100 | |
| 015-130-00-3 | isothioate (ISO);<br>*S*-2-isopropylthioethyl *O*,*O*-dimethyl phosphorodithioate; | — | 36614-38-7 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H311<br>H301 | GHS06<br>Dgr | H311<br>H301 | | | |
| 015-131-00-9 | isoxathion (ISO);<br>*O*,*O*-diethyl *O*-5-phenylisoxazol-3-ylphosphorothioate | 242-624-8 | 18854-01-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-132-00-4 | *S*-(chlorophenylthiomethyl) *O*,*O*-dimethylphosphorodithioate;<br>methylcarbophenothione | — | 953-17-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | M=1000 | |
| 015-133-00-X | piperophos (ISO);<br>*S*-2-methylpiperidinocarbonylmethyl-*O*,*O*-dipropyl phosphorodithioate | — | 24151-93-7 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | M=10 | |
| 015-134-00-5 | pirimiphos-methyl (ISO);<br>*O*-(2-diethylamino-6-methylpyrimidin-4-yl) *O*,*O*-dimethyl phosphorothioate | 249-528-5 | 29232-93-7 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 015-135-00-0 | profenofos (ISO)<br>*O*-(4-bromo-2-chlorophenyl) *O*-ethyl *S*-propyl phosphorothioate; | 255-255-2 | 41198-08-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | M=1000 | |
| 015-136-00-6 | *trans*-isopropyl-3-[[(ethylamino)methoxyfosfinothioyl]oxy]crotonate;<br>isopropyl 3-[[(ethylamino)methoxyphosphinothioyl]oxy]isocrotonate;<br>propetamphos (ISO) | 250-517-2 | 31218-83-4 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | M=100 | |
| 015-137-00-1 | pyrazophos (ISO);<br>*O*,*O*-diethyl *O*-(6-ethoxycarbonyl-5-methylpyrazolo[2,3-a]pyrimidin-2-yl) phosphorothioate | 236-656-1 | 13457-18-6 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-138-00-7 | quinalphos (ISO);<br>*O,O*-diethyl-*O*-quinoxalin-2-yl phosphorothioate | 237-031-6 | 13593-03-8 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H410 | | M=1000 | |
| 015-139-00-2 | terbufos (ISO);<br>*S-tert*-butylthiomethyl *O,O*-diethylphosphorodithioate; | 235-963-8 | 13071-79-9 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | M=1000 | |
| 015-140-00-8 | triazophos (ISO);<br>*O,O*-diethyl-*O*-1-phenyl-1*H*,2,4-triazol-3-yl phosphorothioate | 245-986-5 | 24017-47-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H312<br>H410 | | | |
| 015-141-00-3 | ethylenediammonium *O,O*-bis(octyl) phosphorodithioate, mixed isomers | 400-520-1 | — | Skin Corr. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H302<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H302<br>H410 | | | |
| 015-142-00-9 | butyl (dialkyloxy(dibutoxyphosphoryloxy)) titanium (trialkyloxy)titanium phosphate | 401-100-0 | — | Flam. Liq. 2<br>Eye Irrit. 2<br>Aquatic Chronic 2 | H225<br>H319<br>H411 | GHS02<br>GHS07<br>GHS09<br>Dgr | H225<br>H319<br>H411 | | | T |
| 015-143-00-4 | reaction mass of 2-chloroethyl chloropropyl 2-chloroethylphosphonate, reaction mass of isomers and 2-chloroethyl chloropropyl 2-chloropropylphosphonate,<br>reaction mass of isomers | 401-740-0 | — | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 015-144-00-X | reaction mass of pentyl methylphosphinate and 2-methylbutyl methylphosphinate | 402-090-0 | 87025-52-3 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-145-00-5 | reaction mass of copper(I) *O*,*O*-diisopropyl phosphorodithioate and copper(I) *O*-isopropyl *O*-(4-methylpent-2-yl) phosphorodithioate and copper(I) *O*,*O*-bis(4-methylpent-2-yl) phosphorodithioate | 401-520-4 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 015-146-00-0 | *S*-(tricyclo(5.2.1.0$^{2,6}$)deca-3-en-8(or 9)-yl *O*-(isopropyl or isobutyl or 2-ethylhexyl) *O*-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 401-850-9 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 015-147-00-6 | reaction mass of $C_{12-14}$-tert-alkylammonium diphenyl phosphorothioate and dinonyl sulphide (or disulphide) | 400-930-0 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H411 | | | |
| 015-148-00-1 | 2-(diphosphonomethyl)succinic acid | 403-070-4 | 51395-42-7 | Skin Corr. 1B<br>Skin Sens. 1 | H314<br>H317 | GHS05<br>GHS07<br>Dgr | H314<br>H317 | | | |
| 015-149-00-7 | reaction mass of: hexyldioctylphosphineoxide;<br>dihexyloctylphosphineoxide;<br>trioctylphosphineoxide | 403-470-9 | — | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H314<br>H410 | | | |
| 015-150-00-2 | (2-(1,3-dioxolan-2-yl)ethyl)triphenylphosphonium bromide | 404-940-6 | 86608-70-0 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H302<br>H318<br>H373 (**)<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H373 (**)<br>H412 | | | |
| 015-151-00-8 | tris(isopropyl/*tert*-butylphenyl) phosphate | 405-010-2 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 015-152-00-3 | dioxabenzofos (ISO);<br>2-methoxy-4*H*-1,3,2-benzodioxaphosphorin 2-sulphide | 223-292-3 | 3811-49-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT SE 1<br>Aquatic Chronic 2 | H311<br>H301<br>H370 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H311<br>H301<br>H370 (**)<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-153-00-9 | isazofos (ISO);<br>*O*-(5-chloro-1-isopropyl-1,2,4-triazol-3-yl) *O*,*O*-diethyl phosphorothioate | 255-863-8 | 42509-80-8 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H311<br>H301<br>H373 (**)<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H311<br>H301<br>H373 (**)<br>H317<br>H410 | | | |
| 015-154-00-4 | 2-chloroethylphosphonic acid;<br>ethephon | 240-718-3 | 16672-87-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H332<br>H312<br>H314<br>H412 | GHS05<br>GHS07<br>Dgr | H332<br>H312<br>H314<br>H412 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 015-155-00-X | ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate;<br>glufosinate ammonium | 278-636-5 | 77182-82-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 015-156-00-5 | methyl 3-[(dimethoxyphosphinothioyl)oxy] methacrylate; [1]<br>methacrifos (ISO);<br>methyl (*E*)-3-[(dimethoxyphosphinothioyl) oxy]methacrylate [2] | 250-366-9 [1]<br>— [2] | 30864-28-9 [1]<br>62610-77-9 [2] | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 015-157-00-0 | phosphonic acid; [1]<br>phosphorous acid [2] | 237-066-7 [1]<br>233-663-1 [2] | 13598-36-2 [1]<br>10294-56-1 [2] | Acute Tox. 4 (*)<br>Skin Corr. 1A | H302<br>H314 | GHS05<br>GHS07<br>Dgr | H302<br>H314 | | | |
| 015-158-00-6 | (η-cyclopentadienyl)(η-cumenyl)iron(1+) hexafluorophosphate(1-) | 402-340-9 | 32760-80-8 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 015-159-00-1 | hydroxyphosphonoacetic acid | 405-710-8 | 23783-26-8 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H302<br>H373 (**)<br>H314<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 (**)<br>H314<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-160-00-7 | vanadyl pyrophosphate | 406-260-5 | 58834-75-6 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H317<br>H412 | GHS07<br>Wng | H319<br>H317<br>H412 | | | |
| 015-161-00-2 | divanadyl pyrophosphate | 407-130-0 | 65232-89-5 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 | | | |
| 015-162-00-8 | vanadium(IV) oxide hydrogen phosphate hemihydrate, lithium, zinc, molybdenum, iron and chlorine-doped | 407-350-7 | — | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H332<br>H373 (**)<br>H318<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H373 (**)<br>H318<br>H411 | | | |
| 015-163-00-3 | bis(2,6-dimethoxybenzoyl)-2,4,4-trimethyl-pentylphosphinoxide | 412-010-6 | 145052-34-2 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 015-164-00-9 | calcium *P,P'*-(1-hydroxyethylene)bis(hydrogen phosphonate)dihydrate | 400-480-5 | 36669-85-9 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 015-165-00-4 | reaction mass of: thiobis(4,1-phenylene)-*S*,*S*,*S'*,*S'*-tetraphenyldisulfonium bishexafluorophosphate;<br>diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate | 404-986-7 | — | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 015-166-00-X | 3,9-bis(2,6-di-*tert*-butyl-4-methylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5] undecane | 410-290-4 | 80693-00-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 015-167-00-5 | 3-(hydroxyphenylphosphinyl)propanoic acid | 411-200-6 | 14657-64-8 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-168-00-0 | fosthiazate (ISO);<br>(*RS*)-*S*-*sec*-butyl-*O*-ethyl-2-oxo-1,3-thiazolidin-3-ylphosphonothioate | — | 98886-44-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H312<br>H317<br>H410 | EUH070 | | |
| 015-169-00-6 | tributyltetradecylphosphonium tetrafluoroborate | 413-520-1 | — | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H314<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 (**)<br>H314<br>H317<br>H410 | | | |
| 015-170-00-1 | reaction mass of: di-(1-octane-*N*,*N*,*N*-trimethylammonium) octylphosphate;<br>1-octane-*N*,*N*,*N*-trimethylammonium dioctylphosphate;<br>1-octane-*N*,*N*,*N*-trimethylammonium octylphosphate | 407-490-9 | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314 | | | |
| 015-171-00-7 | *O*,*O*,*O*-tris(2(or 4)-$C_{9-10}$-isoalkylphenyl) phosphorothioate | 406-940-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 015-172-00-2 | reaction mass of: bis(isotridecylammonium) mono(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate;<br>isotridecylammonium bis(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl) phosphate | 406-240-6 | — | Flam. Liq. 3<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H226<br>H314<br>H411 | GHS02<br>GHS05<br>GHS09<br>Dgr | H226<br>H314<br>H411 | | | |
| 015-173-00-8 | methyl [2-(1,1-dimethylethyl)-6-methoxypyrimidin-4-yl]ethylphosphonothioate | 414-080-3 | 117291-73-3 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-174-00-3 | 1-chloro-*N*,*N*-diethyl-1,1-diphenyl-1-(phenylmethyl)phosphoramine | 411-370-1 | 82857-68-9 | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H301<br>H318<br>H411 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H318<br>H411 | | | |
| 015-175-00-9 | *tert*-butyl (triphenylphosphoranylidene) acetate | 412-880-7 | 35000-38-5 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H301<br>H373 (**)<br>H319<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 (**)<br>H319<br>H317<br>H411 | | | |
| 015-176-00-4 | *P*,*P*,*P*',*P*'-tetrakis-(*o*-methoxyphenyl)propane-1,3-diphosphine | 413-430-2 | 116163-96-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 015-177-00-X | ((4-phenylbutyl)hydroxyphosphoryl)acetic acid | 412-170-7 | 83623-61-4 | STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H373 (**)<br>H318<br>H317 | GHS08<br>GHS05<br>Dgr | H373 (**)<br>H318<br>H317 | | | |
| 015-178-00-5 | (*R*)-α-phenylethylammonium (-)-(1*R*, 2*S*)-(1,2-epoxypropyl)phosphonate monohydrate | 418-570-8 | 25383-07-7 | Repr. 2<br>Aquatic Chronic 2 | H361f (***)<br>H411 | GHS08<br>GHS09<br>Wng | H361f (***)<br>H411 | | | |
| 015-179-00-0 | UVCB condensation product of: tetrakis-hydroxymethylphosphonium chloride, urea and distilled hydrogenated $C_{16-18}$ tallow alkylamine | 422-720-8 | 166242-53-1 | Carc. 2<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H373 (**)<br>H314<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H351<br>H302<br>H373 (**)<br>H314<br>H317<br>H410 | | | |
| 015-180-00-6 | [*R*-(*R**,*S**)]-[[2-methyl-1-(1-oxopropoxy)propoxy]-(4-phenylbutyl)phosphinyl] acetic acid, (-)-cinchonidine (1:1) salt | 415-820-8 | 137590-32-0 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 015-181-00-1 | phosphine | 232-260-8 | 7803-51-2 | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 2 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H220<br>H330<br>H314<br>H400 | GHS02<br>GHS04<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H220<br>H330<br>H314<br>H400 | | | U |
| 015-184-00-8 | Salts of glyphosate, with the exception of those specified elsewhere in this Annex | — | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | A |
| 015-186-00-9 | chlorpyrifos-methyl (ISO)<br>*O*,*O*-dimethyl *O*-3,5,6-trichloro-2-pyridyl phosphorothioate | 227-011-5 | 5598-13-0 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | M=10000 | |
| 015-187-00-4 | reaction mass of: tetrasodium(((2-hydroxyethyl)imino)bis(methylene))bisphosphonate, *N*-oxide;<br>trisodium ((tetrahydro-2-hydroxy-4*H*-1,4,2-oxazaphosphorin-4-yl)-methyl)phosphonate, *N*-oxide, *P*-oxide | 417-540-1 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 015-189-00-5 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | 423-340-5 | 162881-26-7 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 016-001-00-4 | hydrogen sulphide | 231-977-3 | 7783-06-4 | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H220<br>H330<br>H400 | GHS02<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H220<br>H330<br>H400 | | | U |
| 016-002-00-X | barium sulphide | 244-214-4 | 21109-95-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H332<br>H302<br>H400 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H400 | EUH031 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-003-00-5 | barium polysulphides | 256-814-3 | 50864-67-0 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H319<br>H335<br>H315<br>H400 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H400 | EUH031 | | |
| 016-004-00-0 | calcium sulphide | 243-873-5 | 20548-54-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H319<br>H335<br>H315<br>H400 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H400 | EUH031 | | |
| 016-005-00-6 | calcium polysulphides | 215-709-2 | 1344-81-6 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H319<br>H335<br>H315<br>H400 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H400 | EUH031 | | |
| 016-006-00-1 | dipotassium sulphide;<br>potassium sulphide | 215-197-0 | 1312-73-8 | Skin Corr. 1B<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | EUH031 | | |
| 016-007-00-7 | potassium polysulphides | 253-390-1 | 37199-66-9 | Skin Corr. 1B<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | EUH031 | | |
| 016-008-00-2 | ammonium polysulphides | 232-989-1 | 9080-17-5 | Skin Corr. 1B<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | EUH031 | EUH031: C ≥ 1 % | |
| 016-009-00-8 | disodium sulphide;<br>sodium sulphide | 215-211-5 | 1313-82-2 | Skin Corr. 1B<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | EUH031 | | |
| 016-010-00-3 | sodium polysulphides | 215-686-9 | 1344-08-7 | Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H301<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H314<br>H400 | EUH031 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-011-00-9 | sulphur dioxide | 231-195-2 | 7446-09-5 | Press. Gas<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H331<br>H314 | GHS04<br>GHS06<br>GHS05<br>Dgr | H331<br>H314 | | (*) | U<br>5 |
| 016-012-00-4 | disulphur dichloride;<br>sulfur monochloride | 233-036-2 | 10025-67-9 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H301<br>H332<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H332<br>H314<br>H400 | EUH014<br>EUH029 | STOT SE 3;<br>H335: C ≥ 1 % | |
| 016-013-00-X | sulphur dichloride | 234-129-0 | 10545-99-0 | Skin Corr. 1B<br>STOT SE 3<br>Aquatic Acute 1 | H314<br>H335<br>H400 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H335<br>H400 | EUH014 | STOT SE 3;<br>H335: C ≥ 5 % | |
| 016-014-00-5 | sulphur tetrachloride | — | 13451-08-6 | Skin Corr. 1B<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | EUH014 | STOT SE 3;<br>H335: C ≥ 5 % | |
| 016-015-00-0 | thionyl dichloride;<br>thionyl chloride | 231-748-8 | 7719-09-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H332<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H332<br>H302<br>H314 | EUH014<br>EUH029 | STOT SE 3;<br>H335: C ≥ 1 % | |
| 016-016-00-6 | sulphuryl chloride | 232-245-6 | 7791-25-5 | Skin Corr. 1B<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | EUH014 | | |
| 016-017-00-1 | chlorosulphonic acid | 232-234-6 | 7790-94-5 | Skin Corr. 1A<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | EUH014 | | |
| 016-018-00-7 | fluorosulphonic acid | 232-149-4 | 7789-21-1 | Acute Tox. 4 (*)<br>Skin Corr. 1A | H332<br>H314 | GHS05<br>GHS07<br>Dgr | H332<br>H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-019-00-2 | oleum ... % $SO_3$ | — | — | Skin Corr. 1A<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | EUH014 | | B |
| 016-020-00-8 | sulphuric acid ... % | 231-639-5 | 7664-93-9 | Skin Corr. 1A | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 15 %<br>Skin Irrit. 2; H315: 5 % ≤ C < 15 %<br>Eye Irrit. 2; H319: 5 % ≤ C < 15 % | B |
| 016-021-00-3 | methanethiol;<br>methyl mercaptan | 200-822-1 | 74-93-1 | Flam. Gas. 1<br>Press. Gas<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H220<br>H331<br>H400<br>H410 | GHS02<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H220<br>H331<br>H410 | | | U |
| 016-022-00-9 | ethanethiol;<br>ethyl mercaptan | 200-837-3 | 75-08-1 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H332<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H410 | | | |
| 016-023-00-4 | dimethyl sulphate | 201-058-1 | 77-78-1 | Carc. 1B<br>Muta. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H350<br>H341<br>H330<br>H301<br>H314<br>H317 | GHS06<br>GHS08<br>GHS05<br>Dgr | H350<br>H341<br>H330<br>H301<br>H314<br>H317 | | Carc. 1B; H350: C ≥ 0.01 %<br>Muta. 2; H341: C ≥ 0.01 %<br>STOT SE 3; H335: C ≥ 5 % | |
| 016-024-00-X | dimexano(ISO);<br>bis(methoxythiocarbonyl) disulphide | 215-993-8 | 1468-37-7 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-025-00-5 | disul (ISO);<br>2-(2,4-dichlorophenoxy)ethyl hydrogensulphate;<br>2,4-DES | 205-259-5 | 149-26-8 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H302<br>H315<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318 | | | |
| 016-026-00-0 | sulphamidic acid;<br>sulphamic acid;<br>sulfamic acid | 226-218-8 | 5329-14-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H319<br>H315<br>H412 | GHS07<br>Wng | H319<br>H315<br>H412 | | | |
| 016-027-00-6 | diethyl sulphate | 200-589-6 | 64-67-5 | Carc. 1B<br>Muta. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H350<br>H340<br>H332<br>H312<br>H302<br>H314 | GHS05<br>GHS08<br>GHS07<br>Dgr | H350<br>H340<br>H332<br>H312<br>H302<br>H314 | | | |
| 016-028-00-1 | sodium dithionite;<br>sodium hydrosulphite | 231-890-0 | 7775-14-6 | Self-heat. 1<br>Acute Tox. 4 (*) | H251<br>H302 | GHS02<br>GHS07<br>Dgr | H251<br>H302 | EUH031 | | |
| 016-029-00-7 | *p*-toluenesulphonic acid, containing more than 5 % $H_2SO_4$ | — | — | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 % | |
| 016-030-00-2 | *p*-toluenesulphonic acid (containing a maximum of 5 % $H_2SO_4$) | 203-180-0 | 104-15-4 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | STOT SE 3; H335: C ≥ 20 % | |
| 016-031-00-8 | tetrahydrothiophene-1,1-dioxide;<br>sulpholane | 204-783-1 | 126-33-0 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 016-032-00-3 | 1,3-propanesultone;<br>1,2-oxathiolane 2,2-dioxide | 214-317-9 | 1120-71-4 | Carc. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H350<br>H312<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H312<br>H302 | | Carc. 1B; H350: C ≥ 0,01 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-033-00-9 | dimethylsulfamoylchloride | 236-412-4 | 13360-57-1 | Carc. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H350<br>H330<br>H312<br>H302<br>H314 | GHS06<br>GHS05<br>GHS08<br>Dgr | H350<br>H330<br>H312<br>H302<br>H314 | | | |
| 016-034-00-4 | tetrasodium 3,3'-(piperazine-1,4-diylbis((6-chloro-1,3,5-triazine-2,4-diyl)imino(2-acetamido)-4,1-phenyleneazo))bis(naphthalene-1,5-disulphonate) | 400-010-9 | 81898-60-4 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 016-035-00-X | pentasodium 5-anilino-3-(4-(4-(6-chloro-4-(3-sulphonatoanilino)-1,3,5-triazin-2-ylamino)-2,5-dimethylphenylazo)-2,5-disulphonatophenylazo)-4-hydroxynaphthalene-2,7-disulphonate | 400-120-7 | — | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 016-036-00-5 | tetrasodium 5-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-4-hydroxy-2,3-azodinaphthalene-1,2,5,7-disulphonate | 400-130-1 | — | Resp. Sens. 1<br>Aquatic Chronic 2 | H334<br>H411 | GHS08<br>GHS09<br>Dgr | H334<br>H411 | | | |
| 016-037-00-0 | disodium 1-amino-4-(4-benzenesulphonamido-3-sulphonatoanilino)anthraquinone-2-sulphonate | 400-350-8 | 85153-93-1 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 016-038-00-6 | disodium 6-((4-chloro-6-(*N*-methyl)-2-toluidino)-1,3,5-triazin-2-ylamino)-1-hydroxy-2-(4-methoxy-2-sulphonatophenylazo) naphthalene-3-sulphonate | 400-380-1 | 86393-35-3 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 016-039-00-1 | tetrasodium 2-(6-chloro-4-(4-(2,5-dimethyl-4-(2,5-disulphonatophenylazo)phenylazo)-3-ureidoanilino)-1,3,5-triazin-2-ylamino) benzene-1,4-disulphonate | 400-430-2 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-040-00-7 | reaction mass of disodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(2,4-dihydroxyphenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and disodium 6-(2,4-diaminophenylazo)-3-(4-(4-(2,4-diaminophenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and trisodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(7-(2,4-dihydroxyphenylazo)-1-hydroxy-3-sulphonato-2-naphthylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate | 400-570-4 | — | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 016-041-00-2 | calcium 2,5-dichloro-4-(4-((5-chloro-4-methyl-2-sulphonatophenyl)azo)-5-hydroxy-3-methylpyrazol-1-yl)benzenesulphonate | 400-710-4 | — | Acute Tox. 4 (*) | H332 | GHS07<br>Wng | H332 | | | |
| 016-042-00-8 | tetrasodium 5-benzamido-3-(5-(4-fluoro-6-(1-sulphonato-2-naphthylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-4-hydroxynaphthalene-2,7- disulphonate | 400-790-0 | 85665-97-0 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | |
| 016-043-00-3 | dilithium 6-acetamido-4-hydroxy-3-(4-((2-sulphonatooxy)ethylsulphonyl)phenylazo) naphthalene-2-sulphonate | 401-010-1 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 016-044-00-9 | disodium *S,S*-hexane-1,6-diyldi(thiosulphate) dihydrate | 401-320-7 | — | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 016-045-00-4 | lithium sodium hydrogen 4-amino-6-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-sulphonatophenylazo)-5-hydroxy-3-(4-(2-(sulphonatooxy)ethylsulphonyl)phenylazo) naphthalene-2,7-disulphonate | 401-560-2 | 108624-00-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 016-046-00-X | sodium hydrogensulphate | 231-665-7 | 7681-38-1 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 016-047-00-5 | hexasodium 7-(4-(4-(4-(2,5-disulphonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)-2-methylphenylazo)-7-sulphonatonaphthylazo)naphthalene-1,3,5- trisulphonate | 401-650-1 | 85665-96-9 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-048-00-0 | sodium 3,5-dichloro-2-(5-cyano-2,6-bis(3-hydroxypropylamino)-4-methylpyridin-3-ylazo)benzenesulphonate | 401-870-8 | — | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 016-049-00-6 | calcium octadecylxylenesulphonate | 402-040-8 | — | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411 | GHS05<br>GHS09<br>Dgr | H314<br>H411 | | | |
| 016-050-00-1 | potassium sodium 5-(4-chloro-6-(*N*-(4-(4-chloro-6-(5-hydroxy-2,7-disulphonato-6-(2-sulphonatophenylazo)-4-naphthylamino)-1,3,5-triazin-2-ylamino) phenyl-*N*-methyl) amino)-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(2-sulphonatophenylazo)naphthalene-2,7-disulphonat | 402-150-6 | — | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | |
| 016-051-00-7 | trisodium 7-(4-(6-fluoro-4-(2-(2-vinylsulphonylethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6- trisulphonate | 402-170-5 | 106359-91-5 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 016-052-00-2 | benzyltributylammonium 4-hydroxynaphthalene-1-sulphonate | 402-240-5 | 102561-46-6 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H411 | GHS07<br>GHS09<br>Wng | H332<br>H411 | | | |
| 016-053-00-8 | ($C_{16}$ or $C_{18}$-n-alkyl)($C_{16}$ or $C_{18}$-n-alkyl) ammonium 2-(($C_{16}$ or $C_{18}$-n-alkyl)($C_{16}$ or $C_{18}$-n-alkyl)carbamoyl)benzenesulphonate | 402-460-1 | — | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4 | H315<br>H317<br>H413 | GHS07<br>Wng | H315<br>H317<br>H413 | | | |
| 016-054-00-3 | sodium 4-(2,4,4-trimethylpentylcarbonyloxy)benzenesulfonate | 400-030-8 | — | Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Sens. 1 | H331<br>H372 (**)<br>H302<br>H319<br>H335<br>H317 | GHS06<br>GHS08<br>Dgr | H331<br>H372 (**)<br>H302<br>H319<br>H335<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-055-00-9 | tetrasodium 4-amino-3,6-bis(5-(6-chloro-4-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-sulfonate (containing > 35 % sodium chloride and sodium acetate) | 400-510-7 | — | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 016-056-00-4 | potassium hydrogensulphate | 231-594-1 | 7646-93-7 | Skin Corr. 1B<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | | | |
| 016-057-00-X | styrene-4-sulfonyl chloride | 404-770-2 | 2633-67-2 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H315<br>H318<br>H317 | | | |
| 016-058-00-5 | thionyl chloride, reaction products with 1,3,4-thiadiazol-2,5-dithiol, *tert*-nonanethiol and $C_{12-14}$-*tert*-alkylamine | 404-820-3 | — | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H315<br>H317<br>H412 | GHS07<br>Wng | H315<br>H317<br>H412 | | | |
| 016-059-00-0 | *N,N,N',N'*-tetramethyldithiobis(ethylene)diamine dihydrochloride | 405-300-9 | 17339-60-5 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H317<br>H410 | | | |
| 016-060-00-6 | diammonium peroxodisulphate; ammonium persulphate | 231-786-5 | 7727-54-0 | Ox. Sol. 3<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS03<br>GHS08<br>GHS07<br>Dgr | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-061-00-1 | dipotassium peroxodisulphate;<br>potassium persulphate | 231-781-8 | 7727-21-1 | Ox. Sol. 3<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS03<br>GHS08<br>GHS07<br>Dgr | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 | | | |
| 016-062-00-7 | bensultap (ISO);<br>1,3-bis(phenylsulfonylthio)-2-(*N*,*N*-dimethylamino)propane | — | 17606-31-4 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 016-063-00-2 | sodium metabisulphite | 231-673-0 | 7681-57-4 | Acute Tox. 4 (*)<br>Eye Dam. 1 | H302<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H318 | EUH031 | | |
| 016-064-00-8 | sodium hydrogensulphite . . . %;<br>sodium bisulphite . . . % | 231-548-0 | 7631-90-5 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | EUH031 | | B |
| 016-065-00-3 | sodium 1-amino-4-[2-methyl-5-(4-methylphenylsulfonylamino)phenylamino]anthraquinone-2-sulfonate | 400-100-8 | 84057-97-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 016-066-00-9 | tetrasodium [5-((4-amino-6-chloro-1,3,5-triazin-2-yl)amino)-2-((2-hydroxy-3,5-disulfonatophenylazo)-2- sulfonatobenzylidenehydrazino)benzoate]copper(II) | 404-070-7 | 116912-62-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 016-067-00-4 | (4-methylphenyl)mesitylene sulfonate | 407-530-5 | 67811-06-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 016-068-00-X | sodium 3,5-bis(tetradecyloxycarbonyl)benzenesulfinate | 407-720-8 | 155160-86-4 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 016-069-00-5 | 3,5-bis-(tetradecyloxycarbonyl)benzenesulfinic acid | 407-990-7 | 141915-64-2 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-070-00-0 | 4-benzyloxy-4'-(2,3-epoxy-2-methylprop-1-yloxy)diphenylsulfone | 408-220-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 016-071-00-6 | trisodium 3-amino-6,13-dichloro-10-((3-((4-chloro-6-(2-sulfophenylamino)-1,3,5-triazin-2-yl)amino)propyl) amino)-4,11-triphenoxydioxazinedisulfonate | 410-130-3 | 136248-03-8 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 016-072-00-1 | 3-amino-4-hydroxy-*N*-(2-methoxyethyl)-benzenesulfonamide | 411-520-6 | 112195-27-4 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |
| 016-073-00-7 | tetrakis(phenylmethyl)thioperoxydi(carbothioamide) | 404-310-0 | 10591-85-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 016-074-00-2 | 6-fluoro-2-methyl-3-(4-methylthiobenzyl) indene | 405-410-7 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H411 | | | |
| 016-075-00-8 | 2,2'-diallyl-4,4'-sulfonyldiphenol | 411-570-9 | 41481-66-7 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 016-076-00-3 | 2,3-bis((2-mercaptoethyl)thio)-1-propanethiol | 411-290-7 | 131538-00-6 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H410 | | | |
| 016-077-00-9 | 2-chloro-*p*-toluenesulfochloride | 412-890-1 | 42413-03-6 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H314<br>H317<br>H412 | | | |
| 016-078-00-4 | 4-methyl-*N*,*N*-bis(2-(((4-methylphenyl)sulfonyl)amino)ethyl)benzenesulfonamide | 413-300-5 | 56187-04-3 | Aquatic Chronic 4 | H413 | — | | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-079-00-X | *N*,*N*-bis(2-(*p*-toluenesulfonyloxy)ethyl)-*p*-toluenesulfonamide | 412-920-3 | 16695-22-0 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 016-080-00-5 | sodium 2-anilino-5-(2-nitro-4-(*N*-phenylsulfamoyl))anilinobenzenesulfonate | 412-320-1 | 31361-99-6 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 016-081-00-0 | hexahydrocyclopenta[*c*]pyrrole-1-(1*H*)-ammonium *N*-ethoxycarbonyl-*N*-(*p*-tolylsulfonyl)azanide | 418-350-1 | — | Muta. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H341<br>H302<br>H319<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H302<br>H319<br>H317<br>H411 | | | |
| 016-082-00-6 | ethoxysulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethoxyphenoxysulfonyl)urea | — | 126801-58-9 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 016-083-00-1 | acibenzolar-*S*-methyl;<br>benzo[1,2,3]thiadiazole-7-carbothioic acid *S*-methyl ester | 420-050-0 | 135158-54-2 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H317<br>H410 | | | |
| 016-084-00-7 | prosulfuron;<br>1-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)phenylsulfonyl]urea | — | 94125-34-5 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 016-085-00-2 | flazasulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea | — | 104040-78-0 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 016-086-00-8 | tetrasodium 10-amino-6,13-dichloro-3-(3-(4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate | 402-590-9 | 109125-56-6 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-087-00-3 | reaction mass of: thiobis(4,1-phenylene)-*S*,*S*,*S*',*S*'-tetraphenyldisulfonium bishexafluorophosphate;<br>diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate;<br>propylene carbonate | 403-490-8 | 104558-95-4 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H317<br>H410 | | | |
| 016-088-00-9 | 4-(bis(4-(diethylamino)phenyl)methyl)benzene-1,2-dimethanesulfonic acid | 407-280-7 | 71297-11-5 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 016-089-00-4 | reaction mass of esters of 5,5',6,6',7,7'-hexahydroxy-3,3,3',3'-tetramethyl-1,1'-spirobiindan and 2-diazo-1,2-dihydro-1-oxo-5-sulfonaphthalene | 413-840-1 | — | Self-react. C (****)<br>Aquatic Chronic 4 | H242<br>H413 | GHS02<br>Dgr | H242<br>H413 | | | |
| 016-090-00-X | 4-methyl-*N*-(methylsulfonyl)benzenesulfonamide | 415-040-8 | 14653-91-9 | Acute Tox. 4 (*)<br>STOT SE 3<br>Eye Dam. 1 | H302<br>H335<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H335<br>H318 | | | |
| 016-091-00-5 | $C_{12\text{-}14}$-*tert*-alkyl ammonium 1-amino-9,10-dihydro-9,10-dioxo-4-(2,4,6-trimethylanilino)-anthracen-2-sulfonate | 414-110-5 | — | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 016-093-00-6 | reaction mass of: 4-(7-hydroxy-2,4,4-trimethyl-2-chromanyl)resorcinol-4-yl-tris(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate);<br>4-(7-hydroxy-2,4,4-trimethyl-2-chromanyl) resorcinolbis(6-diazo-5,6-dihydro-5-oxo-naphthalen-1-sulfonate) (2:1) | 414-770-4 | 140698-96-0 | Self-react. C (****)<br>Carc. 2 | H242<br>H351 | GHS02<br>GHS08<br>Dgr | H242<br>H351 | | | |
| 016-095-00-7 | reaction mass of: reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:2);<br>Reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:3) | 417-980-4 | — | Self-react. C (****)<br>Carc. 2 | H242<br>H351 | GHS02<br>GHS08<br>Dgr | H242<br>H351 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 016-096-00-2 | thifensulfuron-methyl (ISO); methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl)thiophene-2-carboxylate | — | 79277-27-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 017-001-00-7 | chlorine | 231-959-5 | 7782-50-5 | Ox. Gas 1<br>Press. Gas<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H270<br>H331<br>H319<br>H335<br>H315<br>H400 | GHS03<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H270<br>H331<br>H319<br>H335<br>H315<br>H400 | | | U |
| 017-002-00-2 | hydrogen chloride | 231-595-7 | 7647-01-0 | Press. Gas<br>Acute Tox. 3 (*)<br>Skin Corr. 1A | H331<br>H314 | GHS04<br>GHS06<br>GHS05<br>Dgr | H331<br>H314 | | | U<br>5 |
| 017-002-01-X | hydrochloric acid ... % | 231-595-7 | — | Skin Corr. 1B<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | | Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 %<br>STOT SE 3; H335: C ≥ 10 % | B |
| 017-003-00-8 | barium chlorate | 236-760-7 | 13477-00-4 | Ox. Sol. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H271<br>H332<br>H302<br>H411 | GHS03<br>GHS07<br>GHS09<br>Dgr | H271<br>H332<br>H302<br>H411 | | | |
| 017-004-00-3 | potassium chlorate | 223-289-7 | 3811-04-9 | Ox. Sol. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H271<br>H332<br>H302<br>H411 | GHS03<br>GHS07<br>GHS09<br>Dgr | H271<br>H332<br>H302<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 017-005-00-9 | sodium chlorate | 231-887-4 | 7775-09-9 | Ox. Sol. 1<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H271<br>H302<br>H411 | GHS03<br>GHS07<br>GHS09<br>Dgr | H271<br>H302<br>H411 | | | |
| 017-006-00-4 | perchloric acid ... % | 231-512-4 | 7601-90-3 | Ox. Liq. 1<br>Skin Corr. 1A | H271<br>H314 | GHS03<br>GHS05<br>Dgr | H271<br>H314 | | Skin Corr. 1A; H314: C ≥ 50 %<br>Skin Corr. 1B; H314: 10 % ≤ C < 50 %<br>Skin Irrit. 2; H315: 1 % ≤ C < 10 %<br>Eye Irrit. 2; H319: 1 % ≤ C < 10 %<br>Ox. Liq. 1; H271: C > 50 %:<br>Ox. Liq. 2; H272: C ≤ 50 %: | B |
| 017-007-00-X | barium perchlorate | 236-710-4 | 13465-95-7 | Ox. Sol. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H271<br>H332<br>H302 | GHS03<br>GHS07<br>Dgr | H271<br>H332<br>H302 | | | |
| 017-008-00-5 | potassium perchlorate | 231-912-9 | 7778-74-7 | Ox. Sol. 1<br>Acute Tox. 4 (*) | H271<br>H302 | GHS03<br>GHS07<br>Dgr | H271<br>H302 | | | |
| 017-009-00-0 | ammonium perchlorate | 232-235-1 | 7790-98-9 | Expl. 1.1<br>Ox. Sol. 1 | H201<br>H271 | GHS01<br>Dgr | H201<br>H271 | EUH044 | | T |
| 017-010-00-6 | sodium perchlorate | 231-511-9 | 7601-89-0 | Ox. Sol. 1<br>Acute Tox. 4 (*) | H271<br>H302 | GHS03<br>GHS07<br>Dgr | H271<br>H302 | | | |
| 017-011-00-1 | sodium hypochlorite, solution ... % Cl active | 231-668-3 | 7681-52-9 | Skin Corr. 1B<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | EUH031 | EUH031: C ≥ 5 % | B |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 017-012-00-7 | calcium hypochlorite | 231-908-7 | 7778-54-3 | Ox. Sol. 2<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H272<br>H302<br>H314<br>H400 | GHS03<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H314<br>H400 | EUH031 | Skin Corr. 1B; H314: C ≥ 10 %<br>Skin Irrit. 2; H315: 3 % ≤ C < 10 %<br>Eye Dam. 1; H31: 3 % ≤ C < 10 %<br>Eye Irrit. 2; H319: 0,5 % ≤ C < 3 %<br>STOT SE 3; H335: C ≥ 3 % | T |
| 017-013-00-2 | calcium chloride | 233-140-8 | 10043-52-4 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 017-014-00-8 | ammonium chloride | 235-186-4 | 12125-02-9 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |
| 017-015-00-3 | (2-(aminomethyl)phenyl)acetylchloride hydrochloride | 417-410-4 | 61807-67-8 | Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Skin Sens. 1 | H302<br>H314<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H317 | | | |
| 017-016-00-9 | methyltriphenylphosphonium chloride | 418-400-2 | 1031-15-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H315<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H315<br>H318<br>H411 | | | |
| 017-017-00-4 | (Z)-13-docosenyl-*N*,*N*-bis(2-hydroxyethyl)-*N*-methyl-ammonium-chloride | 426-210-6 | 120086-58-0 | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H314<br>H410 | | | |
| 017-018-00-X | *N*,*N*,*N*-trimethyl-2,3-bis(stearoyloxy)propylammonium chloride | 405-660-7 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 017-019-00-5 | (*R*)-1,2,3,4-tetrahydro-6,7-dimethoxy-1-veratrylisoquinoline hydrochloride | 415-110-8 | 54417-53-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 017-020-00-0 | ethyl propoxy aluminium chloride | 421-790-7 | 13014-29-4 | Water-react. 1<br>Skin Corr. 1A | H260<br>H314 | GHS02<br>GHS05<br>Dgr | H260<br>H314 | EUH014 | | |
| 017-021-00-6 | behenamidopropyl-dimethyl-(dihydroxypropyl) ammonium chloride | 423-420-1 | 136920-10-0 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H410 | | | |
| 019-001-00-2 | potassium | 231-119-8 | 7440-09-7 | Water-react. 1<br>Skin Corr. 1B | H260<br>H314 | GHS02<br>GHS05<br>Dgr | H260<br>H314 | EUH014 | | |
| 019-002-00-8 | potassium hydroxide;<br>caustic potash | 215-181-3 | 1310-58-3 | Acute Tox. 4 (*)<br>Skin Corr. 1A | H302<br>H314 | GHS05<br>GHS07<br>Dgr | H302<br>H314 | | Skin Corr. 1A; H314: C ≥ 5 %<br>Skin Corr. 1B; H314: 2 % ≤ C < 5 %<br>Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %<br>Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % | |
| 020-001-00-X | calcium | 231-179-5 | 7440-70-2 | Water-react. 2 | H261 | GHS02<br>Dgr | H261 | | | |
| 020-002-00-5 | calcium cyanide | 209-740-0 | 592-01-8 | Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H410 | EUH032 | | |
| 020-003-00-0 | reaction mass of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine) dihydroxide;<br>tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide;<br>poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide] | 420-470-4 | — | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 022-001-00-5 | titanium tetrachloride | 231-441-9 | 7550-45-0 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | EUH014 | | |
| 022-002-00-0 | titanium(4+) oxalate | 403-260-7 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 022-003-00-6 | bis($\eta^5$-cyclopentadienyl)-bis(2,6-difluoro-3-[pyrrol-1-yl]-phenyl)titanium | 412-000-1 | 125051-32-3 | Flam. Sol. 1<br>Repr. 2<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H228<br>H361f (***)<br>H373 (**)<br>H411 | GHS02<br>GHS08<br>GHS09<br>Dgr | H228<br>H361f (***)<br>H373 (**)<br>H411 | | | T |
| 023-001-00-8 | divanadium pentaoxide;<br>vanadium pentoxide | 215-239-8 | 1314-62-1 | Muta. 2<br>Repr. 2<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Aquatic Chronic 2 | H341<br>H361d (***)<br>H372 (**)<br>H332<br>H302<br>H335<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H341<br>H361d (***)<br>H372 (**)<br>H332<br>H302<br>H335<br>H411 | | | |
| 024-001-00-0 | chromium (VI) trioxide | 215-607-8 | 1333-82-0 | Ox. Sol. 1<br>Carc. 1A<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Skin Corr. 1A<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H271<br>H350<br>H340<br>H361f (***)<br>H330<br>H311<br>H301<br>H372 (**)<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H271<br>H350<br>H340<br>H361f (***)<br>H330<br>H311<br>H301<br>H372 (**)<br>H314<br>H334<br>H317<br>H410 | | STOT SE 3;<br>H335: C ≥ 1 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 024-002-00-6 | potassium dichromate | 231-906-6 | 7778-50-9 | Ox. Sol. 2<br>Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H350<br>H340<br>H360-FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H410 | | STOT SE 3;<br>H335: C ≥ 5 % | 3 |
| 024-003-00-1 | ammonium dichromate | 232-143-1 | 7789-09-5 | Ox. Sol. 2 (****)<br>Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H350<br>H340<br>H360-FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H410 | | STOT SE 3;<br>H335: C ≥ 5 %<br>Resp. Sens.;<br>H334: C ≥ 0,2 %<br>Skin Sens.; H317:<br>C ≥ 0,2 % | G<br>3 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 024-004-00-7 | sodium dichromate anhydrate | 234-190-3 | 10588-01-9 | Ox. Sol. 2<br>Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H410 | | STOT SE 3; H335: C ≥ 5 %<br>Resp. Sens.; H334: C ≥ 0,2 %<br>Skin Sens.; H317: C ≥ 0,2 % | 3 |
| 024-004-01-4 | sodium dichromate, dihydrate | 234-190-3 | 7789-12-0 | Ox. Sol. 2<br>Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H410 | | STOT SE 3; H335: C ≥ 5 %<br>Resp. Sens.; H334: C ≥ 0,2 %<br>Skin Sens.; H317: C ≥ 0,2 % | 3 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 024-005-00-2 | chromyl dichloride;<br>chromic oxychloride | 239-056-8 | 14977-61-8 | Ox. Liq. 1<br>Carc. 1B<br>Muta. 1B<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H271<br>H350i<br>H340<br>H314<br>H317<br>H400<br>H410 | GHS03<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H271<br>H350i<br>H340<br>H314<br>H317<br>H410 | | Skin Corr. 1A; H314: C ≥ 10 %<br>Skin Corr. 1B; H314: 5 % ≤ C < 10 %<br>Skin Irrit. 2; H315: 0,5 % ≤ C < 5 %<br>Eye Irrit. 2; H319: 0,5 % ≤ C < 5 %<br>STOT SE 3; H335: 0,5 % ≤ C < 5 %<br>Skin Sens. 1; H317: C ≥ 0,5 % | T<br>3 |
| 024-006-00-8 | potassium chromate | 232-140-5 | 7789-00-6 | Carc. 1B<br>Muta. 1B<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H340<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H340<br>H319<br>H335<br>H315<br>H317<br>H410 | | Skin Sens. 1; H317: C ≥ 0.5 % | 3 |
| 024-007-00-3 | zinc chromates including zinc potassium chromate | — | — | Carc. 1A<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H317<br>H410 | | | A |
| 024-008-00-9 | calcium chromate | 237-366-8 | 13765-19-0 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 024-009-00-4 | strontium chromate | 232-142-6 | 7789-06-2 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H400<br>H410 | | | |
| 024-010-00-X | dichromium tris(chromate);<br>chromium III chromate;<br>chromic chromate | 246-356-2 | 24613-89-6 | Ox. Sol. 1<br>Carc. 1B<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H271<br>H350<br>H314<br>H317<br>H400<br>H410 | GHS03<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H271<br>H350<br>H314<br>H317<br>H410 | | | T |
| 024-011-00-5 | ammonium bis(1-(3,5-dinitro-2-oxidophenylazo)-3-(*N*-phenylcarbamoyl)-2-naphtholato)chromate(1-) | 400-110-2 | 109125-51-1 | Self-react. C (****)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H400<br>H410 | GHS02<br>GHS09<br>Dgr | H242<br>H410 | | | |
| 024-012-00-0 | trisodium bis(7-acetamido-2-(4-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato) chromate(1-) | 400-810-8 | — | Muta. 2 | H341 | GHS08<br>Wng | H341 | | | |
| 024-013-00-6 | trisodium (6-anilino-2-(5-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)(4-sulphonato-1,1'-azodi-2,2'naphtholato)chromate(1-) | 402-500-8 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 024-014-00-1 | trisodium bis(2-(5-chloro-4-nitro-2-oxidophenylazo)-5-sulphonato-1-naphtholato) chromate(1-) | 402-870-0 | 93952-24-0 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 024-015-00-7 | disodium (3-methyl-4-(5-nitro-2-oxidophenylazo)-1-phenylpyrazololato)(1-(3-nitro-2-oxido-5-sulfonatophenylazo)-2-naphtholato)chromate(1-) | 404-930-1 | — | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H332<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H318<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 024-016-00-2 | tetradecylammonium bis(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-) | 405-110-6 | 88377-66-6 | STOT RE 2 (*)<br>Aquatic Chronic 4 | H373 (**)<br>H413 | GHS08<br>Wng | H373 (**)<br>H413 | | | |
| 024-017-00-8 | Chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex | — | — | Carc. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H317<br>H410 | | | A |
| 024-018-00-3 | sodium chromate | 231-889-5 | 7775-11-3 | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360-FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H312<br>H314<br>H334<br>H317<br>H410 | | Resp. Sens.; H334: C ≥ 0,2 %<br>Skin Sens.; H317: C ≥ 0,2 % | 3 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 024-019-00-9 | Main component: acetoacetic acid anilide / 3-amino-1-hydroxybenzene (ATAN-MAP): trisodium {6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}-{6"-[1-(phenylcarbamoyl)ethylazo]-5"'-(phenylsulfamoyl)-3"-sulfonatonaphthalene-2"-azobenzene-1",2"'-diolato}chromate (III);<br>by-product 1: acetoacetic acid anilide / acetoacetic acid anilide (ATAN-ATAN): trisodium bis{6-[1-(phenylcarbamoyl)ethylazo]-5'-(phenylsulfonyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}chromate (III);<br>by-product 2: 3-amino-1-hydroxybenzene / 3-amino-1-hydroxybenzene (MAP-MAP): trisodium bis{6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III) | 419-230-1 | — | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 024-020-00-4 | trisodium bis[(3'-nitro-5'-sulfonato(6-amino-2-[4-(2-hydroxy-1-naphtylazo)phenylsulfonylamino]pyrimidin-5-azo)benzene-2',4-diolato)]chromate(III) | 418-220-4 | — | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 025-001-00-3 | manganese dioxide | 215-202-6 | 1313-13-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | | |
| 025-002-00-9 | potassium permanganate | 231-760-3 | 7722-64-7 | Ox. Sol. 2<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H302<br>H400<br>H410 | GHS03<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H410 | | | |
| 025-003-00-4 | manganese sulphate | 232-089-9 | 7785-87-7 | STOT RE 2 (*)<br>Aquatic Chronic 2 | H373 (**)<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H411 | | | |
| 025-004-00-X | bis(*N*,*N*',*N*"-trimethyl-1,4,7-triazacyclononane)-trioxo-dimanganese (IV) di(hexafluorophosphate) monohydrate | 411-760-1 | 116633-53-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 025-005-00-5 | reaction mass of: tri-sodium [29*H*, 31*H*-phthalocyanine-*C*,*C*,*C*-trisulfonato (6-)-*N*29, *N*30,*N*31,*N*32] manganate (3-); tetrasodium [29*H*,31*H*-phthalocyanine-*C*,*C*, *C*,*C*-tetrasulfonato (6-)-*N*29,*N*30,*N*31,*N*32], manganate (3-); pentasodium [29*H*,31*H*-phthalocyanine-*C*, *C*,*C*,*C*,*C*-pentasulfonato (6-)-*N*29,*N*30,*N*31, *N*32] manganate (3-) | 417-660-4 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 026-001-00-6 | (η-cumene)-(η-cyclopentadienyl)iron(II) hexafluoroantimonate | 407-840-0 | 100011-37-8 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H412 | | | |
| 026-002-00-1 | (η-cumene)-(η-cyclopentadienyl)iron(II) trifluoromethane-sulfonate | 407-880-9 | 117549-13-0 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 027-001-00-9 | cobalt | 231-158-0 | 7440-48-4 | Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 4 | H334<br>H317<br>H413 | GHS08<br>Dgr | H334<br>H317<br>H413 | | | |
| 027-002-00-4 | cobalt oxide | 215-154-6 | 1307-96-6 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 027-003-00-X | cobalt sulphide | 215-273-3 | 1317-42-6 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 027-004-00-5 | cobalt dichloride | 231-589-4 | 7646-79-9 | Carc. 1B<br>Acute Tox. 4 (*)<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H302<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H302<br>H334<br>H317<br>H410 | | Carc. 1B; H350i: C ≥ 0,01 %<br>(*) | 1 |
| 027-005-00-0 | cobalt sulphate | 233-334-2 | 10124-43-3 | Carc. 1B<br>Acute Tox. 4 (*)<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H302<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H302<br>H334<br>H317<br>H410 | | Carc. 1B; H350i: C ≥ 0,01 % | 1 |
| 028-001-00-1 | tetracarbonylnickel;<br>nickel tetracarbonyl | 236-669-2 | 13463-39-3 | Flam. Liq. 2<br>Carc. 2<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H351<br>H360-D (***)<br>H330<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H225<br>H351<br>H360D (***)<br>H330<br>H410 | | | |
| 028-002-00-7 | nickel | 231-111-4 | 7440-02-0 | Carc. 2<br>Skin Sens. 1 | H351<br>H317 | GHS08<br>GHS07<br>Wng | H351<br>H317 | | | |
| 028-003-00-2 | nickel monoxide | 215-215-7 | 1313-99-1 | Carc. 1Ai<br>Skin Sens. 1<br>Aquatic Chronic 4 | H350i<br>H317<br>H413 | GHS08<br>GHS07<br>Dgr | H350i<br>H317<br>H413 | | | |
| 028-004-00-8 | nickel dioxide | 234-823-3 | 12035-36-8 | Carc. 1Ai<br>Skin Sens. 1<br>Aquatic Chronic 4 | H350i<br>H317<br>H413 | GHS08<br>GHS07<br>Dgr | H350i<br>H317<br>H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 028-005-00-3 | dinickel trioxide | 215-217-8 | 1314-06-3 | Carc. 1Ai<br>Skin Sens. 1<br>Aquatic Chronic 4 | H350i<br>H317<br>H413 | GHS08<br>GHS07<br>Dgr | H350i<br>H317<br>H413 | | | |
| 028-006-00-9 | nickel sulphide | 240-841-2 | 16812-54-7 | Carc. 1Ai<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS07<br>GHS09<br>Dgr | H350i<br>H317<br>H410 | | | |
| 028-007-00-4 | nickel subsulphide;<br>trinickel disulphide | 234-829-6 | 12035-72-2 | Carc. 1Ai<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350i<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H317<br>H411 | | | |
| 028-008-00-X | nickel dihydroxide | 235-008-5 | 12054-48-7 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H332<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H332<br>H302<br>H317<br>H410 | | | |
| 028-009-00-5 | nickel sulphate | 232-104-9 | 7786-81-4 | Carc. 2<br>Acute Tox. 4 (*)<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H302<br>H334<br>H317<br>H410 | | | |
| 028-010-00-0 | nickel carbonate | 222-068-2 | 3333-67-3 | Carc. 2<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 029-001-00-4 | copper chloride;<br>copper (I) chloride;<br>cuprous chloride | 231-842-9 | 7758-89-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H400<br>H410 | | | |
| 029-002-00-X | dicopper oxide;<br>copper (I) oxide | 215-270-7 | 1317-39-1 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 029-003-00-5 | Naphthenic acids, copper salts;<br>copper naphthenate | 215-657-0 | 1338-02-9 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H302<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H302<br>H410 | | | |
| 029-004-00-0 | copper sulphate | 231-847-6 | 7758-98-7 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H315<br>H410 | | | |
| 029-005-00-6 | (tris(chloromethyl)phthalocyaninato)copper (II), reaction products with *N*-methylpiperazine and methoxyacetic acid | 401-260-1 | — | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 029-006-00-1 | tris(octadec-9-enylammonium) (trisulfonatophthalocyaninato)copper(II) | 403-210-4 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 029-007-00-7 | (trisodium (2-((3-(6-(2-chloro-5-sulfonato) anilino)-4-(3-carboxypyridinio)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo)phenylmethylazo)-4-sulfonatobenzoato)copper(3-)) hydroxide | 404-670-9 | 89797-01-3 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | G |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 029-008-00-2 | copper(II) methanesulfonate | 405-400-2 | 54253-62-2 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410 | | | |
| 029-009-00-8 | phthalocyanine-*N*-[3-(diethylamino)propyl] sulfonamide copper complex | 413-650-9 | 93971-95-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 029-010-00-3 | reaction mass of compounds from (dodecakis(*p*-tolylthio)phthalocyaninato)copper(II) to (hexadecakis(*p*-tolylthio)phthalocyaninato)copper(II) | 407-700-9 | 101408-30-4 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 029-011-00-9 | sodium [29*H*,31*H*-phthalocyaninato-(2-)-*N*29,*N*30,*N*31,*N*32]-((3-(*N*-methyl-*N*-(2-hydroxyethyl)amino)propyl)amino)sulfonylsulfonato, copper complex | 412-730-0 | 150522-10-4 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 029-012-00-4 | sodium ((*N*-(3-trimethylammoniopropyl) sulfamoyl)methylsulfonatophthalocyaninato)copper(II) | 407-340-2 | 124719-24-0 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 029-013-00-X | trisodium(2-(α-(3-(4-chloro-6-(2-(2-(vinylsulfonyl)ethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo) benzylidenehydrazino)-4-sulfonatobenzoato)copper(II) | 407-580-8 | 130201-51-3 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 030-001-00-1 | zinc powder - zinc dust (pyrophoric) | 231-175-3 | 7440-66-6 | Water-react. 1<br>Pyr. Sol. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H260<br>H250<br>H400<br>H410 | GHS02<br>GHS09<br>Dgr | H260<br>H250<br>H410 | | | T |
| 030-001-01-9 | zinc powder - zinc dust (stabilised) | 231-175-3 | 7440-66-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 030-003-00-2 | zinc chloride | 231-592-0 | 7646-85-7 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H410 | | STOT SE 3; H335: C ≥ 5 % | |
| 030-004-00-8 | dimethylzinc; [1]<br>diethylzinc [2] | 208-884-1 [1]<br>209-161-3 [2] | 544-97-8 [1]<br>557-20-0 [2] | Pyr. Liq. 1<br>Water-react. 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H250<br>H260<br>H314<br>H400<br>H410 | GHS02<br>GHS05<br>GHS09<br>Dgr | H250<br>H260<br>H314<br>H410 | EUH014 | | |
| 030-005-00-3 | diamminediisocyanatozinc | 401-610-3 | — | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H302<br>H318<br>H334<br>H317<br>H400 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H334<br>H317<br>H400 | | | |
| 030-006-00-9 | zinc sulphate (hydrous) (mono-, hexa- and hepta hydrate); [1]<br>zinc sulphate (anhydrous) [2] | 231-793-3 [1]<br>231-793-3 [2] | 7446-19-7 [1]<br>7733-02-0 [2] | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410 | | | |
| 030-007-00-4 | bis(3,5-di-*tert*-butylsalicylato-$O^1$,$O^2$)zinc | 403-360-0 | 42405-40-3 | Flam. Sol. 1<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H228<br>H302<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Dgr | H228<br>H302<br>H410 | | | T |
| 030-008-00-X | hydroxo(2-(benzenesulfonamido)benzoato) zinc(II) | 403-750-0 | 113036-91-2 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H411 | GHS07<br>GHS09<br>Wng | H332<br>H411 | | | |
| 030-011-00-6 | trizinc bis(orthophosphate) | 231-944-3 | 7779-90-0 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 030-013-00-7 | zinc oxide | 215-222-5 | 1314-13-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 033-001-00-X | arsenic | 231-148-6 | 7440-38-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H410 | | | |
| 033-002-00-5 | arsenic compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H410 | | (*) | A<br>1 |
| 033-003-00-0 | diarsenic trioxide;<br>arsenic trioxide | 215-481-4 | 1327-53-3 | Carc. 1A<br>Acute Tox. 2 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H300<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H350<br>H300<br>H314<br>H410 | | | |
| 033-004-00-6 | diarsenic pentaoxide;<br>arsenic pentoxide;<br>arsenic oxide | 215-116-9 | 1303-28-2 | Carc. 1A<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H301<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H301<br>H410 | | | |
| 033-005-00-1 | arsenic acid and its salts | — | — | Carc. 1A<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H301<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H301<br>H410 | | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 033-006-00-7 | arsine | 232-066-3 | 7784-42-1 | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H220<br>H330<br>H373 (**)<br>H400<br>H410 | GHS02<br>GHS04<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H220<br>H330<br>H373 (**)<br>H410 | | | U |
| 033-007-00-2 | *tert*-butylarsine | 423-320-6 | 4262-43-5 | Pyr. Liq. 1<br>Acute Tox. 2 (*) | H250<br>H330 | GHS02<br>GHS06<br>Dgr | H250<br>H330 | | | |
| 034-001-00-2 | selenium | 231-957-4 | 7782-49-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 4 | H331<br>H301<br>H373 (**)<br>H413 | GHS06<br>GHS08<br>Dgr | H331<br>H301<br>H373 (**)<br>H413 | | | |
| 034-002-00-8 | selenium compounds except cadmium sulphoselenide | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H373 (**)<br>H410 | | | A |
| 034-003-00-3 | sodium selenite | 233-267-9 | 10102-18-8 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H300<br>H331<br>H317<br>H411 | GHS06<br>GHS09<br>Dgr | H300<br>H331<br>H317<br>H411 | EUH031 | | |
| 035-001-00-5 | bromine | 231-778-1 | 7726-95-6 | Acute Tox. 2 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H330<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H314<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 035-002-00-0 | hydrogen bromide | 233-113-0 | 10035-10-6 | Press. Gas<br>Skin Corr. 1A<br>STOT SE 3 | H314<br>H335 | GHS04<br>GHS05<br>GHS07<br>Dgr | H314<br>H335 | | | U |
| 035-002-01-8 | hydrobromic acid ... % | — | — | Skin Corr. 1B<br>STOT SE 3 | H314<br>H335 | GHS05<br>GHS07<br>Dgr | H314<br>H335 | | Skin Corr. 1B; H314: C ≥ 40 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 40 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 40 %<br>STOT SE 3; H335: C ≥ 10 % | B |
| 035-003-00-6 | potassium bromate | 231-829-8 | 7758-01-2 | Ox. Sol. 1<br>Carc. 1B<br>Acute Tox. 3 (*) | H271<br>H350<br>H301 | GHS03<br>GHS06<br>GHS08<br>Dgr | H271<br>H350<br>H301 | | | |
| 035-004-00-1 | 2-hydroxyethylammonium perbromide | 407-440-6 | — | Ox. Sol. 2 (****)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1 | H272<br>H302<br>H314<br>H317<br>H400 | GHS03<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H314<br>H317<br>H400 | | | |
| 040-001-00-3 | zirconium powder (pyrophoric) | 231-176-9 | 7440-67-7 | Water-react. 1<br>Pyr. Sol. 1 | H260<br>H250 | GHS02<br>Dgr | H260<br>H250 | | | T |
| 040-002-00-9 | zirconium powder, dry (non pyrophoric) | — | — | Self-heat. 1 | H251 | GHS02<br>Dgr | H251 | | | T |
| 042-001-00-9 | molybdenum trioxide | 215-204-7 | 1313-27-5 | STOT RE 2 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H373 (**)<br>H319<br>H335 | GHS08<br>GHS07<br>Wng | H373 (**)<br>H319<br>H335 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 042-002-00-4 | tetrakis(dimethylditetradecylammonium) hexa-μ-oxotetra-μ3-oxodi-μ5-oxotetradecaoxooctamolybdate(4-) | 404-760-8 | 117342-25-3 | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Aquatic Chronic 4 | H331<br>H318<br>H413 | GHS06<br>GHS05<br>Dgr | H331<br>H318<br>H413 | | | |
| 042-003-00-X | tetrakis(trimethylhexadecylammonium) hexa-mu-oxotetra-mu3-oxodi-mu5-oxotetradecaoxooctamolybdate(4-) | 404-860-1 | 116810-46-9 | Flam. Sol. 1<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H228<br>H318<br>H400<br>H410 | GHS02<br>GHS05<br>GHS09<br>Dgr | H228<br>H318<br>H410 | | | T |
| 042-004-00-5 | Reaction product of ammonium molybdate and $C_{12}$-$C_{24}$-diethoxylated alkylamine (1:5-1:3) | 412-780-3 | — | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H411 | | | |
| 047-001-00-2 | silver nitrate | 231-853-9 | 7761-88-8 | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H314<br>H410 | | | |
| 048-001-00-5 | cadmium compounds, with the exception of cadmium sulphoselenide (xCdS.yCdSe), reaction mass of cadmium sulphide with zinc sulphide (xCdS.yZnS), reaction mass of cadmium sulphide with mercury sulphide (xCdS.yHgS), and those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | (*) | A<br>1 |
| 048-002-00-0 | cadmium (non-pyrophoric); [1]<br>cadmium oxide (non-pyrophoric) [2] | 231-152-8 [1]<br>215-146-2 [2] | 7440-43-9 [1]<br>1306-19-0 [2] | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 2 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H361f-d<br>H330<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361fd<br>H330<br>H372 (**)<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 048-003-00-6 | cadmium diformate; cadmiumformate | 224-729-0 | 4464-23-7 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Carc. 2<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H351<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H351<br>H373 (**)<br>H410 | | (*)<br>STOT RE 2;<br>H373: C ≥ 0,25 % | |
| 048-004-00-1 | cadmium cyanide | 208-829-1 | 542-83-6 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Carc. 2<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H351<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H351<br>H373 (**)<br>H410 | EUH032 | STOT RE 2;<br>H373: C ≥ 0,1 %<br>EUH032: C ≥ 1 % | |
| 048-005-00-7 | cadmiumhexafluorosilicate(2-); cadmium fluorosilica | 241-084-0 | 17010-21-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Carc. 2<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H351<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H351<br>H373 (**)<br>H410 | | (*)<br>STOT RE 2;<br>H373: C ≥ 0,1 % | |
| 048-006-00-2 | cadmium fluoride | 232-222-0 | 7790-79-6 | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H410 | | Carc. 1B; H350: C ≥ 0.01 %<br>(*) oral<br>STOT RE 1;<br>H372: C ≥ 7 %<br>STOT RE 2: 0,1 % ≤ C < 7 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 048-007-00-8 | cadmium iodide | 232-223-6 | 7790-80-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Carc. 2<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H351<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H351<br>H373 (**)<br>H410 | | (*)<br>STOT RE 2;<br>H373: C ≥ 0,1 % | |
| 048-008-00-3 | cadmium chloride | 233-296-7 | 10108-64-2 | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360-FD<br>H330<br>H301<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H410 | | Carc. 1B; H350: C ≥ 0,01 %<br>(*) oral<br>STOT RE 1;<br>H372: C ≥ 7 %<br>STOT RE 2;<br>H373: 0,1 % ≤ C < 7 % | |
| 048-009-00-9 | cadmium sulphate | 233-331-6 | 10124-36-4 | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360-FD<br>H330<br>H301<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 (**)<br>H410 | | Carc. 1B; H350: C ≥ 0,01 %<br>(*) oral<br>STOT RE 1;<br>H372: C ≥ 7 %<br>STOT RE 2;<br>H373: 0,1 % ≤ C < 7 % | |
| 048-010-00-4 | cadmium sulphide | 215-147-8 | 1306-23-6 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Aquatic Chronic 4 | H350<br>H341<br>H361f-d<br>H372 (**)<br>H302<br>H413 | GHS08<br>GHS07<br>Dgr | H350<br>H341<br>H361fd<br>H372 (**)<br>H302<br>H413 | | (*)<br>STOT RE 1;<br>H372: C ≥ 10 %<br>STOT RE 2;<br>H373: 0,1 % ≤ C < 10 % | 1 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 048-011-00-X | cadmium (pyrophoric) | 231-152-8 | 7440-43-9 | Pyr. Sol. 1<br>Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 2 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H250<br>H350<br>H341<br>H361fd<br>H330<br>H372 (**)<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H250<br>H350<br>H341<br>H361fd<br>H330<br>H372 (**)<br>H410 | | | |
| 050-001-00-5 | tin tetrachloride;<br>stannic chloride | 231-588-9 | 7646-78-8 | Skin Corr. 1B<br>Aquatic Chronic 3 | H314<br>H412 | GHS05<br>Dgr | H314<br>H412 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 050-002-00-0 | cyhexatin (ISO);<br>hydroxytricyclohexylstannane;<br>tri(cyclohexyl)tin hydroxide | 236-049-1 | 13121-70-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | | |
| 050-003-00-6 | fentin acetate (ISO);<br>triphenyltin acetate | 212-984-0 | 900-95-8 | Carc. 2<br>Repr. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361d (***)<br>H330<br>H311<br>H301<br>H372 (**)<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H361d (***)<br>H330<br>H311<br>H301<br>H372 (**)<br>H335<br>H315<br>H318<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 050-004-00-1 | fentin hydroxide (ISO);<br>triphenyltin hydroxide | 200-990-6 | 76-87-9 | Carc. 2<br>Repr. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361d (***)<br>H330<br>H311<br>H301<br>H372 (**)<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H361d (***)<br>H330<br>H311<br>H301<br>H372 (**)<br>H335<br>H315<br>H318<br>H410 | | | |
| 050-005-00-7 | trimethyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H410 | | (*) | A<br>1 |
| 050-006-00-2 | triethyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H410 | | (*) | A<br>1 |
| 050-007-00-8 | tripropyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | (*) | A<br>1 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 050-008-00-3 | tributyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H372 (**)<br>H312<br>H319<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H372 (**)<br>H312<br>H319<br>H315<br>H410 | | (*) oral<br>STOT RE 1; H372: C ≥ 1 %<br>STOT RE 2; H373: 0,25 % ≤ C < 1 %<br>(*) dermal<br>Eye Irrit. 2; H319: C ≥ 1 %<br>Skin Irrit. 2; H315: C ≥ 1 % | A<br>1 |
| 050-009-00-9 | fluorotripentylstannane; [1]<br>hexapentyldistannoxane [2] | 243-546-7 [1]<br>247-143-7 [2] | 20153-49-5 [1]<br>25637-27-8 [2] | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | (*) | 1 |
| 050-010-00-4 | fluorotrihexylstannane | 243-547-2 | 20153-50-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | (*) | 1 |
| 050-011-00-X | triphenyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | (*) | A<br>1 |
| 050-012-00-5 | tetracyclohexylstannane; [1]<br>chlorotricyclohexylstannane; [2]<br>butyltricyclohexylstannane [3] | 215-910-5 [1]<br>221-437-5 [2]<br>230-358-5 [3] | 1449-55-4 [1]<br>3091-32-5 [2]<br>7067-44-9 [3] | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | (*) | A<br>1 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 050-013-00-0 | trioctyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 4 | H319<br>H335<br>H315<br>H413 | GHS07<br>Wng | H319<br>H335<br>H315<br>H413 | | Skin Irrit. 2; H315: C ≥ 1 %<br>Eye Irrit. 2; H319: C ≥ 1 %<br>STOT SE 3; H335: C ≥ 1 % | A<br>1 |
| 050-017-00-2 | fenbutatin oxide (ISO); bis(tris(2-methyl-2-phenylpropyl)tin)oxide | 236-407-7 | 13356-08-6 | Acute Tox. 2 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H319<br>H315<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H319<br>H315<br>H410 | | | |
| 050-018-00-8 | tin(II) methanesulphonate | 401-640-7 | 53408-94-9 | Skin Corr. 1B<br>Acute Tox. 4 (*)<br>Skin Sens. 1 | H314<br>H302<br>H317 | GHS05<br>GHS07<br>Dgr | H314<br>H302<br>H317 | | | |
| 050-019-00-3 | azocyclotin (ISO); 1-(tricyclohexylstannyl)-1*H*-1,2,4-triazole | 255-209-1 | 41083-11-8 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H301<br>H335<br>H315<br>H318<br>H410 | | | |
| 050-020-00-9 | trioctylstannane | 413-320-4 | 869-59-0 | STOT RE 1<br>Skin Irrit. 2<br>Aquatic Chronic 4 | H372 (**)<br>H315<br>H413 | GHS08<br>GHS07<br>Dgr | H372 (**)<br>H315<br>H413 | | | |
| 051-001-00-8 | antimony trichloride | 233-047-2 | 10025-91-9 | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411 | GHS05<br>GHS09<br>Dgr | H314<br>H411 | | STOT SE 3; H335: C ≥ 5 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 051-002-00-3 | antimony pentachloride | 231-601-8 | 7647-18-9 | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411 | GHS05<br>GHS09<br>Dgr | H314<br>H411 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 051-003-00-9 | antimony compounds, with the exception of the tetroxide ($Sb_2O_4$), pentoxide ($Sb_2O_5$), trisulphide ($Sb_2S_3$), pentasulphide ($Sb_2S_5$) and those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H302<br>H411 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H411 | | (*) | A<br>1 |
| 051-004-00-4 | antimony trifluoride | 232-009-2 | 7783-56-4 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H411 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H411 | | | |
| 051-005-00-X | antimony trioxide | 215-175-0 | 1309-64-4 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | |
| 051-006-00-5 | diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate | 403-500-0 | — | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 051-007-00-0 | bis(4-dodecylphenyl)iodonium hexafluoroantimonate | 404-420-9 | 71786-70-4 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 053-001-00-3 | iodine | 231-442-4 | 7553-56-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H332<br>H312<br>H400 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 053-002-00-9 | hydrogen iodide | 233-109-9 | 10034-85-2 | Press. Gas<br>Skin Corr. 1A | H314 | GHS04<br>GHS05<br>Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 10 %<br>Skin Corr. 1B; H314: 0,2 % ≤ C < 10 %<br>Skin Irrit. 2; H315: 0,02 % ≤ C < 0,2 %<br>Eye Irrit. 2; H319: 0,02 % ≤ C < 0,2 %<br>STOT SE 3; H335: C ≥ 0,02 % | U<br>5 |
| 053-002-01-6 | hydriodic acid ... % | — | — | Skin Corr. 1B | H314 | GHS05<br>Dgr | | | Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |
| 053-005-00-5 | (4-(1-methylethyl)phenyl)-(4-methylphenyl) iodonium tetrakis(pentafluorophenyl)borate (1-) | 422-960-3 | 178233-72-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H312<br>H302<br>H373 (**)<br>H410 | | | |
| 056-001-00-1 | barium peroxide | 215-128-4 | 1304-29-6 | Ox. Sol. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H272<br>H332<br>H302 | GHS03<br>GHS07<br>Dgr | H272<br>H332<br>H302 | | | |
| 056-002-00-7 | barium salts, with the exception of barium sulphate, salts of 1-azo-2-hydroxynaphthalenyl aryl sulphonic acid, and of salts specified elsewhere in this Annex | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | (*) | A<br>1 |
| 056-003-00-2 | barium carbonate | 208-167-3 | 513-77-9 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 056-004-00-8 | barium chloride | 233-788-1 | 10361-37-2 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*) | H301<br>H332 | GHS06<br>Dgr | H301<br>H332 | | | |
| 072-001-00-4 | hafnium tetra-*n*-butoxide | 411-740-2 | 22411-22-9 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 074-001-00-X | hexasodium tungstate hydrate | 412-770-9 | 12141-67-2 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H412 | | | |
| 074-002-00-5 | Reaction products of tungsten hexachloride with 2-methylpropan-2-ol, nonylphenol and pentane-2,4-dione | 408-250-6 | — | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H332<br>H314<br>H317<br>H400<br>H410 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H314<br>H317<br>H410 | | | |
| 076-001-00-5 | osmium tetraoxide;<br>osmic acid | 244-058-7 | 20816-12-0 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Skin Corr. 1B | H330<br>H310<br>H300<br>H314 | GHS06<br>GHS05<br>Dgr | H330<br>H310<br>H300<br>H314 | | | |
| 078-001-00-0 | tetrachloroplatinates with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 | | | A |
| 078-002-00-6 | diammonium tetrachloroplatinate | 237-499-1 | 13820-41-2 | Acute Tox. 3 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H315<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H315<br>H318<br>H334<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 078-003-00-1 | disodium tetrachloroplatinate | 233-051-4 | 10026-00-3 | Acute Tox. 3 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H315<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H315<br>H318<br>H334<br>H317 | | | |
| 078-004-00-7 | dipotassium tetrachloroplatinate | 233-050-9 | 10025-99-7 | Acute Tox. 3 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H315<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H315<br>H318<br>H334<br>H317 | | | |
| 078-005-00-2 | hexachloroplatinates with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 | | | A |
| 078-006-00-8 | disodium hexachloroplatinate | 240-983-5 | 16923-58-3 | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 | | | |
| 078-007-00-3 | dipotassium hexachloroplatinate | 240-979-3 | 16921-30-5 | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 | | | |
| 078-008-00-9 | diammonium hexachloroplatinate | 240-973-0 | 16919-58-7 | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 | | | |
| 078-009-00-4 | hexachloroplatinic acid | 241-010-7 | 16941-12-1 | Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H314<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H314<br>H334<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 080-001-00-0 | mercury | 231-106-7 | 7439-97-6 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H373 (**)<br>H410 | | | |
| 080-002-00-6 | inorganic compounds of mercury with the exception of mercuric sulphide and those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H410 | | (*)<br>STOT RE 2;<br>H373: C ≥ 0,1 % | A<br>1 |
| 080-003-00-1 | dimercury dichloride;<br>mercurous chloride;<br>calomel | 233-307-5 | 10112-91-1 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H335<br>H315<br>H410 | | | |
| 080-004-00-7 | organic compounds of mercury with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H410 | | (*)<br>STOT RE 2;<br>H373: C ≥ 0,1 % | A<br>1 |
| 080-005-00-2 | mercury difulminate;<br>mercuric fulminate;<br>fulminate of mercury | 211-057-8 | 628-86-4 | Unst. Expl.<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H200<br>H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H200<br>H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 080-005-01-X | mercury difulminate;<br>mercuric fulminate;<br>fulminate of mercury [≥ 20 % phlegmatiser] | 211-057-8 | 628-86-4 | Expl. 1.1<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | | | |
| 080-006-00-8 | dimercury dicyanide oxide;<br>mercuric oxycyanide | 215-629-8 | 1335-31-5 | Expl. 1.1<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | T |
| 080-007-00-3 | dimethylmercury; [1]<br>diethylmercury [2] | 209-805-3 [1]<br>211-000-7 [2] | 593-74-8 [1]<br>627-44-1 [2] | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H410 | | (*)<br>STOT RE 2;<br>H373: C ≥ 0,05 % | 1 |
| 080-008-00-9 | phenylmercury nitrate; [1]<br>phenylmercury hydroxide; [2]<br>basic phenylmercury nitrate [3] | 200-242-9 [1]<br>202-866-7 [2]<br>— [3] | 55-68-5 [1]<br>100-57-2 [2]<br>8003-05-2 [3] | Acute Tox. 3 (*)<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H372 (**)<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H301<br>H372 (**)<br>H314<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 080-009-00-4 | 2-methoxyethylmercury chloride | 204-659-7 | 123-88-6 | Acute Tox. 3 (*)<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H372 (**)<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H301<br>H372 (**)<br>H314<br>H410 | | | |
| 080-010-00-X | mercury dichloride;<br>mercuric chloride | 231-299-8 | 7487-94-7 | Acute Tox. 2 (*)<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H372 (**)<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H300<br>H372 (**)<br>H314<br>H410 | | | |
| 080-011-00-5 | phenylmercury acetate | 200-532-5 | 62-38-4 | Acute Tox. 3 (*)<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H372 (**)<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H301<br>H372 (**)<br>H314<br>H410 | | | |
| 081-001-00-3 | thallium | 231-138-1 | 7440-28-0 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 4 | H330<br>H300<br>H373 (**)<br>H413 | GHS06<br>GHS08<br>Dgr | H330<br>H300<br>H373 (**)<br>H413 | | | |
| 081-002-00-9 | thallium compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H330<br>H300<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H300<br>H373 (**)<br>H411 | | | A |
| 081-003-00-4 | dithallium sulphate;<br>thallic sulphate | 231-201-3 | 7446-18-6 | Acute Tox. 2 (*)<br>STOT RE 1<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H300<br>H372 (**)<br>H315<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H300<br>H372 (**)<br>H315<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 082-001-00-6 | lead compounds with the exception of those specified elsewhere in this Annex | — | — | Repr. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H332<br>H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360Df<br>H332<br>H302<br>H373 (**)<br>H410 | | Repr. 2; H361f: C ≥ 2,5 %<br>(*)<br>STOT RE 2; H373: C ≥ 0,5 % | A<br>1 |
| 082-002-00-1 | lead alkyls | — | — | Repr. 1A<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H330<br>H310<br>H300<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360Df<br>H330<br>H310<br>H300<br>H373 (**)<br>H410 | | Repr. 1A; H360D: C ≥ 0,1 %<br>(*)<br>STOT RE 2; H373: C ≥ 0,05 % | A<br>1 |
| 082-003-00-7 | lead diazide;<br>lead azide | 236-542-1 | 13424-46-9 | Unst. Expl.<br>Repr. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H200<br>H360Df<br>H332<br>H302<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H200<br>H360Df<br>H332<br>H302<br>H373 (**)<br>H410 | | | 1 |
| 082-003-01-4 | lead diazide;<br>lead azide [≥ 20 % phlegmatiser] | 236-542-1 | 13424-46-9 | Expl. 1.1<br>Repr. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H360Df<br>H332<br>H302<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H201<br>H360Df<br>H332<br>H302<br>H373 (**)<br>H410 | | | 1 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 082-004-00-2 | lead chromate | 231-846-0 | 7758-97-6 | Carc. 2<br>Repr. 1A<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H360Df<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H351<br>H360Df<br>H373 (**)<br>H410 | | | 1 |
| 082-005-00-8 | lead di(acetate) | 206-104-4 | 301-04-2 | Repr. 1A<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360Df<br>H373 (**)<br>H410 | | | 1 |
| 082-006-00-3 | trilead bis(orthophosphate) | 231-205-5 | 7446-27-7 | Repr. 1A<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360Df<br>H373 (**)<br>H410 | | | 1 |
| 082-007-00-9 | lead acetate, basic | 215-630-3 | 1335-32-6 | Carc. 2<br>Repr. 1A<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H360Df<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H351<br>H360Df<br>H373 (**)<br>H410 | | | 1 |
| 082-008-00-4 | lead(II) methanesulphonate | 401-750-5 | 17570-76-2 | Repr. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H360Df<br>H332<br>H302<br>H373 (**)<br>H315<br>H318 | GHS08<br>GHS05<br>GHS07<br>Dgr | H360Df<br>H332<br>H302<br>H373 (**)<br>H315<br>H318 | | | 1 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 082-009-00-X | Lead sulfochromate yellow;<br>C.I. Pigment Yellow 34;<br>[This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77603.] | 215-693-7 | 1344-37-2 | Carc. 2<br>Repr. 1A<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H360-Df<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H351<br>H360Df<br>H373 (**)<br>H410 | | | 1 |
| 082-010-00-5 | Lead chromate molybdate sulfate red;<br>C.I. Pigment Red 104;<br>[This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77605.] | 235-759-9 | 12656-85-8 | Carc. 2<br>Repr. 1A<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H360-Df<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H351<br>H360Df<br>H373 (**)<br>H410 | | | 1 |
| 082-011-00-0 | lead hydrogen arsenate | 232-064-2 | 7784-40-9 | Carc. 1A<br>Repr. 1A<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H360-Df<br>H331<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H360Df<br>H331<br>H301<br>H373 (**)<br>H410 | | | 1 |
| 092-001-00-8 | uranium | 231-170-6 | 7440-61-1 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 4 | H330<br>H300<br>H373 (**)<br>H413 | GHS06<br>GHS08<br>Dgr | H330<br>H300<br>H373 (**)<br>H413 | | | |
| 092-002-00-3 | uranium compounds | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H330<br>H300<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H300<br>H373 (**)<br>H411 | | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-001-00-4 | methane | 200-812-7 | 74-82-8 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |
| 601-002-00-X | ethane | 200-814-8 | 74-84-0 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |
| 601-003-00-5 | propane | 200-827-9 | 74-98-6 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |
| 601-004-00-0 | butane; [1]<br>and isobutane [2] | 203-448-7 [1]<br>200-857-2 [2] | 106-97-8 [1]<br>75-28-5 [2] | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | C U |
| 601-004-01-8 | butane (containing ≥ 0.1 % butadiene (203-450-8)); [1]<br>isobutane (containing ≥ 0.1 % butadiene (203-450-8)) [2] | 203-448-7 [1]<br>200-857-2 [2] | 106-97-8 [1]<br>75-28-5 [2] | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | C S U |
| 601-005-00-6 | 2,2-dimethylpropane;<br>neopentane | 207-343-7 | 463-82-1 | Flam. Gas 1<br>Press. Gas<br>Aquatic Chronic 2 | H220<br>H411 | GHS02<br>GHS04<br>GHS09<br>Dgr | H220<br>H411 | | | U |
| 601-006-00-1 | pentane | 203-692-4 | 109-66-0 | Flam. Liq. 2<br>Asp. Tox. 1<br>STOT SE 3<br>Aquatic Chronic 2 | H225<br>H304<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H336<br>H411 | EUH066 | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-007-00-7 | hexane, reaction mass of isomers (containing < 5 % *n*-hexane (203-777-6)) | — | — | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2 | H225<br>H304<br>H315<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H411 | | | C |
| 601-008-00-2 | heptane [and isomers] [1] | 205-563-8 [1]<br>203-548-0 [2]<br>207-346-3 [3]<br>209-230-8 [4]<br>209-280-0 [5]<br>209-643-3 [6]<br>209-680-5 [7]<br>209-730-6 [8]<br>210-529-0 [9]<br>250-610-8 [10] | 142-82-5 [1]<br>108-08-7 [2]<br>464-06-2 [3]<br>562-49-2 [4]<br>565-59-3 [5]<br>589-34-4 [6]<br>590-35-2 [7]<br>591-76-4 [8]<br>617-78-7 [9]<br>31394-54-4 [10] | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H304<br>H315<br>H336<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H410 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-009-00-8 | octane [and isomers] [1] | 203-892-1 [1]<br>208-759-1 [2]<br>209-207-2 [3]<br>209-243-9 [4]<br>209-266-4 [5]<br>209-292-6 [6]<br>209-504-7 [7]<br>209-547-1 [8]<br>209-649-6 [9]<br>209-650-1 [10]<br>209-660-6 [11]<br>209-689-4 [12]<br>209-745-8 [13]<br>209-747-9 [14]<br>209-855-6 [15]<br>210-187-2 [16]<br>210-621-0 [17]<br>213-923-0 [18]<br>247-861-0 [19] | 111-65-9 [1]<br>540-84-1 [2]<br>560-21-4 [3]<br>563-16-6 [4]<br>564-02-3 [5]<br>565-75-3 [6]<br>583-48-2 [7]<br>584-94-1 [8]<br>589-43-5 [9]<br>589-53-7 [10]<br>589-81-1 [11]<br>590-73-8 [12]<br>592-13-2 [13]<br>592-27-8 [14]<br>594-82-1 [15]<br>609-26-7 [16]<br>619-99-8 [17]<br>1067-08-9 [18]<br>26635-64-3 [19] | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H304<br>H315<br>H336<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H410 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-010-00-3 | ethylene | 200-815-3 | 74-85-1 | Flam. Gas 1<br>Press. Gas<br>STOT SE 3 | H220<br>H336 | GHS02<br>GHS04<br>GHS07<br>Dgr | H220<br>H336 | | | U |
| 601-011-00-9 | propene;<br>propylene | 204-062-1 | 115-07-1 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |
| 601-012-00-4 | but-1-ene; [1]<br>butene, mixed-1-and-2-isomers; [2]<br>2-methylpropene; [3]<br>(*Z*)-but-2-ene; [4]<br>(*E*)-but-2-ene [5] | 203-449-2 [1]<br>203-452-9 [2]<br>204-066-3 [3]<br>209-673-7 [4]<br>210-855-3 [5] | 106-98-9 [1]<br>107-01-7 [2]<br>115-11-7 [3]<br>590-18-1 [4]<br>624-64-6 [5] | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | C U |
| 601-013-00-X | 1,3-butadiene;<br>buta-1,3-diene | 203-450-8 | 106-99-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | D U |
| 601-014-00-5 | isoprene (stabilised)<br>2-methyl-1,3-butadiene | 201-143-3 | 78-79-5 | Flam. Liq. 1<br>Carc. 1B<br>Muta. 2<br>Aquatic Chronic 3 | H224<br>H350<br>H341<br>H412 | GHS02<br>GHS08<br>Dgr | H224<br>H350<br>H341<br>H412 | | | D |
| 601-015-00-0 | acetylene;<br>ethyne | 200-816-9 | 74-86-2 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | EUH006 | | U |
| 601-016-00-6 | cyclopropane | 200-847-8 | 75-19-4 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-017-00-1 | cyclohexane | 203-806-2 | 110-82-7 | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H304<br>H315<br>H336<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H410 | | | |
| 601-018-00-7 | methylcyclohexane | 203-624-3 | 108-87-2 | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2 | H225<br>H304<br>H315<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H411 | | | |
| 601-019-00-2 | 1,4-dimethylcyclohexane | 209-663-2 | 589-90-2 | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2 | H225<br>H304<br>H315<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H411 | | | |
| 601-020-00-8 | benzene | 200-753-7 | 71-43-2 | Flam. Liq. 2<br>Carc. 1A<br>Muta. 1B<br>STOT RE 1<br>Asp. Tox. 1<br>Eye Irrit. 2<br>Skin Irrit. 2 | H225<br>H350<br>H340<br>H372 (**)<br>H304<br>H319<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H340<br>H372 (**)<br>H304<br>H319<br>H315 | | | E |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-021-00-3 | toluene | 203-625-9 | 108-88-3 | Flam. Liq. 2<br>Repr. 2<br>Asp. Tox. 1<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>STOT SE 3 | H225<br>H361d (***)<br>H304<br>H373 (**)<br>H315<br>H336 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H361d (***)<br>H304<br>H373 (**)<br>H315<br>H336 | | | |
| 601-022-00-9 | *o*-xylene; [1]<br>*p*-xylene; [2]<br>*m*-xylene; [3]<br>xylene [4] | 202-422-2 [1]<br>203-396-5 [2]<br>203-576-3 [3]<br>215-535-7 [4] | 95-47-6 [1]<br>106-42-3 [2]<br>108-38-3 [3]<br>1330-20-7 [4] | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2 | H226<br>H332<br>H312<br>H315 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H312<br>H315 | | (*) | C |
| 601-023-00-4 | ethylbenzene | 202-849-4 | 100-41-4 | Flam. Liq. 2<br>Acute Tox. 4 (*) | H225<br>H332 | GHS02<br>GHS07<br>Dgr | H225<br>H332 | | | |
| 601-024-00-X | cumene; [1]<br>propylbenzene [2] | 202-704-5 [1]<br>203-132-9 [2] | 98-82-8 [1]<br>103-65-1 [2] | Flam. Liq. 3<br>Asp. Tox. 1<br>STOT SE 3<br>Aquatic Chronic 2 | H226<br>H304<br>H335<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H226<br>H304<br>H335<br>H411 | | | C |
| 601-025-00-5 | mesitylene;<br>1,3,5-trimethylbenzene | 203-604-4 | 108-67-8 | Flam. Liq. 3<br>STOT SE 3<br>Aquatic Chronic 2 | H226<br>H335<br>H411 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H335<br>H411 | | STOT SE 3;<br>H335: C ≥ 25 % | |
| 601-026-00-0 | styrene | 202-851-5 | 100-42-5 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H226<br>H332<br>H319<br>H315 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H319<br>H315 | | (*) | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-027-00-6 | 2-phenylpropene;<br>α-methylstyrene | 202-705-0 | 98-83-9 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2 | H226<br>H319<br>H335<br>H411 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H319<br>H335<br>H411 | | STOT SE 3;<br>H335: C ≥ 25 % | |
| 601-028-00-1 | 2-methylstyrene;<br>2-vinyltoluene | 210-256-7 | 611-15-4 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H411 | GHS07<br>GHS09<br>Wng | H332<br>H411 | | | |
| 601-029-00-7 | dipentene;<br>limonene; [1]<br>(*R*)-*p*-mentha-1,8-diene;<br>d-limonene; [2]<br>(*S*)-*p*-mentha-1,8-diene;<br>l-limonene; [3]<br>*trans*-1-methyl-4-(1-methylvinyl)cyclohexene; [4]<br>(±)-1-methyl-4-(1-methylvinyl)cyclohexene [5] | 205-341-0 [1]<br>227-813-5 [2]<br>227-815-6 [3]<br>229-977-3 [4]<br>231-732-0 [5] | 138-86-3 [1]<br>5989-27-5 [2]<br>5989-54-8 [3]<br>6876-12-6 [4]<br>7705-14-8 [5] | Flam. Liq. 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H315<br>H317<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H315<br>H317<br>H410 | | | C |
| 601-030-00-2 | cyclopentane | 206-016-6 | 287-92-3 | Flam. Liq. 2<br>Aquatic Chronic 3 | H225<br>H412 | GHS02<br>Dgr | H225<br>H412 | | | |
| 601-031-00-8 | 2,4,4-trimethylpent-1-ene | 203-486-4 | 107-39-1 | Flam. Liq. 2<br>Aquatic Chronic 2 | H225<br>H411 | GHS02<br>GHS09<br>Dgr | H225<br>H411 | | | |
| 601-032-00-3 | benzo[*a*]pyrene;<br>benzo[*def*]chrysene | 200-028-5 | 50-32-8 | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360-FD<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H317<br>H410 | | Carc. 1B; H350: C ≥ 0,01 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-033-00-9 | benz[*a*]anthracene | 200-280-6 | 56-55-3 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | | |
| 601-034-00-4 | benz[*e*]acephenanthrylene | 205-911-9 | 205-99-2 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | | |
| 601-035-00-X | benzo[*j*]fluoranthene | 205-910-3 | 205-82-3 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | | |
| 601-036-00-5 | benzo[*k*]fluoranthene | 205-916-6 | 207-08-9 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | | |
| 601-037-00-0 | n-hexane | 203-777-6 | 110-54-3 | Flam. Liq. 2<br>Repr. 2<br>Asp. Tox. 1<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2 | H225<br>H361f (***)<br>H304<br>H373 (**)<br>H315<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H361f (***)<br>H304<br>H373 (**)<br>H315<br>H336<br>H411 | | STOT RE 2; H373: C ≥ 5 % | |
| 601-041-00-2 | dibenz[*a*,*h*]anthracene | 200-181-8 | 53-70-3 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | Carc. 1B; H350: C ≥ 0,01 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-042-00-8 | biphenyl;<br>diphenyl | 202-163-5 | 92-52-4 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H410 | | | |
| 601-043-00-3 | 1,2,4-trimethylbenzene | 202-436-9 | 95-63-6 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H226<br>H332<br>H319<br>H335<br>H315<br>H411 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H332<br>H319<br>H335<br>H315<br>H411 | | | |
| 601-044-00-9 | 3a,4,7,7a-tetrahydro-4,7-methanoindene | 201-052-9 | 77-73-6 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H225<br>H332<br>H302<br>H319<br>H335<br>H315<br>H411 | GHS02<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H302<br>H319<br>H335<br>H315<br>H411 | | | |
| 601-045-00-4 | 1,2,3,4-tetrahydronaphthalene | 204-340-2 | 119-64-2 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H319<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H411 | EUH019 | | |
| 601-046-00-X | 7-methylocta-1,6-diene | 404-210-7 | 42152-47-6 | Flam. Liq. 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H400<br>H410 | GHS02<br>GHS09<br>Wng | H226<br>H410 | | | |
| 601-047-00-5 | *m*-mentha-1,3(8)-diene | 404-150-1 | 17092-80-7 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-048-00-0 | chrysene | 205-923-4 | 218-01-9 | Carc. 1B<br>Muta. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H410 | | | |
| 601-049-00-6 | benzo[*e*]pyrene | 205-892-7 | 192-97-2 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | | |
| 601-051-00-7 | 4-phenylbut-1-ene | 405-980-7 | 768-56-9 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 601-052-00-2 | naphthalene | 202-049-5 | 91-20-3 | Carc. 2<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H400<br>H410 | GHS07<br>GHS08<br>GHS09<br>Wng | H351<br>H302<br>H410 | | | |
| 601-053-00-8 | nonylphenol; [1]<br>4-nonylphenol, branched [2] | 246-672-0 [1]<br>284-325-5 [2] | 25154-52-3 [1]<br>84852-15-3 [2] | Repr. 2<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f-d<br>H302<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H361fd<br>H302<br>H314<br>H410 | | | |
| 601-054-00-3 | reaction mass of isomers of: dibenzylbenzene;<br>dibenzyl(methyl)benzene;<br>dibenzyl(dimethyl)benzene;<br>dibenzyl(trimethyl)benzene | 405-570-8 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 601-055-00-9 | reaction mass of isomers of: mono-(2-tetradecyl)naphthalenes;<br>di-(2-tetradecyl)naphthalenes;<br>tri-(2-tetradecyl)naphthalenes | 410-190-0 | 132983-41-6 | Eye Irrit. 2<br>Aquatic Chronic 4 | H319<br>H413 | GHS07<br>Wng | H319<br>H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-056-00-4 | reaction mass of isomers of: methyldiphenylmethane; dimethyldiphenylmethane | 405-470-4 | 73807-39-3 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H410 | | | |
| 601-057-00-X | N-dodecyl-[3-(4-(dimethylamino)benzamido)-propyl]dimethylammonium tosylate | 421-130-8 | 156679-41-3 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H410 | | | |
| 601-058-00-5 | di-L-para-menthene | 417-870-6 | 83648-84-4 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 601-059-00-0 | methyl 2-benzylidene-3-oxobutyrate | 420-940-9 | 15768-07-7 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H319<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H411 | | | |
| 601-060-00-6 | 1,2-bis[4-fluoro-6-{4-sulfo-5-(2-(4-sulfonaphtalene-3-ylazo)-1-hydroxy-3,6-disulfo-8-aminonaphthalene-7-ylazo)phenylamino}-1,3,5-triazin-2ylamino]ethane;x-sodium, y-potassium salts x = 7,755 y = 0,245 | 417-610-1 | 155522-09-1 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 601-061-00-1 | (ethyl-1,2-ethanediyl)[-2-[[[(2-hydroxyethyl)methylamino]acetyl]-propyl]ω-(nonylphenoxy)poly]oxy-(methyl-1,2-ethanediyl) | 418-960-8 | — | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411 | | | |
| 601-062-00-7 | reaction mass of: branched triacontane; branched dotriacontane; branched tetratriacontane; branched hexatriacontane | 417-030-9 | 151006-59-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-063-00-2 | reaction mass of isomers of branched tetracosane | 417-060-2 | 151006-61-0 | Acute Tox. 4 (*)<br>Aquatic Chronic 4 | H332<br>H413 | GHS07<br>Wng | H332<br>H413 | | | |
| 601-064-00-8 | branched hexatriacontane | 417-070-7 | 151006-62-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 601-065-00-3 | reaction mass of: (1'-α,3'-α,6'-α-2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane);<br>(1'α,3'β,6'α)-2,2,3',7',7'-pentamethylspiro (1,3-dioxane-5,2'-norcarane) | 416-930-9 | — | STOT RE 2 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H373 (**)<br>H318<br>H411 | GHS08<br>GHS05<br>GHS09<br>Dgr | H373 (**)<br>H318<br>H411 | | | |
| 601-066-00-9 | 1-(4-(*trans*-4-heptylcyclohexyl)phenyl) ethanone | 426-820-2 | 78531-60-9 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 601-067-00-4 | triethyl arsenate | 427-700-2 | 15606-95-8 | Carc. 1A<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H301<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H301<br>H410 | | | |
| 601-068-00-X | 1,2-diacetoxybut-3-ene | 421-720-5 | 18085-02-4 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 601-069-00-5 | 2-ethyl-1-(2-(1,3-dioxanyl)ethyl)-pyridinium bromide | 422-680-1 | 287933-44-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 601-071-00-6 | 1-dimethoxymethyl-2-nitro-benzene | 423-830-9 | 20627-73-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 601-073-00-7 | 1-bromo-3,5-difluorobenzene | 416-710-2 | 461-96-1 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H302<br>H373 (**)<br>H315<br>H317<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Wng | H226<br>H302<br>H373 (**)<br>H315<br>H317<br>H410 | | | |
| 601-074-00-2 | reaction mass of: 4-(2,2,3-trimethylcyclopent-3-en-1-yl)-1-methyl-2-oxabicyclo [2.2.2]octane;<br>1-(2,2,3-trimethylcyclopent-3-en-1-yl)-5-methyl-6-oxabicyclo[3.2.1]octane;<br>spiro[cyclohex-3-en-1-yl-[(4,5,6,6a-tetrahydro-3,6',6',6'a-tetramethyl)-1,3'(3'a*H*)-[2*H*]cyclopenta[*b*]furan];<br>spiro[cyclohex-3-en-1-yl-[4,5,6,6a-tetrahydro-4,6',6',6'a-tetramethyl)-1,3'(3'a*H*)-[2*H*]cyclopenta[*b*]]furan] | 422-040-1 | — | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H319<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H411 | | | |
| 601-085-00-2 | isopentane;<br>2-methylbutane | 201-142-8 | 78-78-4 | Flam. Liq. 1<br>Asp. Tox. 1<br>STOT SE 3<br>Aquatic Chronic 2 | H224<br>H304<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H224<br>H304<br>H336<br>H411 | EUH066 | | |
| 602-001-00-7 | chloromethane;<br>methyl chloride | 200-817-4 | 74-87-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 2<br>STOT RE 2 (*) | H220<br>H351<br>H373 (**) | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H351<br>H373 (**) | | | U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-002-00-2 | bromomethane;<br>methylbromide | 200-813-2 | 74-83-9 | Press. Gas<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Ozone | H341<br>H331<br>H301<br>H373 (**)<br>H319<br>H335<br>H315<br>H400<br>EUH059 | GHS04<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H301<br>H373 (**)<br>H319<br>H335<br>H315<br>H400 | EUH059 | | U |
| 602-003-00-8 | dibromomethane | 200-824-2 | 74-95-3 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H332<br>H412 | GHS07<br>Wng | H332<br>H412 | | (*) | |
| 602-004-00-3 | dichloromethane;<br>methylene chloride | 200-838-9 | 75-09-2 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | |
| 602-005-00-9 | methyl iodide;<br>iodomethane | 200-819-5 | 74-88-4 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT SE 3<br>Skin Irrit. 2 | H351<br>H312<br>H331<br>H301<br>H335<br>H315 | GHS06<br>GHS08<br>Dgr | H351<br>H312<br>H331<br>H301<br>H335<br>H315 | | | |
| 602-006-00-4 | trichloromethane;<br>chloroform | 200-663-8 | 67-66-3 | Carc. 2<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2 | H351<br>H302<br>H373 (**)<br>H373 (**)<br>H315 | GHS07<br>GHS08<br>Wng | H351<br>H302<br>H373 (**)<br>H373 (**)<br>H315 | | (*)<br>STOT RE 2;<br>H373: C ≥ 5 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-007-00-X | bromoform; tribromomethane | 200-854-6 | 75-25-2 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H331<br>H319<br>H315<br>H411 | GHS06<br>GHS09<br>Dgr | H331<br>H319<br>H315<br>H411 | | | |
| 602-008-00-5 | carbon tetrachloride; tetrachloromethane | 200-262-8 | 56-23-5 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Chronic 3<br>Ozone | H351<br>H331<br>H311<br>H301<br>H372 (**)<br>H412<br>EUH059 | GHS06<br>GHS08<br>Dgr | H351<br>H331<br>H311<br>H301<br>H372 (**)<br>H412 | EUH059 | (*)<br>STOT RE 1; H372: C ≥ 1 %<br>STOT RE 2; H373: 0,2 % ≤ C < 1 % | |
| 602-009-00-0 | chloroethane | 200-830-5 | 75-00-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 2<br>Aquatic Chronic 3 | H220<br>H351<br>H412 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H351<br>H412 | | | U |
| 602-010-00-6 | 1,2-dibromoethane | 203-444-5 | 106-93-4 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H350<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H411 | | (*) | |
| 602-011-00-1 | 1,1-dichloroethane | 200-863-5 | 75-34-3 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 3 | H225<br>H302<br>H319<br>H335<br>H412 | GHS02<br>GHS07<br>Dgr | H225<br>H302<br>H319<br>H335<br>H412 | | (*) | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-012-00-7 | 1,2-dichloroethane;<br>ethylene dichloride | 203-458-1 | 107-06-2 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H350<br>H302<br>H319<br>H335<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H302<br>H319<br>H335<br>H315 | | | |
| 602-013-00-2 | 1,1,1-trichloroethane;<br>methyl chloroform | 200-756-3 | 71-55-6 | Acute Tox. 4 (*)<br>Ozone | H332<br>EUH059 | GHS07<br>Wng | H332 | EUH059 | | F |
| 602-014-00-8 | 1,1,2-trichloroethane | 201-166-9 | 79-00-5 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H351<br>H332<br>H312<br>H302 | GHS08<br>GHS07<br>Wng | H351<br>H332<br>H312<br>H302 | EUH066 | (*) | |
| 602-015-00-3 | 1,1,2,2-tetrachloroethane | 201-197-8 | 79-34-5 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Aquatic Chronic 2 | H330<br>H310<br>H411 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H411 | | | |
| 602-016-00-9 | 1,1,2,2-tetrabromoethane | 201-191-5 | 79-27-6 | Acute Tox. 2 (*)<br>Eye Irrit. 2<br>Aquatic Chronic 3 | H330<br>H319<br>H412 | GHS06<br>Dgr | H330<br>H319<br>H412 | | | |
| 602-017-00-4 | pentachloroethane | 200-925-1 | 76-01-7 | Carc. 2<br>STOT RE 1<br>Aquatic Chronic 2 | H351<br>H372 (**)<br>H411 | GHS08<br>GHS09<br>Dgr | H351<br>H372 (**)<br>H411 | | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,2 % ≤ C < 1 % | |
| 602-018-00-X | 1-chloropropane; [1]<br>2-chloropropane [2] | 208-749-7 [1]<br>200-858-8 [2] | 540-54-5 [1]<br>75-29-6 [2] | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-019-00-5 | 1-bromopropane;<br>n-propyl bromide | 203-445-0 | 106-94-5 | Flam. Liq. 2<br>Repr. 1B<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>STOT SE 3 | H225<br>H360-FD<br>H373 (**)<br>H319<br>H335<br>H315<br>H336 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H360FD<br>H373 (**)<br>H319<br>H335<br>H315<br>H336 | | | |
| 602-020-00-0 | 1,2-dichloropropane;<br>propylene dichloride | 201-152-2 | 78-87-5 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H302 | | | |
| 602-021-00-6 | 1,2-dibromo-3-chloropropane | 202-479-3 | 96-12-8 | Carc. 1B<br>Muta. 1B<br>Repr. 1A<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H350<br>H340<br>H360F (***)<br>H301<br>H373 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H350<br>H340<br>H360F (***)<br>H301<br>H373 (**)<br>H412 | | | |
| 602-022-00-1 | 1-chloropentane; [1]<br>2-chloropentane; [2]<br>3-chloropentane [3] | 208-846-4 [1]<br>210-885-7 [2]<br>210-467-4 [3] | 543-59-9 [1]<br>625-29-6 [2]<br>616-20-6 [3] | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302 | | | C |
| 602-023-00-7 | vinyl chloride;<br>chloroethylene | 200-831-0 | 75-01-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A | H220<br>H350 | GHS02<br>GHS08<br>Dgr | H220<br>H350 | | | D U |
| 602-024-00-2 | bromoethylene | 209-800-6 | 593-60-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1B | H220<br>H350 | GHS02<br>GHS08<br>Dgr | H220<br>H350 | | | U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-025-00-8 | 1,1-dichloroethylene;<br>vinylidene chloride | 200-864-0 | 75-35-4 | Flam. Liq. 1<br>Carc. 2<br>Acute Tox. 4 (*) | H224<br>H351<br>H332 | GHS02<br>GHS08<br>GHS07<br>Dgr | H224<br>H351<br>H332 | | (*) | D |
| 602-026-00-3 | 1,2-dichloroethylene; [1]<br>*cis*-dichloroethylene; [2]<br>*trans*-dichloroethylene [3] | 208-750-2 [1]<br>205-859-7 [2]<br>205-860-2 [3] | 540-59-0 [1]<br>156-59-2 [2]<br>156-60-5 [3] | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H225<br>H332<br>H412 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H412 | | (*) | C |
| 602-027-00-9 | trichloroethylene;<br>trichloroethene | 201-167-4 | 79-01-6 | Carc. 1B<br>Muta. 2<br>Eye Irrit. 2<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 3 | H350<br>H341<br>H319<br>H315<br>H336<br>H412 | GHS08<br>GHS07<br>Dgr | H350<br>H341<br>H319<br>H315<br>H336<br>H412 | | | |
| 602-028-00-4 | tetrachloroethylene | 204-825-9 | 127-18-4 | Carc. 2<br>Aquatic Chronic 2 | H351<br>H411 | GHS08<br>GHS09<br>Wng | H351<br>H411 | | | |
| 602-029-00-X | 3-chloropropene;<br>allyl chloride | 203-457-6 | 107-05-1 | Flam. Liq. 2<br>Carc. 2<br>Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H225<br>H351<br>H341<br>H332<br>H312<br>H302<br>H373 (**)<br>H319<br>H335<br>H315<br>H400 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H351<br>H341<br>H332<br>H312<br>H302<br>H373 (**)<br>H319<br>H335<br>H315<br>H400 | | | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-030-00-5 | 1,3-dichloropropene; [1]<br>(Z)-1,3-dichloropropene [2] | 208-826-5 [1]<br>233-195-8 [2] | 542-75-6 [1]<br>10061-01-5 [2] | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H301<br>H332<br>H312<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS02<br>GHS06<br>GHS09<br>Dgr | H226<br>H301<br>H332<br>H312<br>H319<br>H335<br>H315<br>H317<br>H410 | | | C D |
| 602-031-00-0 | 1,1-dichloropropene | 209-253-3 | 563-58-6 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Aquatic Chronic 3 | H225<br>H301<br>H412 | GHS02<br>GHS06<br>Dgr | H225<br>H301<br>H412 | | | |
| 602-032-00-6 | 3-chloro-2-methylpropene | 209-251-2 | 563-47-3 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H225<br>H332<br>H302<br>H314<br>H317<br>H411 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H302<br>H314<br>H317<br>H411 | | | |
| 602-033-00-1 | chlorobenzene | 203-628-5 | 108-90-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H226<br>H332<br>H411 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H332<br>H411 | | (*) | |
| 602-034-00-7 | 1,2-dichlorobenzene;<br>*o*-dichlorobenzene | 202-425-9 | 95-50-1 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H335<br>H315<br>H410 | | (*) | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-035-00-2 | 1,4-dichlorobenzene;<br>*p*-dichlorobenzene | 203-400-5 | 106-46-7 | Carc. 2<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H319<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H319<br>H410 | | | |
| 602-036-00-8 | chloroprene (stabilised);<br>2-chlorobuta-1,3-diene (stabilised) | 204-818-0 | 126-99-8 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H350<br>H332<br>H302<br>H373 (**)<br>H319<br>H335<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H332<br>H302<br>H373 (**)<br>H319<br>H335<br>H315 | | | D |
| 602-037-00-3 | α-chlorotoluene;<br>benzyl chloride | 202-853-6 | 100-44-7 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H350<br>H331<br>H302<br>H373 (**)<br>H335<br>H315<br>H318 | GHS06<br>GHS08<br>GHS05<br>Dgr | H350<br>H331<br>H302<br>H373 (**)<br>H335<br>H315<br>H318 | | | |
| 602-038-00-9 | α,α,α-trichlorotoluene;<br>benzotrichloride | 202-634-5 | 98-07-7 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H350<br>H331<br>H302<br>H335<br>H315<br>H318 | GHS06<br>GHS08<br>GHS05<br>Dgr | H350<br>H331<br>H302<br>H335<br>H315<br>H318 | | | |
| 602-039-00-4 | polychlorobiphenyls;<br>PCB | 215-648-1 | 1336-36-3 | STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H410 | | STOT RE 2; H373: C ≥ 0,005 % | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-040-00-X | 2-chlorotoluene; [1]<br>3-chlorotoluene; [2]<br>4-chlorotoluene; [3]<br>chlorotoluene [4] | 202-424-3 [1]<br>203-580-5 [2]<br>203-397-0 [3]<br>246-698-2 [4] | 95-49-8 [1]<br>108-41-8 [2]<br>106-43-4 [3]<br>25168-05-2 [4] | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H411 | GHS07<br>GHS09<br>Wng | H332<br>H411 | | | C |
| 602-041-00-5 | penthachloronaphthalene | 215-320-8 | 1321-64-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H319<br>H315<br>H410 | | | C |
| 602-042-00-0 | 1,2,3,4,5,6-hexachlorcyclohexanes with the exception of those specified elsewhere in this Annex | — | — | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H301<br>H312<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H312<br>H410 | | | A C |
| 602-043-00-6 | lindane (ISO);<br>γ-HCH or γ-BHC;<br>γ-1,2,3,4,5,6-hexachlorocyclohexane | 200-401-2 | 58-89-9 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Lact.<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H332<br>H312<br>H373 (**)<br>H362<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H332<br>H312<br>H373 (**)<br>H362<br>H410 | | M=10 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-044-00-1 | camphechlor (ISO);<br>toxaphene; | 232-283-3 | 8001-35-2 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H301<br>H312<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H312<br>H335<br>H315<br>H410 | | | |
| 602-045-00-7 | DDT (ISO);<br>clofenotane (INN);<br>dicophane;<br>1,1,1-trichloro-2,2-bis(4-chlorophenyl) ethane;<br>dichlorodiphenyltrichloroethane | 200-024-3 | 50-29-3 | Carc. 2<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H301<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H372 (**)<br>H410 | | | |
| 602-046-00-2 | heptachlor (ISO);<br>1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene | 200-962-3 | 76-44-8 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H311<br>H301<br>H373 (**)<br>H410 | | | |
| 602-047-00-8 | chlordane (ISO);<br>1,2,4,5,6,7,8,8-octachloro-3a,4,7,7a-tetrahydro-4,7-methanoindan | 200-349-0 | 57-74-9 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H312<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H312<br>H302<br>H410 | | | |
| 602-048-00-3 | aldrin (ISO) | 206-215-8 | 309-00-2 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H311<br>H301<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H311<br>H301<br>H372 (**)<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-049-00-9 | dieldrin (ISO) | 200-484-5 | 60-57-1 | Carc. 2<br>Acute Tox. 1<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H310<br>H301<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H310<br>H301<br>H372 (**)<br>H410 | | | |
| 602-050-00-4 | (1α,4α,4aβ,5β,8β,8aβ)-1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene;<br>isodrin | 207-366-2 | 465-73-6 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H410 | | | |
| 602-051-00-X | endrin (ISO);<br>1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4:5,8-dimethanonaphthalene | 200-775-7 | 72-20-8 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H311<br>H410 | | | |
| 602-052-00-5 | endosulfan (ISO);<br>1,2,3,4,7,7-hexachloro-8,9,10-trinorborn-2-en-5,6-ylenedimethyl sulphite | 204-079-4 | 115-29-7 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H319<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H319<br>H410 | | | |
| 602-053-00-0 | isobenzan (ISO);<br>1,3,4,5,6,7,8,8-octachloro-1,3,3a,4,7,7a-hexahydro-4,7-methanoisobenzofuran | 206-045-4 | 297-78-9 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H310<br>H300<br>H400 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H400 | | | |
| 602-054-00-6 | 3-iodpropene;<br>allyl iodide | 209-130-4 | 556-56-9 | Flam. Liq. 2<br>Skin Corr. 1B | H226<br>H314 | GHS02<br>GHS05<br>Dgr | H226<br>H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-055-00-1 | bromoethane;<br>ethyl bromide | 200-825-8 | 74-96-4 | Flam. Liq. 2<br>Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H351<br>H332<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H351<br>H332<br>H302 | | | |
| 602-056-00-7 | α,α,α-trifluorotoluene;<br>benzotrifluoride | 202-635-0 | 98-08-8 | Flam. Liq. 2<br>Aquatic Chronic 2 | H225<br>H411 | GHS02<br>GHS09<br>Dgr | H225<br>H411 | | | |
| 602-057-00-2 | α-bromotoluene;<br>benzyl bromide | 202-847-3 | 100-39-0 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | | |
| 602-058-00-8 | α,α-dichlorotoluene;<br>benzylidene chloride;<br>benzal chloride | 202-709-2 | 98-87-3 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H351<br>H331<br>H302<br>H335<br>H315<br>H318 | GHS06<br>GHS08<br>GHS05<br>Dgr | H351<br>H331<br>H302<br>H335<br>H315<br>H318 | | | |
| 602-059-00-3 | 1-chlorobutane;<br>butyl chloride | 203-696-6 | 109-69-3 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 602-060-00-9 | bromobenzene | 203-623-8 | 108-86-1 | Flam. Liq. 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H226<br>H315<br>H411 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H315<br>H411 | | | |
| 602-061-00-4 | hexafluoropropene;<br>hexafluoropropylene | 204-127-4 | 116-15-4 | Press. Gas<br>Acute Tox. 4 (*)<br>STOT SE 3 | H332<br>H335 | GHS07<br>Wng | H332<br>H335 | | | U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-062-00-X | 1,2,3-trichloropropane | 202-486-1 | 96-18-4 | Carc. 1B<br>Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H350<br>H360F (***)<br>H332<br>H312<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H360F (***)<br>H332<br>H312<br>H302 | | | D |
| 602-063-00-5 | heptachlor epoxide; 2,3-epoxy-1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindane | 213-831-0 | 1024-57-3 | Carc. 2<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H373 (**)<br>H410 | | | |
| 602-064-00-0 | 1,3-dichloro-2-propanol | 202-491-9 | 96-23-1 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*) | H350<br>H301<br>H312 | GHS06<br>GHS08<br>Dgr | H350<br>H301<br>H312 | | | |
| 602-065-00-6 | hexachlorobenzene | 204-273-9 | 118-74-1 | Carc. 1B<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H372 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H372 (**)<br>H410 | | | |
| 602-066-00-1 | tetrachloro-*p*-benzoquinone | 204-274-4 | 118-75-2 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H410 | | | |
| 602-067-00-7 | 1,3-dichlorbenzene | 208-792-1 | 541-73-1 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 602-068-00-2 | ethylene bis(trichloroacetate) | 219-732-9 | 2514-53-6 | Skin Irrit. 2 | H315 | GHS07<br>Wng | H315 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-069-00-8 | dichloroacetylene | — | 7572-29-4 | Unst. Expl.<br>Carc. 2<br>STOT RE 2 (*) | H200<br>H351<br>H373 (**) | GHS01<br>GHS08<br>Wng | H200<br>H351<br>H373 (**) | | | |
| 602-070-00-3 | 3-chloro-4,5,α,α,α-pentafluorotoluene | 401-930-3 | 77227-99-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H226<br>H332<br>H302<br>H400 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H332<br>H302<br>H400 | | | |
| 602-071-00-9 | bromobenzylbromotoluene, reaction mass of isomers | 402-210-1 | 99688-47-8 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 (**)<br>H317<br>H410 | | | |
| 602-072-00-4 | dichloro [(dichlorophenyl)methyl]methylbenzene, reaction mass of isomers; (dichlorophenyl)(dichlorotolyl)methane, reaction mass of isomers (IUPAC) | 278-404-3 | 76253-60-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 602-073-00-X | 1,4-dichlorobut-2-ene | 212-121-8 | 764-41-0 | Carc. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H330<br>H311<br>H301<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H350<br>H330<br>H311<br>H301<br>H314<br>H410 | | Carc. 1B; H350: C ≥ 0,01 %<br>STOT SE 3; H335: C ≥ 5 % | |
| 602-074-00-5 | pentachlorobenzene | 210-172-0 | 608-93-5 | Flam. Sol. 1<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H228<br>H302<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Dgr | H228<br>H302<br>H410 | | | T |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-075-00-0 | 4,4,5,5-tetrachloro-1,3-dioxolan-2-one | 404-060-2 | 22432-68-4 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H330<br>H302<br>H314 | GHS06<br>GHS05<br>Dgr | H330<br>H302<br>H314 | | | |
| 602-076-00-6 | 2,3,4-trichlorobut-1-ene | 219-397-9 | 2431-50-7 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H331<br>H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H331<br>H302<br>H319<br>H335<br>H315<br>H410 | | Carc. 2; H351: C ≥ 0,1 % | |
| 602-077-00-1 | dodecachloropentacyclo[5.2.1.$0^{2,6}$.$0^{3,9}$.$0^{5,8}$] decane;<br>mirex | 219-196-6 | 2385-85-5 | Carc. 2<br>Repr. 2<br>Lact.<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361f-d<br>H362<br>H312<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H361fd<br>H362<br>H312<br>H302<br>H410 | | | |
| 602-078-00-7 | hexachlorocyclopentadiene | 201-029-3 | 77-47-4 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H311<br>H302<br>H314<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H311<br>H302<br>H314<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-079-00-2 | 2,3-dichloropropene;<br>2,3-dichloropropylene | 201-153-8 | 78-88-6 | Flam. Liq. 2<br>Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H225<br>H341<br>H332<br>H312<br>H302<br>H335<br>H315<br>H318<br>H412 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H225<br>H341<br>H332<br>H312<br>H302<br>H335<br>H315<br>H318<br>H412 | | | |
| 602-080-00-8 | alkanes, $C_{10-13}$, chloro | 287-476-5 | 85535-84-8 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |
| 602-081-00-3 | 2-chloro-4,5-difluorobenzoic acid | 405-380-5 | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H312<br>H302<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H318<br>H317 | | | |
| 602-082-00-9 | 2,2,6,6-tetrakis(bromomethyl)-4-oxaheptane-1,7-diol | 408-020-5 | 109678-33-3 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 602-083-00-4 | diphenyl ether, pentabromo derivative pentabromodiphenyl ether | 251-084-2 | 32534-81-9 | STOT RE 2 (*)<br>Lact.<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H362<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H362<br>H410 | | | |
| 602-084-00-X | 1,1-dichloro-1-fluoroethane | 404-080-1 | 1717-00-6 | Aquatic Chronic 3<br>Ozone | H412<br>EUH059 | — | H412 | EUH059 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-085-00-5 | 2-bromopropane | 200-855-1 | 75-26-3 | Flam. Liq. 2<br>Repr. 1A<br>STOT RE 2 (*) | H225<br>H360F (***)<br>H373 (**) | GHS02<br>GHS08<br>Dgr | H225<br>H360F (***)<br>H373 (**) | EUH066 | | |
| 602-086-00-0 | trifluoroiodomethane;<br>trifluoromethyl iodide | 219-014-5 | 2314-97-8 | Muta. 2 | H341 | GHS08<br>Wng | H341 | | | |
| 602-087-00-6 | 1,2,4-trichlorobenzene | 204-428-0 | 120-82-1 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H315<br>H410 | | | |
| 602-088-00-1 | 2,3-dibromopropan-1-ol;<br>2,3-dibromo-1-propanol | 202-480-9 | 96-13-9 | Carc. 1B<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H350<br>H361f (***)<br>H311<br>H332<br>H302<br>H412 | GHS08<br>GHS07<br>Dgr | H350<br>H361f (***)<br>H311<br>H332<br>H302<br>H412 | | | |
| 602-089-00-7 | 4-bromo-2-chlorofluorobenzene | 405-580-2 | 60811-21-4 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H315<br>H410 | | | |
| 602-090-00-2 | 1-allyl-3-chloro-4-fluorobenzene | 406-630-6 | 121626-73-1 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 602-091-00-8 | 1,3-dichloro-4-fluorobenzene | 406-160-1 | 1435-48-9 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2 | H302<br>H373 (**)<br>H315<br>H411 | GHS08<br>GHS07<br>Wng | H302<br>H373 (**)<br>H315<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 602-092-00-3 | 1-bromo-3,4,5-trifluorobenzene | 418-480-9 | 138526-69-9 | Flam. Liq. 3<br>Carc. 2<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H226<br>H351<br>H315<br>H318<br>H411 | GHS02<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H226<br>H351<br>H315<br>H318<br>H411 | | | |
| 602-093-00-9 | α,α,α,4-tetrachlorotoluene; *p*-chlorobenzotrichloride | 226-009-1 | 5216-25-1 | Carc. 1B<br>Repr. 2<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2 | H350<br>H361f (***)<br>H372 (**)<br>H312<br>H302<br>H335<br>H315 | GHS08<br>GHS07<br>Dgr | H350<br>H361f (***)<br>H372 (**)<br>H312<br>H302<br>H335<br>H315 | | | |
| 602-094-00-4 | diphenylether; octabromo derivate | 251-087-9 | 32536-52-0 | Repr. 1B | H360-Df | GHS08<br>Dgr | H360Df | | | |
| 602-096-00-5 | malachite green hydrochloride; [1]<br>malachite green oxalate [2] | 209-322-8 [1]<br>219-441-7 [2] | 569-64-2 [1]<br>2437-29-8 [2] | Repr. 2<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H302<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H361d (***)<br>H302<br>H318<br>H410 | | | |
| 602-097-00-0 | 1-bromo-9-(4,4,5,5,5-pentafluoropentyl-thio)nonane | 422-850-5 | 148757-89-5 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 603-001-00-X | methanol | 200-659-6 | 67-56-1 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT SE 1 | H225<br>H331<br>H311<br>H301<br>H370 (**) | GHS02<br>GHS06<br>GHS08<br>Dgr | H225<br>H331<br>H311<br>H301<br>H370 (**) | | (*)<br>STOT SE 1; H370: C ≥ 10 %<br>STOT SE 2; H371: 3 % ≤ C < 10 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-002-00-5 | ethanol;<br>ethyl alcohol | 200-578-6 | 64-17-5 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 603-003-00-0 | propan-1-ol;<br>*n*-propanol | 200-746-9 | 71-23-8 | Flam. Liq. 2<br>Eye Dam. 1<br>STOT SE 3 | H225<br>H318<br>H336 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H318<br>H336 | | | |
| 603-004-00-6 | butan-1-ol;<br>*n*-butanol | 200-751-6 | 71-36-3 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>STOT SE 3 | H226<br>H302<br>H335<br>H315<br>H318<br>H336 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H302<br>H335<br>H315<br>H318<br>H336 | | | |
| 603-005-00-1 | 2-methylpropan-2-ol;<br>*tert*-butyl alcohol | 200-889-7 | 75-65-0 | Flam. Liq. 2<br>Acute Tox. 4 (*) | H225<br>H332 | GHS02<br>GHS07<br>Dgr | H225<br>H332 | | | |
| 603-006-00-7 | pentanol isomers, with the exception fo those specified elsewhere in this Annex | 250-378-8 | | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>STOT SE 3 | H226<br>H332<br>H335 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H335 | EUH066 | | C |
| 603-007-00-2 | 2-methylbutan-2-ol;<br>*tert*-pentanol | 200-908-9 | 75-85-4 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H332<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H335<br>H315 | | | |
| 603-008-00-8 | 4-methylpentan-2-ol;<br>methyl isobutyl carbinol | 203-551-7 | 108-11-2 | Flam. Liq. 3<br>STOT SE 3 | H226<br>H335 | GHS02<br>GHS07<br>Wng | H226<br>H335 | | STOT SE 3;<br>H335: C ≥ 25 % | |
| 603-009-00-3 | cyclohexanol | 203-630-6 | 108-93-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2 | H332<br>H302<br>H335<br>H315 | GHS07<br>Wng | H332<br>H302<br>H335<br>H315 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-010-00-9 | 2-methylcyclohexanol, mixed isomers; [1]<br>*cis*-2-methylcyclohexanol; [2]<br>*trans*-2-methylcyclohexanol [3] | 209-512-0 [1]<br>231-187-9 [2]<br>231-186-3 [3] | 583-59-5 [1]<br>7443-70-1 [2]<br>7443-52-9 [3] | Acute Tox. 4 (*) | H332 | GHS07<br>Wng | H332 | | | C |
| 603-011-00-4 | 2-methoxyethanol;<br>ethylene glycol monomethyl ether | 203-713-7 | 109-86-4 | Flam. Liq. 3<br>Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H360-FD<br>H332<br>H312<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H360FD<br>H332<br>H312<br>H302 | | | |
| 603-012-00-X | 2-ethoxyethanol;<br>ethylene glycol monoethyl ether | 203-804-1 | 110-80-5 | Flam. Liq. 3<br>Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H360-FD<br>H332<br>H312<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H360FD<br>H332<br>H312<br>H302 | | | |
| 603-013-00-5 | 2-isopropoxyethanol;<br>ethylene glycol monoisopropyl ether | 203-685-6 | 109-59-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H332<br>H312<br>H319 | GHS07<br>Wng | H332<br>H312<br>H319 | | | |
| 603-014-00-0 | 2-butoxyethanol;<br>ethylene glycol monobutyl ether;<br>butyl cellosolve | 203-905-0 | 111-76-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H332<br>H312<br>H302<br>H319<br>H315 | GHS07<br>Wng | H332<br>H312<br>H302<br>H319<br>H315 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-015-00-6 | allyl alcohol | 203-470-7 | 107-18-6 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H225<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400 | GHS02<br>GHS06<br>GHS09<br>Dgr | H225<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400 | | | |
| 603-016-00-1 | 4-hydroxy-4-methylpentan-2-one; diacetone alcohol | 204-626-7 | 123-42-2 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | Eye Irrit. 2; H319: C ≥ 10 % | |
| 603-018-00-2 | furfuryl alcohol | 202-626-1 | 98-00-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | (*) | |
| 603-019-00-8 | dimethyl ether | 204-065-8 | 115-10-6 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |
| 603-020-00-3 | ethyl methyl ether | — | 540-67-0 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | U |
| 603-021-00-9 | methyl vinyl ether | 203-475-4 | 107-25-5 | Flam. Gas 1<br>Press. Gas | H220 | GHS02<br>GHS04<br>Dgr | H220 | | | D U |
| 603-022-00-4 | diethyl ether; ether | 200-467-2 | 60-29-7 | Flam. Liq. 1<br>Acute Tox. 4 (*)<br>STOT SE 3 | H224<br>H302<br>H336 | GHS02<br>GHS07<br>Dgr | H224<br>H302<br>H336 | EUH019<br>EUH066 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-023-00-X | ethylene oxide;<br>oxirane | 200-849-9 | 75-21-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1B<br>Muta. 1B<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H220<br>H350<br>H340<br>H331<br>H319<br>H335<br>H315 | GHS02<br>GHS04<br>GHS06<br>GHS08<br>Dgr | H220<br>H350<br>H340<br>H331<br>H319<br>H335<br>H315 | | | U |
| 603-024-00-5 | 1,4-dioxane | 204-661-8 | 123-91-1 | Flam. Liq. 2<br>Carc. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H351<br>H319<br>H335 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H351<br>H319<br>H335 | EUH019<br>EUH066 | | D |
| 603-025-00-0 | tetrahydrofuran | 203-726-8 | 109-99-9 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335 | EUH019 | Eye Irrit. 2; H319: C ≥ 25 %<br>STOT SE 3; H335: C ≥ 25 % | |
| 603-026-00-6 | 1-chloro-2,3-epoxypropane;<br>epichlorhydrin | 203-439-8 | 106-89-8 | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 | | (*) | |
| 603-027-00-1 | ethanediol;<br>ethylene glycol | 203-473-3 | 107-21-1 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 603-028-00-7 | 2-chloroethanol;<br>ethylene chlorohydrin | 203-459-7 | 107-07-3 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*) | H330<br>H310<br>H300 | GHS06<br>Dgr | H330<br>H310<br>H300 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-029-00-2 | bis(2-chloroethyl) ether | 203-870-1 | 111-44-4 | Carc. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*) | H351<br>H330<br>H310<br>H300 | GHS06<br>GHS08<br>Dgr | H351<br>H330<br>H310<br>H300 | | | |
| 603-030-00-8 | 2-aminoethanol;<br>ethanolamine | 205-483-3 | 141-43-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H332<br>H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H332<br>H312<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 603-031-00-3 | 1,2-dimethoxyethane;<br>ethylene glycol dimethyl ether;<br>EGDME | 203-794-9 | 110-71-4 | Flam. Liq. 2<br>Repr. 1B<br>Acute Tox. 4 (*) | H225<br>H360-FD<br>H332 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H360FD<br>H332 | EUH019 | | |
| 603-032-00-9 | ethylene dinitrate;<br>ethylene glycol dinitrate | 211-063-0 | 628-96-6 | Unst. Expl.<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*) | H200<br>H330<br>H310<br>H300<br>H373 (**) | GHS01<br>GHS06<br>GHS08<br>Dgr | H200<br>H330<br>H310<br>H300<br>H373 (**) | | | |
| 603-033-00-4 | oxydiethylene dinitrate;<br>diethylene glycol dinitrate;<br>digol dinitrate | 211-745-8 | 693-21-0 | Unst. Expl<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H200<br>H330<br>H310<br>H300<br>H373 (**)<br>H412 | GHS01<br>GHS06<br>GHS08<br>Dgr | H200<br>H330<br>H310<br>H300<br>H373 (**)<br>H412 | | | |
| 603-033-01-1 | oxydiethylene dinitrate;<br>diethylene glycol dinitrate;<br>digol dinitrate;<br>[>25 % phlegmatiser] | 211-745-8 | 693-21-0 | Expl. 1.1<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H412 | GHS01<br>GHS06<br>GHS08<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-034-00-X | glycerol trinitrate;<br>nitroglycerine | 200-240-8 | 55-63-0 | Unst. Expl.<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H200<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H200<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | | | |
| 603-034-01-7 | glycerol trinitrate;<br>nitroglycerine;<br>[>40 % phlegmatiser] | 200-240-8 | 55-63-0 | Expl. 1.1<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | | | |
| 603-035-00-5 | pentaerythritol tetranitrate; pentaerythrite tetranitrate;<br>P.E.T.N. | 201-084-3 | 78-11-5 | Unst. Expl. | H200 | GHS01<br>Dgr | H200 | | | |
| 603-035-01-2 | pentaerythritol tetranitrate; pentaerythrite tetranitrate;<br>P.E.T.N.;<br>[>20 % phlegmatiser] | 201-084-3 | 78-11-5 | Expl. 1.1 | H201 | GHS01<br>Dgr | H201 | | | T |
| 603-036-00-0 | mannitol hexanitrate;<br>nitromannite | 239-924-6 | 15825-70-4 | Unst. Expl. | H200 | GHS01<br>Dgr | H200 | | | |
| 603-036-01-8 | mannitol hexanitrate;<br>nitromannite;<br>[≥40 % phlegmatiser] | 239-924-6 | 15825-70-4 | Expl. 1.1 | H201 | GHS01<br>Dgr | H201 | | | |
| 603-037-00-6 | cellulose nitrate; | — | — | Expl. 1.1 | H201 | GHS01<br>Dgr | H201 | EUH001 | | T |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-038-00-1 | allyl glycidyl ether;<br>allyl 2,3-epoxypropyl ether;<br>prop-2-en-1-yl 2,3-epoxypropyl ether | 203-442-4 | 106-92-3 | Flam. Liq. 3<br>Carc. 2<br>Muta. 2<br>Repr. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H226<br>H351<br>H341<br>H361f (***)<br>H332<br>H302<br>H335<br>H315<br>H318<br>H317<br>H412 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H351<br>H341<br>H361f (***)<br>H332<br>H302<br>H335<br>H315<br>H318<br>H317<br>H412 | | | |
| 603-039-00-7 | butyl glycidyl ether;<br>butyl 2,3-epoxypropyl ether | 219-376-4 | 2426-08-6 | Flam. Liq. 3<br>Carc. 2<br>Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Sens. 1<br>Aquatic Chronic 3 | H226<br>H351<br>H341<br>H332<br>H302<br>H335<br>H317<br>H412 | GHS02<br>GHS08<br>GHS07<br>Wng | H226<br>H351<br>H341<br>H332<br>H302<br>H335<br>H317<br>H412 | | | |
| 603-040-00-2 | sodium methanolate;<br>sodium methoxide; [1]<br>potassium methanolate;<br>potassium methoxide; [2]<br>lithium methanolate;<br>lithium methoxide [3] | 204-699-5 [1]<br>212-736-1 [2]<br>212-737-7 [3] | 124-41-4 [1]<br>865-33-8 [2]<br>865-34-9 [3] | Self-heat 1<br>Skin Corr. 1B | H251<br>H314 | GHS02<br>GHS05<br>Dgr | H251<br>H314 | EUH014 | | T |
| 603-041-00-8 | potassium ethanolate;<br>potassium ethoxide; [1]<br>sodium ethanolate;<br>sodium ethoxide [2] | 213-029-0 [1]<br>205-487-5 [2] | 917-58-8 [1]<br>141-52-6 [2] | Self-heat 1<br>Skin Corr. 1B | H251<br>H314 | GHS02<br>GHS05<br>Dgr | H251<br>H314 | EUH014 | | T |
| 603-042-00-3 | aluminium-tri-isopropoxide | 209-090-8 | 555-31-7 | Flam. Sol. 1 | H228 | GHS02<br>Dgr | H228 | | | T |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-043-00-9 | triarimol (ISO);<br>2,4-dichloro-α-(pyrimidin-5-yl) benzhydryl alcohol | — | 26766-27-8 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 603-044-00-4 | dicofol (ISO);<br>2,2,2-trichloro-1,1-bis(4-chlorophenyl)ethanol | 204-082-0 | 115-32-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H315<br>H317<br>H410 | | | |
| 603-045-00-X | diisopropyl ether; [1]<br>dipropyl ether [2] | 203-560-6 [1]<br>203-869-6 [2] | 108-20-3 [1]<br>111-43-3 [2] | Flam. Liq. 2<br>STOT SE 3 | H225<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H336 | EUH019<br>EUH066 | | C |
| 603-046-00-5 | bis (chloromethyl) ether;<br>oxybis(chloromethane) | 208-832-8 | 542-88-1 | Flam. Liq. 2<br>Carc. 1A<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*) | H225<br>H350<br>H330<br>H311<br>H302 | GHS02<br>GHS06<br>GHS08<br>Dgr | H225<br>H350<br>H330<br>H311<br>H302 | | Carc. 1A; H350: C ≥ 0,001 % | |
| 603-047-00-0 | 2-dimethylaminoethanol;<br>*N*,*N*-dimethylethanolamine | 203-542-8 | 108-01-0 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H226<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 603-048-00-6 | 2-diethylaminoethanol;<br>*N*,*N*-diethylethanolamine | 202-845-2 | 100-37-8 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H226<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07 GHS09<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 603-049-00-1 | chlorfenethol (ISO);<br>1,1-bis (4-chlorophenyl) ethanol | 201-246-3 | 80-06-8 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-050-00-7 | 1-(2-butoxypropoxy)propan-2-ol | 246-011-6 | 24083-03-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 603-051-00-2 | 2-ethylbutan-1-ol | 202-621-4 | 97-95-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 603-052-00-8 | 3-butoxypropan-2-ol;<br>propylene glycol monobutyl ether | 225-878-4 | 5131-66-8 | Eye Irrit. 2<br>Skin Irrit. 2 | H319<br>H315 | GHS07<br>Wng | H319<br>H315 | | | |
| 603-053-00-3 | 2-methylpentane-2,4-diol | 203-489-0 | 107-41-5 | Eye Irrit. 2<br>Skin Irrit. 2 | H319<br>H315 | GHS07<br>Wng | H319<br>H315 | | | |
| 603-054-00-9 | di-*n*-butyl ether;<br>dibutyl ether | 205-575-3 | 142-96-1 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H226<br>H319<br>H335<br>H315<br>H412 | GHS02<br>GHS07<br>Wng | H226<br>H319<br>H335<br>H315<br>H412 | | STOT SE 3;<br>H335: C ≥ 10 % | |
| 603-055-00-4 | propylene oxide;<br>1,2-epoxypropane;<br>methyloxirane | 200-879-2 | 75-56-9 | Flam. Liq. 1<br>Carc. 1B<br>Muta. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H224<br>H350<br>H340<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr | H224<br>H350<br>H340<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315 | | | |
| 603-056-00-X | [(*p*-tolyloxy)methyl]oxirane; [1]<br>[(*m*-tolyloxy)methyl]oxirane; [2]<br>2,3-epoxypropyl *o*-tolyl ether; [3]<br>[(tolyloxy)methyl]oxirane;<br>cresyl glycidyl ether [4] | 218-574-8 [1]<br>218-575-3 [2]<br>218-645-3 [3]<br>247-711-4 [4] | 2186-24-5 [1]<br>2186-25-6 [2]<br>2210-79-9 [3]<br>26447-14-3 [4] | Muta. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H341<br>H315<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H315<br>H317<br>H411 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-057-00-5 | benzyl alcohol | 202-859-9 | 100-51-6 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | | |
| 603-058-00-0 | 1,3-propylene oxide | 207-964-3 | 503-30-0 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302 | | | |
| 603-059-00-6 | hexan-1-ol | 203-852-3 | 111-27-3 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 603-060-00-1 | 2,2'-bioxirane;<br>1,2:3,4-diepoxybutane | 215-979-1 | 1464-53-5 | Carc. 1B<br>Muta. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H350<br>H340<br>H330<br>H311<br>H301<br>H314 | GHS06<br>GHS08<br>GHS05<br>Dgr | H350<br>H340<br>H330<br>H311<br>H301<br>H314 | | | |
| 603-061-00-7 | tetrahydro-2-furylmethanol;<br>tetrahydrofurfuryl alcohol | 202-625-6 | 97-99-4 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 603-062-00-2 | tetrahydrofuran-2,5-diyldimethanol | 203-239-0 | 104-80-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | STOT SE 3;<br>H335: C ≥ 10 % | |
| 603-063-00-8 | 2,3-epoxypropan-1-ol;<br>glycidol;<br>oxiranemethanol | 209-128-3 | 556-52-5 | Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H350<br>H341<br>H360F<br>(***)<br>H331<br>H312<br>H302<br>H319<br>H335<br>H315 | GHS06<br>GHS08<br>Dgr | H350<br>H341<br>H360F<br>(***)<br>H331<br>H312<br>H302<br>H319<br>H335<br>H315 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-064-00-3 | 1-methoxy-2-propanol;<br>monopropylene glycol methyl ether | 203-539-1 | 107-98-2 | Flam. Liq. 3 | H226 | GHS02<br>Wng | H226 | | | |
| 603-065-00-9 | resorcinol diglycidyl ether;<br>1,3-bis(2,3-epoxypropoxy)benzene | 202-987-5 | 101-90-6 | Carc. 2<br>Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H351<br>H341<br>H312<br>H302<br>H319<br>H315<br>H317<br>H412 | GHS08<br>GHS07<br>Wng | H351<br>H341<br>H312<br>H302<br>H319<br>H315<br>H317<br>H412 | | | |
| 603-066-00-4 | 1,2-epoxy-4-epoxyethylcyclohexane;<br>vinylcyclohexane diepoxide | 203-437-7 | 106-87-6 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Carc. 2 | H331<br>H311<br>H301<br>H351 | GHS06<br>GHS08<br>Dgr | H331<br>H311<br>H301<br>H351 | | (*) | |
| 603-067-00-X | phenyl glycidyl ether;<br>2,3-epoxypropyl phenyl ether;<br>1,2-epoxy-3-phenoxypropane | 204-557-2 | 122-60-1 | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H350<br>H341<br>H332<br>H335<br>H315<br>H317<br>H412 | GHS08<br>GHS07<br>Dgr | H350<br>H341<br>H332<br>H335<br>H315<br>H317<br>H412 | | | |
| 603-068-00-5 | 2,3-epoxypropyl-2-ethylcyclohexyl ether;<br>ethylcyclohexylglycidyl ether | — | 130014-35-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | |
| 603-069-00-0 | 2,4,6-tris(dimethylaminomethyl)phenol | 202-013-9 | 90-72-2 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H302<br>H319<br>H315 | GHS07<br>Wng | H302<br>H319<br>H315 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-070-00-6 | 2-amino-2-methylpropanol | 204-709-8 | 124-68-5 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H319<br>H315<br>H412 | GHS07<br>Wng | H319<br>H315<br>H412 | | | |
| 603-071-00-1 | 2,2'-iminodiethanol;<br>diethanolamine | 203-868-0 | 111-42-2 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H302<br>H373 (**)<br>H315<br>H318 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 (**)<br>H315<br>H318 | | | |
| 603-072-00-7 | 1,4-bis(2,3 epoxypropoxy)butane;<br>butanedioldiglycidyl ether | 219-371-7 | 2425-79-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H332<br>H312<br>H319<br>H315<br>H317 | GHS07<br>Wng | H332<br>H312<br>H319<br>H315<br>H317 | | | |
| 603-073-00-2 | bis-[4-(2,3-epoxipropoxi)phenyl]propane | 216-823-5 | 1675-54-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | Eye Irrit. 2; H319: C ≥ 5 %<br>Skin Irrit. 2; H315: C ≥ 5 % | |
| 603-074-00-8 | reaction product: bisphenol-A-(epichlorhydrin);<br>epoxy resin (number average molecular weight ≤ 700) | 500-033-5 | 25068-38-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H319<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H317<br>H411 | | Eye Irrit. 2; H319: C ≥ 5 %<br>Skin Irrit. 2; H315: C ≥ 5 % | |
| 603-075-00-3 | chlormethyl methyl ether;<br>chlorodimethyl ether | 203-480-1 | 107-30-2 | Flam. Liq. 2<br>Carc. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H350<br>H332<br>H312<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H332<br>H312<br>H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-076-00-9 | but-2-yne-1,4-diol;<br>2-butyne-1,4-diol | 203-788-6 | 110-65-6 | Skin Corr. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1 | H314<br>H331<br>H301<br>H312<br>H373 (**)<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H314<br>H331<br>H301<br>H312<br>H373 (**)<br>H317 | | Skin Corr. 1B; H314: C ≥ 50 %<br>Skin Irrit. 2; H315: 25 % ≤ C < 50 %<br>Eye Irrit. 2; H319: 25 % ≤ C < 50 % | D |
| 603-077-00-4 | 1-dimethylaminopropan-2-ol;<br>dimepranol (INN) | 203-556-4 | 108-16-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H226<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H302<br>H314 | | | |
| 603-078-00-X | prop-2-yn-1-ol;<br>propargyl alcohol | 203-471-2 | 107-19-7 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H226<br>H331<br>H311<br>H301<br>H314<br>H411 | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H226<br>H331<br>H311<br>H301<br>H314<br>H411 | | | |
| 603-079-00-5 | 2,2'-(methylimino)diethanol;<br>N-methyldiethanolamine | 203-312-7 | 105-59-9 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 603-080-00-0 | 2-methylaminoethanol;<br>N-methylethanolamine;<br>N-methyl-2-ethanolamine;<br>N-methyl-2-amino ethanol;<br>2-(methylamino)ethanol | 203-710-0 | 109-83-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H312<br>H302<br>H314 | GHS05 GHS07<br>Dgr | H312<br>H302<br>H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 603-081-00-6 | 2,2'-thiodiethanol;<br>thiodiglycol | 203-874-3 | 111-48-8 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 603-082-00-1 | 1-aminopropan-2-ol;<br>isopropanolamine | 201-162-7 | 78-96-6 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 603-083-00-7 | 1,1'-iminodipropan-2-ol;<br>di-isopropanolamine | 203-820-9 | 110-97-4 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-084-00-2 | styrene oxide;<br>(epoxyethyl)benzene;<br>phenyloxirane | 202-476-7 | 96-09-3 | Carc. 1B<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H350<br>H312<br>H319 | GHS08<br>GHS07<br>Dgr | H350<br>H312<br>H319 | | | |
| 603-085-00-8 | bronopol (INN);<br>2-bromo-2-nitropropane-1,3-diol | 200-143-0 | 52-51-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1 | H312<br>H302<br>H335<br>H315<br>H318<br>H400 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H335<br>H315<br>H318<br>H400 | | | |
| 603-086-00-3 | ethirimol (ISO);<br>5-butyl-2-ethylamino-6-methylpyrimidin-4-ol | 245-949-3 | 23947-60-6 | Acute Tox. 4 (*) | H312 | GHS07<br>Wng | H312 | | | |
| 603-087-00-9 | 2-ethylhexane-1,3-diol;<br>octylene glycol;<br>ethoexadiol | 202-377-9 | 94-96-2 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 603-088-00-4 | 2-(octylthio)ethanol;<br>2-hydroxyethyl octyl sulphide | 222-598-4 | 3547-33-9 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 603-089-00-X | 7,7-dimethyl-3-oxa-6-azaoctan-1-ol | 400-390-6 | — | Skin Corr. 1A<br>Acute Tox. 4 (*) | H314<br>H302 | GHS05<br>GHS07<br>Dgr | H314<br>H302 | | | |
| 603-090-00-5 | 2-(2-bromoethoxy)anisole | 402-010-4 | 4463-59-6 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 603-091-00-0 | *exo*-1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptan-2-ol | 402-470-6 | 87172-89-2 | Acute Tox. 4 (*)<br>Eye Dam. 1 | H302<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H318 | | | |
| 603-092-00-6 | 2-methyl-4-phenylpentanol | 402-770-7 | 92585-24-5 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-093-00-1 | cinmethylin (ISO);<br>*exo*-(±)-1-methyl-2-(2-methylbenzyloxy)-4-isopropyl-7-oxabicyclo(2.2.1)heptane | 402-410-9 | 87818-31-3 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H411 | GHS07<br>GHS09<br>Dgr | H332<br>H411 | | | |
| 603-094-00-7 | 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane | 241-536-7 | 17557-23-2 | Skin Irrit. 2<br>Skin Sens. 1 | H315<br>H317 | GHS07<br>Wng | H315<br>H317 | | | |
| 603-095-00-2 | 2-(propyloxy)ethanol;<br>EGPE | 220-548-6 | 2807-30-9 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H312<br>H319 | GHS07<br>Wng | H312<br>H319 | | | |
| 603-096-00-8 | 2-(2-butoxyethoxy)ethanol;<br>diethylene glycol monobutyl ether | 203-961-6 | 112-34-5 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 603-097-00-3 | 1,1',1"-nitrilotripropan-2-ol;<br>triisopropanolamine | 204-528-4 | 122-20-3 | Eye Irrit. 2<br>Aquatic Chronic 3 | H319<br>H412 | GHS07<br>Wng | H319<br>H412 | | | |
| 603-098-00-9 | 2-phenoxyethanol | 204-589-7 | 122-99-6 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |
| 603-099-00-4 | 3-(*N*-methyl-*N*-(4-methylamino-3-nitrophenyl)amino)propane-1,2-diol hydrochloride | 403-440-5 | 93633-79-5 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 603-100-00-8 | 1,2-dimethoxypropane | 404-630-0 | 7778-85-0 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | EUH019 | | |
| 603-101-00-3 | tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (*cis* and *trans*) | 405-040-6 | — | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-102-00-9 | 1,2-epoxybutane | 203-438-2 | 106-88-7 | Flam. Liq. 2<br>Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H225<br>H351<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H412 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H351<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H412 | | | |
| 603-103-00-4 | oxirane, mono[($C_{12-14}$-alkyloxy)methyl] derivs. | 271-846-8 | 68609-97-2 | Skin Irrit. 2<br>Skin Sens. 1 | H315<br>H317 | GHS07<br>Wng | H315<br>H317 | | | |
| 603-104-00-X | fenarimol (ISO);<br>2,4'-dichloro-α-(pyrimidin-5-yl)benzhydryl alcohol | 262-095-7 | 60168-88-9 | Repr. 2<br>Lact.<br>Aquatic Chronic 2 | H361f-d<br>H362<br>H411 | GHS08 GHS09<br>Wng | H361fd<br>H362<br>H411 | | | |
| 603-105-00-5 | furan | 203-727-3 | 110-00-9 | Flam. Liq. 1<br>Carc. 1B<br>Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H224<br>H350<br>H341<br>H332<br>H302<br>H373 (**)<br>H315<br>H412 | GHS02<br>GHS08<br>GHS07<br>Dgr | H224<br>H350<br>H341<br>H332<br>H302<br>H373 (**)<br>H315<br>H412 | EUH019 | | |
| 603-106-00-0 | 2-methoxypropanol | 216-455-5 | 1589-47-5 | Flam. Liq. 3<br>Repr. 1B<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H226<br>H360-D (***)<br>H335<br>H315<br>H318 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H360D (***)<br>H335<br>H315<br>H318 | | | |
| 603-107-00-6 | 2-(2-methoxyethoxy)ethanol;<br>diethylene glycol monomethyl ether | 203-906-6 | 111-77-3 | Repr. 2 | H361d (***) | GHS08<br>Wng | H361d (***) | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-108-00-1 | 2-methylpropan-1-ol;<br>iso-butanol | 201-148-0 | 78-83-1 | Flam. Liq. 3<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>STOT SE 3 | H226<br>H335<br>H315<br>H318<br>H336 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H335<br>H315<br>H318<br>H336 | | | |
| 603-117-00-0 | propan-2-ol;<br>isopropyl alcohol;<br>isopropanol | 200-661-7 | 67-63-0 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H336 | | | |
| 603-118-00-6 | 6-dimethylaminohexan-1-ol | 404-680-3 | 1862-07-3 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H302<br>H314<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H412 | | | |
| 603-119-00-1 | 1,1'-(1,3-phenylenedioxy)bis(3-(2-(prop-2-enyl)phenoxy)propan-2-ol) | 405-840-5 | — | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 603-120-00-7 | 2-methyl-5-phenylpentanol | 405-890-8 | 25634-93-9 | Eye Irrit. 2<br>Skin Irrit. 2 | H319<br>H315 | GHS07<br>Wng | H319<br>H315 | | | |
| 603-121-00-2 | 4-[4-(1,3-dihydroxyprop-2-yl)phenylamino]-1,8-dihydroxy-5-nitroanthraquinone | 406-057-1 | 114565-66-1 | Carc. 2<br>Skin Sens. 1<br>Aquatic Chronic 4 | H351<br>H317<br>H413 | GHS08<br>GHS07<br>Wng | H351<br>H317<br>H413 | | | |
| 603-122-00-8 | sodium 2-ethylhexanolate | 406-150-7 | 38411-13-1 | Flam. Sol. 1<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H228<br>H314<br>H412 | GHS02<br>GHS05<br>Dgr | H228<br>H314<br>H412 | | | T |
| 603-123-00-3 | 4-methyl-8-methylenetricyclo[3.3.1.1$^{3,7}$]decan-2-ol | 406-330-5 | 122760-84-3 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-124-00-9 | 1,4-bis[2-(vinyloxy)ethoxy]benzene | 406-900-3 | 84563-49-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 603-125-00-4 | 2-(2,4-dichlorophenyl)-1-(1*H*-1,2,4-triazol-1-yl)pent-4-en-2-ol | 407-850-5 | 89544-40-1 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | |
| 603-126-00-X | 2-((4-methyl-2-nitrophenyl)amino)ethanol | 408-090-7 | 100418-33-5 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H317<br>H412 | GHS07<br>Wng | H302<br>H317<br>H412 | | | |
| 603-127-00-5 | butan-2-ol; [1]<br>(*S*)-butan-2-ol; [2]<br>(*R*)-butan-2-ol; [3]<br>(±)-butan-2-ol [4] | 201-158-5 [1]<br>224-168-1 [2]<br>238-967-8 [3]<br>240-029-8 [4] | 78-92-2 [1]<br>4221-99-2 [2]<br>14898-79-4 [3]<br>15892-23-6 [4] | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>STOT SE 3 | H226<br>H319<br>H335<br>H336 | GHS02<br>GHS07<br>Wng | H226<br>H319<br>H335<br>H336 | | | C |
| 603-128-00-0 | 2-(phenylmethoxy)naphthalene | 405-490-3 | 613-62-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 603-129-00-6 | 1-*tert*-butoxypropan-2-ol | 406-180-0 | 57018-52-7 | Flam. Liq. 3<br>Eye Dam. 1 | H226<br>H318 | GHS02<br>GHS05<br>Dgr | H226<br>H318 | | | |
| 603-130-00-1 | reaction mass of isomers of: α-((dimethyl) biphenyl)-ω-hydroxypoly(oxyethylene) | 406-325-8 | — | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 603-131-00-7 | reaction mass of: 1-deoxy-1-[methyl-(1-oxododecyl)amino]-D-glucitol;<br>1-deoxy-1-[methyl-(1-oxotetradecyl)amino]-D-glucitol (3:1) | 407-290-1 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-132-00-2 | 2-hydroxymethyl-9-methyl-6-(1-methylethyl)-1,4-dioxaspiro[4.5]decane | 408-200-3 | 63187-91-7 | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H315<br>H318<br>H412 | GHS05<br>Dgr | H315<br>H318<br>H412 | | | |
| 603-133-00-8 | reaction mass of: 3-[(4-amino-2-chloro-5-nitrophenyl)amino]-propane-1,2-diol;<br>3,3'-(2-chloro-5-nitro-1,4-phenylenediimino)bis(propan-1,2-diol) | 408-240-1 | — | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 603-134-00-3 | reaction mass of substituted dodecyl and/or tetradecyl, diphenyl ethers. The substance is produced by the Friedel Crafts reaction. The catalyst is removed from the reaction product. Diphenyl ether is substituted by $C_1$-$C_{10}$ alkyl groups. The alkyl groups are bonded randomly between $C_1$ and $C_6$. Linear $C_{12}$ and $C_{14}$, 50/50 used. | 410-450-3 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 603-135-00-9 | bis[[2,2',2"-nitrilotris-[ethanolato]]-1-N,O]-bis[2-(2-methoxyethoxy)ethoxy]-titanium | 410-500-4 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 603-136-00-4 | 3-((4-(bis(2-hydroxyethyl)amino)-2-nitrophenyl)amino)-1-propanol | 410-910-3 | 104226-19-9 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 603-137-00-X | reaction mass of: 1-deoxy-1-[methyl-(1-oxohexadecyl)amino]-D-glucitol;<br>1-deoxy-1-[methyl-(1-oxooctadecyl)amino]-D-glucitol | 411-130-6 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 603-138-00-5 | 3-(2,2-dimethyl-3-hydroxypropyl)toluene;<br>(alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol | 403-140-4 | 103694-68-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 603-139-00-0 | bis(2-methoxyethyl) ether | 203-924-4 | 111-96-6 | Flam. Liq. 3<br>Repr. 1B | H226<br>H360-FD | GHS02<br>GHS08<br>Dgr | H226<br>H360FD | EUH019 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-140-00-6 | 2,2' -oxybisethanol;<br>diethylene glycol | 203-872-2 | 111-46-6 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 603-141-00-1 | reaction mass of: dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]pentadecane;<br>dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]heptadecane | 413-780-6 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 603-142-00-7 | 2-(2-(2-hydroxyethoxy)ethyl)-2-aza-bicyclo [2.2.1]heptane | 407-360-1 | 116230-20-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H312<br>H302<br>H373 (**)<br>H315<br>H318 | GHS06<br>GHS08<br>GHS05<br>Dgr | H312<br>H302<br>H373 (**)<br>H315<br>H318 | | | |
| 603-143-00-2 | *R*-2,3-epoxy-1-propanol | 404-660-4 | 57044-25-4 | Self-react. C (****)<br>Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H242<br>H350<br>H341<br>H360F (***)<br>H331<br>H312<br>H302<br>H314 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H242<br>H350<br>H341<br>H360F (***)<br>H331<br>H312<br>H302<br>H314 | | | |
| 603-144-00-8 | reaction mass of: 2,6,9-trimethyl-2,5,9-cyclododecatrien-1-ol;<br>6,9-dimethyl-2-methylen-5,9-cyclododecadien-1-ol | 413-530-6 | 111850-00-1 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 603-145-00-3 | 2-isopropyl-2-(1-methylbutyl)-1,3-dimethoxypropane | 406-970-5 | 129228-11-1 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 603-146-00-9 | 2-[(2-[2-(dimethylamino)ethoxy]ethyl) methylamino]ethanol | 406-080-7 | 83016-70-0 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H302<br>H314<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-147-00-4 | (-)-*trans*-4-(4'-fluorophenyl)-3-hydroxymethyl-*N*-methylpiperidine | 406-030-4 | 105812-81-5 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | |
| 603-148-00-X | 1,4-bis[(vinyloxy)methyl]cyclohexane | 413-370-7 | 17351-75-6 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07 GHS09<br>Wng | H317<br>H411 | | | |
| 603-149-00-5 | reaction mass of diastereoisomers of 1-(1-hydroxyethyl)-4-(1-methylethyl)cyclohexane | 407-640-3 | 63767-86-2 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H319<br>H315<br>H411 | GHS07 GHS09<br>Wng | H319<br>H315<br>H411 | | | |
| 603-150-00-0 | (±) *trans*-3,3-dimethyl-5-(2,2,3-trimethylcyclopent-3-en-1-yl)-pent-4-en-2-ol | 411-580-3 | 107898-54-4 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H410 | | | |
| 603-151-00-6 | (±)-2-(2,4-dichlorophenyl)-3-(1*H*-1,2,4-triazol-1-yl)propan-1-ol | 413-570-4 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 603-152-00-1 | 2-(4-*tert*-butylphenyl)ethanol | 410-020-5 | 5406-86-0 | Repr. 2<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H361f (***)<br>H373 (**)<br>H318<br>H411 | GHS08<br>GHS05<br>GHS09<br>Dgr | H361f (***)<br>H373 (**)<br>H318<br>H411 | | | |
| 603-153-00-7 | 3-((2-nitro-4-(trifluoromethyl)phenyl)amino)propane-1,2-diol | 410-010-0 | 104333-00-8 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 603-154-00-2 | 1-[(2-*tert*-butyl)cyclohexyloxy]-2-butanol | 412-300-2 | 139504-68-0 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 603-155-00-8 | Reaction products of 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-hydroxyphenol with ((C$_{10-16}$, rich in C$_{12-13}$ alkyloxy)methyl)oxyrane | 410-560-1 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-156-00-3 | 2-(2,4-dichlorophenyl)-2-(2-propenyl)oxirane | 411-210-0 | 89544-48-9 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 603-157-00-9 | 6,9-bis(hexadecyloxymethyl)-4,7-dioxanonane-1,2,9-triol | 411-450-6 | 143747-72-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 603-158-00-4 | reaction mass of 4 diastereoisomers of 2,7-dimethyl-10-(1-methylethyl)-1-oxaspiro [4.5]deca-3,6-diene | 412-460-3 | — | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07 GHS09<br>Wng | H315<br>H411 | | | |
| 603-159-00-X | 2-cyclododecylpropan-1-ol | 411-410-8 | 118562-73-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 603-160-00-5 | 1,2-diethoxypropane | 412-180-1 | 10221-57-5 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | EUH019 | | |
| 603-161-00-0 | 1,3-diethoxypropane | 413-140-6 | 3459-83-4 | Flam. Liq. 3 | H226 | GHS02<br>Wng | H226 | | | |
| 603-162-00-6 | α[2-[[[(2-hydroxyethyl)methylamino]acetyl] amino]propyl]- ω nonylphenoxy)poly[oxo (methyl-1,2-ethanediyl)] | 413-420-8 | 144736-29-8 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411 | | | |
| 603-163-00-1 | 2-phenyl-1,3-propanediol | 411-810-2 | 1570-95-2 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 603-164-00-7 | 2-butyl-4-chloro-4,5-dihydro-5-hydroxymethyl-1-[2'-(2-triphenylmethyl-1,2,3,4-2*H*-tetrazol-5-yl)-1,1'-biphenyl-4-methyl]-1*H*-imidazole | 412-420-5 | 133909-99-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-165-00-2 | reaction mass of: 4-allyl-2,6-bis(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol | 417-470-1 | — | Muta. 2<br>Skin Sens. 1 | H341<br>H317 | GHS08<br>GHS07<br>Wng | H341<br>H317 | | | |
| 603-166-00-8 | *R*-1-chloro-2,3-epoxypropane | 424-280-2 | 51594-55-9 | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 | | | |
| 603-167-00-3 | 3,3',5,5'-tetra-*tert*-butylbiphenyl-2,2'-diol | 407-920-5 | 6390-69-8 | Aquatic Chronic 4 | H413 | GHS05<br>Dgr | H413 | | | |
| 603-168-00-9 | 3-(2-ethylhexyloxy)propane-1,2-diol | 408-080-2 | 70445-33-9 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 603-169-00-4 | (±)-*trans*-4-(4-fluorophenyl)-3-hydroxymethyl-*N*-methylpiperidine | 415-550-0 | 109887-53-8 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-170-00-X | reaction mass of: 2-methyl-1-(6-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol; 2-methyl-1-(1-methylbicyclo[2.2.1]hept-5-en-2-yl)-pent-1-en-3-ol; 2-methyl-1-(5-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol | 415-990-3 | 67739-11-1 | Eye Irrit. 2<br>Aquatic Chronic 2 | H319<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H411 | | | |
| 603-171-00-5 | 5-thiazolylmethanol | 414-780-9 | 38585-74-9 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 603-172-00-0 | mono-2-[2-(4-dibenzo[*b*,*f*][1,4]thiazepin-11-yl)piperazinium-1-yl]ethoxy)ethanol *trans*-butenedioate | 415-180-1 | 773058-82-5 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | |
| 603-173-00-6 | 4,4-dimethyl-3,5,8-trioxabicyclo[5.1.0] octane | 421-750-9 | 57280-22-5 | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | |
| 603-174-00-1 | 4-cyclohexyl-2-methyl-2-butanol | 420-630-3 | 83926-73-2 | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 603-175-00-7 | 2-(2-hexyloxyethoxy)ethanol; DEGHE; diethylene glycol monohexyl ether; 3,6-dioxa-1-dodecanol; hexyl carbitol; 3,6-dioxadodecan-1-ol | 203-988-3 | 112-59-4 | Acute Tox. 4 (*)<br>Eye Dam. 1 | H312<br>H318 | GHS05<br>GHS07<br>Dgr | H312<br>H318 | | | |
| 603-176-00-2 | 1,2-bis(2-methoxyethoxy)ethane; TEGDME; triethylene glycol dimethyl ether; triglyme | 203-977-3 | 112-49-2 | Repr. 1B | H360-Df | GHS08<br>Dgr | H360Df | EUH019 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-177-00-8 | 1-ethoxypropan-2-ol;<br>2PG1EE;<br>1-ethoxy-2-propanol;<br>propylene glycol monoethyl ether; [1]<br>2-ethoxy-1-methylethyl acetate;<br>2PG1EEA [2] | 216-374-5 [1]<br>259-370-9 [2] | 1569-02-4 [1]<br>54839-24-6 [2] | Flam. Liq. 3<br>STOT SE 3 | H226<br>H336 | GHS02<br>GHS07<br>Wng | H226<br>H336 | | | |
| 603-178-00-3 | 2-hexyloxyethanol;<br>ethylene glycol monohexyl ether;<br>n-hexylglycol | 203-951-1 | 112-25-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314 | | | |
| 603-179-00-9 | ergocalciferol (ISO);<br>Vitamin D2 | 200-014-9 | 50-14-6 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1 | H330<br>H311<br>H301<br>H372 (**) | GHS06<br>GHS08<br>Dgr | H330<br>H311<br>H301<br>H372 (**) | | | |
| 603-180-00-4 | colecalciferol;<br>Vitamin D3 | 200-673-2 | 67-97-0 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1 | H330<br>H311<br>H301<br>H372 (**) | GHS06<br>GHS08<br>Dgr | H330<br>H311<br>H301<br>H372 (**) | | | |
| 603-181-00-X | *tert*-butyl methyl ether;<br>MTBE;<br>2-methoxy-2-methylpropane | 216-653-1 | 1634-04-4 | Flam. Liq. 2<br>Skin Irrit. 2 | H225<br>H315 | GHS02<br>GHS07<br>Dgr | H225<br>H315 | | | |
| 603-183-00-0 | 2-[2-(2-butoxyethoxy)ethoxy]ethanol;<br>TEGBE;<br>triethylene glycol monobutyl ether;<br>butoxytriethylene glycol | 205-592-6 | 143-22-6 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | Eye Dam. 1; H318: C ≥ 30 %<br>Eye Irrit. 2; H319: 20 % ≤ C < 30 % | |
| 603-184-00-6 | 2-(hydroxymethyl)-2-[[2-hydroxy-3-(isooctadecyloxy)propoxy]methyl]-1,3-propanediol | 416-380-1 | 146925-83-9 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 603-185-00-1 | 2,4-dichloro-3-ethyl-6-nitrophenol | 420-740-1 | 99817-36-4 | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H318<br>H317<br>H410 | | | |
| 603-186-00-7 | trans-(5*RS*,6*SR*)-6-amino-2,2-dimethyl-1,3-dioxepan-5-ol | 419-050-3 | 79944-37-9 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 603-187-00-2 | 2-((4,6-bis(4-(2-(1-methylpyridinium-4-yl) vinyl)phenylamino)-1,3,5-triazin-2-yl)(2-hydroxyethyl)amino)ethanol dichloride | 419-360-9 | 163661-77-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 603-189-00-3 | reaction mass of complexes of: titanium, 2,2'-oxydiethanol, ammonium lactate, nitrilotris(2-propanol) and ethylene glycol | 405-250-8 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 603-191-00-4 | 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(3-((2-ethylhexyl)oxy)-2-hydroxypropoxy)phenol | 419-740-4 | 137658-79-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 603-195-00-6 | 2-[4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazin-2-yl]-phenol | 430-810-3 | 154825-62-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 603-196-00-1 | 2-(7-ethyl-1*H*-indol-3-yl)ethanol | 431-020-1 | 41340-36-7 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H302<br>H373 (**)<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H411 | | | |
| 603-197-00-7 | tebuconazole (ISO);<br>1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | 403-640-2 | 107534-96-3 | Repr. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H361d (***)<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d (***)<br>H302<br>H411 | | | |
| 603-199-00-8 | etoxazol (ISO);<br>(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl]phenetole | — | 153233-91-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | M=100 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-001-00-2 | phenol;<br>carbolic acid;<br>monohydroxybenzene;<br>phenylalcohol | 203-632-7 | 108-95-2 | Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B | H341<br>H331<br>H311<br>H301<br>H373 (**)<br>H314 | GHS06<br>GHS08 GHS05<br>Dgr | H341<br>H331<br>H311<br>H301<br>H373 (**)<br>H314 | | (*)<br>Skin Corr. 1B; H314: C ≥ 3 %<br>Skin Irrit. 2; H315: 1 % ≤ C < 3 %<br>Eye Irrit. 2; H319: 1 % ≤ C < 3 % | |
| 604-002-00-8 | pentachlorophenol | 201-778-6 | 87-86-5 | Carc. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H410 | | | |
| 604-003-00-3 | sodium pentachlorophenolate; [1]<br>potassium pentachlorophenolate [2] | 205-025-2 [1]<br>231-911-3 [2] | 131-52-2 [1]<br>7778-73-6 [2] | Carc. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H410 | | | |
| 604-004-00-9 | *m*-cresol; [1]<br>*o*-cresol; [2]<br>*p*-cresol; [3]<br>mix-cresol [4] | 203-577-9 [1]<br>202-423-8 [2]<br>203-398-6 [3]<br>215-293-2 [4] | 108-39-4 [1]<br>95-48-7 [2]<br>106-44-5 [3]<br>1319-77-3 [4] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H311<br>H301<br>H314 | GHS06<br>GHS05<br>Dgr | H311<br>H301<br>H314 | | (*) | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-005-00-4 | 1,4-dihydroxybenzene;<br>hydroquinone;<br>quinol | 204-617-8 | 123-31-9 | Carc. 2<br>Muta. 2<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H341<br>H302<br>H318<br>H317<br>H400 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H351<br>H341<br>H302<br>H318<br>H317<br>H400 | | | |
| 604-006-00-X | 3,4-xylenol; [1]<br>2,5-xylenol; [2]<br>2,4-xylenol; [3]<br>2,3-xylenol; [4]<br>2,6-xylenol; [5]<br>xylenol; [6]<br>2,4(or 2,5)-xylenol [7] | 202-439-5 [1]<br>202-461-5 [2]<br>203-321-6 [3]<br>208-395-3 [4]<br>209-400-1 [5]<br>215-089-3 [6]<br>276-245-4 [7] | 95-65-8 [1]<br>95-87-4 [2]<br>105-67-9 [3]<br>526-75-0 [4]<br>576-26-1 [5]<br>1300-71-6 [6]<br>71975-58-1 [7] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H311<br>H301<br>H314<br>H411 | GHS06<br>GHS05<br>GHS09<br>Dgr | H311<br>H301<br>H314<br>H411 | | | C |
| 604-007-00-5 | 2-naphthol | 205-182-7 | 135-19-3 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H332<br>H302<br>H400 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H400 | | | |
| 604-008-00-0 | 2-chlorophenol; [1]<br>4-chlorophenol; [2]<br>3-chlorophenol; [3]<br>chlorophenol [4] | 202-433-2 [1]<br>203-402-6 [2]<br>203-582-6 [3]<br>246-691-4 [4] | 95-57-8 [1]<br>106-48-9 [2]<br>108-43-0 [3]<br>25167-80-0 [4] | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H312<br>H302<br>H411 | GHS07 GHS09<br>Wng | H332<br>H312<br>H302<br>H411 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-009-00-6 | pyrogallol;<br>1,2,3-trihydroxybenzene | 201-762-9 | 87-66-1 | Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H341<br>H332<br>H312<br>H302<br>H412 | GHS08<br>GHS07<br>Wng | H341<br>H332<br>H312<br>H302<br>H412 | | (*) | |
| 604-010-00-1 | resorcinol;<br>1,3-benzenediol | 203-585-2 | 108-46-3 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1 | H302<br>H319<br>H315<br>H400 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H315<br>H400 | | (*) | |
| 604-011-00-7 | 2,4-dichlorophenol | 204-429-6 | 120-83-2 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H311<br>H302<br>H314<br>H411 | GHS06<br>GHS05<br>GHS09<br>Dgr | H311<br>H302<br>H314<br>H411 | | | |
| 604-012-00-2 | 4-chloro-*o*-cresol;<br>4-chloro-2-methyl phenol | 216-381-3 | 1570-64-5 | Acute Tox. 3 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H331<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H314<br>H400 | | STOT SE 3;<br>H335: C ≥ 1 % | |
| 604-013-00-8 | 2,3,4,6-tetrachlorophenol | 200-402-8 | 58-90-2 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H319<br>H315<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H319<br>H315<br>H410 | | (*)<br>Eye Irrit. 2; H319: C ≥ 5 %<br>Skin Irrit. 2; H315: C ≥ 5 % | |
| 604-014-00-3 | chlorocresol;<br>4-chloro-*m*-cresol;<br>4-chloro-3-methylphenol | 200-431-6 | 59-50-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H312<br>H302<br>H318<br>H317<br>H400 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H318<br>H317<br>H400 | | (*) | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-015-00-9 | 2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene | 200-733-8 | 70-30-4 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H301<br>H410 | | (*) | |
| 604-016-00-4 | 1,2-dihydroxybenzene; pyrocatechol | 204-427-5 | 120-80-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H312<br>H302<br>H319<br>H315 | GHS07<br>Wng | H312<br>H302<br>H319<br>H315 | | | |
| 604-017-00-X | 2,4,5-trichlorophenol | 202-467-8 | 95-95-4 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H315<br>H410 | | (*)<br>Eye Irrit. 2; H319: C ≥ 5 %<br>Skin Irrit. 2; H315: C ≥ 5 % | |
| 604-018-00-5 | 2,4,6-trichlorophenol | 201-795-9 | 88-06-2 | Carc. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H319<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H319<br>H315<br>H410 | | | |
| 604-019-00-0 | dichlorophen (ISO) | 202-567-1 | 97-23-4 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H410 | | | |
| 604-020-00-6 | 2-phenylphenol (ISO)<br>biphenyl-2-ol;<br>2-hydroxybiphenyl; | 201-993-5 | 90-43-7 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H319<br>H335<br>H315<br>H400 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-021-00-1 | sodium 2-biphenylate;<br>2-phenylphenol, sodium salt | 205-055-6 | 132-27-4 | Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1 | H302<br>H335<br>H315<br>H318<br>H400 | GHS05<br>GHS07<br>GHS09<br>Wng | H302<br>H335<br>H315<br>H318<br>H400 | | | |
| 604-022-00-7 | 2,2-dimethyl-1,3-benzodioxol-4-ol | 400-900-7 | 22961-82-6 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 604-023-00-2 | 2,4-dichloro-3-ethylphenol | 401-060-4 | — | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H314<br>H410 | | | |
| 604-024-00-8 | 4,4-isobutylethylidenediphenol | 401-720-1 | 6807-17-6 | Repr. 1B<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360F (***)<br>H319<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360F (***)<br>H319<br>H410 | | | |
| 604-025-00-3 | 2,5-bis(1,1-dimethylbutyl)hydroquinone | 400-220-0 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-026-00-9 | 2,2-spirobi(6-hydroxy-4,4,7-trimethylchromane) | 400-270-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-027-00-4 | 2-methyl-5-(1,1,3,3-tetramethylbutyl)hydroquinone | 400-530-6 | — | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |
| 604-028-00-X | 4-amino-3-fluorophenol | 402-230-0 | 399-95-1 | Carc. 1B<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H302<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-029-00-5 | 1-naphtol | 201-969-4 | 90-15-3 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H312<br>H302<br>H335<br>H315<br>H318 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H335<br>H315<br>H318 | | | |
| 604-030-00-0 | bisphenol A;<br>4,4'-isopropylidenediphenol | 201-245-8 | 80-05-7 | Repr. 2<br>STOT SE 3<br>Eye Dam. 1<br>Skin Sens. 1 | H361f (***)<br>H335<br>H318<br>H317 | GHS08<br>GHS05 GHS07<br>Dgr | H361f (***)<br>H335<br>H318<br>H317 | | | |
| 604-031-00-6 | guaiacol | 201-964-7 | 90-05-1 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H302<br>H319<br>H315 | GHS07<br>Wng | H302<br>H319<br>H315 | | | |
| 604-032-00-1 | thymol | 201-944-8 | 89-83-8 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H302<br>H314<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H411 | | | |
| 604-033-00-7 | isobutyl but-3-enoate | 401-170-2 | 24342-03-8 | Flam. Liq. 3 | H226 | GHS02<br>Wng | H226 | | | |
| 604-034-00-2 | 4,4'-thiodi-*o*-cresol | 403-330-7 | 24197-34-0 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 604-035-00-8 | 4-nonylphenol, reaction products with formaldehyde and dodecane-1-thiol | 404-160-6 | — | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 604-036-00-3 | 4,4'-oxybis(ethylenethio)diphenol | 404-590-4 | 90884-29-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-037-00-9 | 3,5-xylenol;<br>3,5-dimethylphenol | 203-606-5 | 108-68-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H311<br>H301<br>H314 | GHS06<br>GHS05<br>Dgr | H311<br>H301<br>H314 | | | |
| 604-038-00-4 | 4-chloro-3,5-dimethylphenol; [1]<br>chloroxylenol [2] | 201-793-8 [1]<br>215-316-6 [2] | 88-04-0 [1]<br>1321-23-9 [2] | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H302<br>H319<br>H315<br>H317 | GHS07<br>Wng | H302<br>H319<br>H315<br>H317 | | | |
| 604-039-00-X | ethyl 2-[4-[(6-chlorobenzoxazol-2-yl)oxy] phenoxy]propionate;<br>fenoxaprop-ethyl | 266-362-9 | 66441-23-4 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 604-040-00-5 | fomesafen (ISO);<br>5-[2-chloro-4-(trifluoromethyl)phenoxy]-*N*-(methylsulphonyl)-2-nitrobenzamide | 276-439-9 | 72178-02-0 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 604-041-00-0 | acifluorfen (ISO);<br>5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoic acid [1]<br>sodium 5-[2-chloro-4-(trifluoromethyl) phenoxy]-2-nitrobenzoate;<br>acifluorfen-sodium [2] | 256-634-5 [1]<br>263-560-7 [2] | 50594-66-6 [1]<br>62476-59-9 [2] | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H410 | | | |
| 604-042-00-6 | 4-nitrosophenol | 203-251-6 | 104-91-6 | Muta. 2<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H341<br>H302<br>H318<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H341<br>H302<br>H318<br>H411 | | | |
| 604-043-00-1 | monobenzone;<br>4-hydroxyphenyl benzyl ether;<br>hydroquinone monobenzyl ether | 203-083-3 | 103-16-2 | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | |
| 604-044-00-7 | mequinol;<br>4-methoxyphenol;<br>hydroquinone monomethyl ether | 205-769-8 | 150-76-5 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1 | H302<br>H319<br>H317 | GHS07<br>Wng | H302<br>H319<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-045-00-2 | 2,3,5-trimethylhydroquinone | 211-838-3 | 700-13-0 | Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H335<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H335<br>H315<br>H318<br>H317<br>H410 | | | |
| 604-046-00-8 | 4-(4-isopropoxyphenylsulfonyl)phenol | 405-520-5 | 95235-30-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-047-00-3 | 4-(4-tolyloxy)biphenyl | 405-730-7 | 51601-57-1 | STOT RE 2 (*)<br>Aquatic Chronic 4 | H373 (**)<br>H413 | GHS08<br>Wng | H373 (**)<br>H413 | | | |
| 604-048-00-9 | 4,4',4"-(ethan-1,1,1-triyl)triphenol | 405-800-7 | 27955-94-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-049-00-4 | 4-4'-methylenebis(oxyethylenethio)diphenol | 407-480-4 | 93589-69-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-051-00-5 | 3,5-bis((3,5-di-*tert*-butyl-4-hydroxy)benzyl)-2,4,6-trimethylphenol | 401-110-5 | 87113-78-8 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 604-052-00-0 | 2,2'-methylenebis(6-(2*H*-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) | 403-800-1 | 103597-45-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 604-053-00-6 | 2-methyl-4-(1,1-dimethylethyl)-6-(1-methylpentadecyl)-phenol | 410-760-9 | 157661-93-3 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 604-054-00-1 | reaction mass of: 2-methoxy-4-(tetrahydro-4-methylene-2*H*-pyran-2-yl)-phenol; 4-(3,6-dihydro-4-methyl-2*H*-pyran-2-yl)-2-methoxyphenol | 412-020-0 | — | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-055-00-7 | 2,2'-((3,3',5,5'-tetramethyl-(1,1'-biphenyl)-4,4'-diyl)-bis(oxymethylene))-bis-oxirane | 413-900-7 | 85954-11-6 | Muta. 2 | H341 | GHS08<br>Wng | H341 | | | |
| 604-056-00-2 | 2-(2-hydroxy-3,5-dinitroanilino)ethanol | 412-520-9 | 99610-72-7 | Flam. Sol. 2<br>Repr. 2<br>Acute Tox. 4 (*) | H228<br>H361f (***)<br>H302 | GHS02<br>GHS07<br>GHS08<br>Dgr | H228<br>H361f (***)<br>H302 | | | |
| 604-057-00-8 | reaction mass of: isomers of 2-(2*H*-benzotriazol-2-yl)-4-methyl-(*n*)-dodecylphenol;<br>isomers of 2-(2*H*-benzotriazol-2-yl)-4-methyl-(*n*)-tetracosylphenol;<br>isomers of 2-(2*H*-benzotriazol-2-yl)-4-methyl-5,6-didodecyl-phenol. *n*=5 or 6 | 401-680-5 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-058-00-3 | 1,2-bis(3-methylphenoxy)ethane | 402-730-9 | 54914-85-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 604-059-00-9 | 2-*n*-hexadecylhydroquinone | 406-400-5 | — | STOT RE 2 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4 | H373 (**)<br>H315<br>H317<br>H413 | GHS08<br>GHS07<br>Wng | H373 (**)<br>H315<br>H317<br>H413 | | | |
| 604-060-00-4 | 9,9-bis(4-hydroxyphenyl)fluorene | 406-950-6 | 3236-71-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H410 | | | |
| 604-061-00-X | reaction mass of: 2-chloro-5-*sec*-tetradecyl-hydroquinones where *sec*-tetradecyl= 1-methyltridecyl;<br>1-ethyldodecyl;<br>1-propylundecyl;<br>1-butyldecyl;<br>1-pentylnonyl;<br>1-hexyloctyl | 407-740-7 | — | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H315<br>H317<br>H412 | GHS07<br>Wng | H315<br>H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-062-00-5 | 2,4-dimethyl-6-(1-methyl-pentadecyl)phenol | 411-220-5 | — | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 604-063-00-0 | 5,6-dihydroxyindole | 412-130-9 | 3131-52-0 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05 GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | |
| 604-064-00-6 | 2-(4,6-diphenyl-1,3,5-triazin-2-yl)-5-((hexyl)oxy)-phenol | 411-380-6 | 147315-50-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 604-065-00-1 | 4,4',4"-(1-methylpropan-1-yl-3-ylidene)tris(2-cyclohexyl-5-methylphenol) | 407-460-5 | 111850-25-0 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-066-00-7 | reaction mass of: phenol, 6-(1,1-dimethylethyl)-4-tetrapropyl-2-[(2-hydroxy-5-tetrapropylphenyl)methyl ($C_{41}$-compound) and methane, 2,2'-bis[6-(1,1-dimethyl-ethyl)-1-hydroxy-4-tetrapropyl-phenyl)]- ($C_{45}$-compound);<br>2,6-bis(1,1-dimethylethyl)-4-tetra-propyl-phenol and 2-(1,1-dimethylethyl)-4-tetra-propyl-phenol;<br>2,6-bis[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl) phenol and 2-[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenylmethyl]-6-[1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl)phenol | 414-550-8 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 604-067-00-2 | reaction mass of: 2,2'-[[(2-hydroxyethyl) imino]bis(methylene)bis[4-dodecylphenol];<br>formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 2);<br>formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 3, 4 and higher) | 414-520-4 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H315<br>H318<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 604-068-00-8 | (±)-4-[2-[[3-(4-hydroxyphenyl)-1-methylpropyl]amino]-1-hydroxyethyl]phenol hydrochloride | 415-170-5 | 90274-24-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1 | H332<br>H302<br>H317 | GHS07<br>Wng | H332<br>H302<br>H317 | | | |
| 604-069-00-3 | 2-(1-methylpropyl)-4-*tert*-butylphenol | 421-740-4 | 51390-14-8 | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411 | GHS05<br>GHS09<br>Dgr | H314<br>H411 | | | |
| 604-070-00-9 | triclosan;<br>2,4,4'-trichloro-2'-hydroxy-diphenyl-ether;<br>5-chloro-2-(2,4-dichlorophenoxy)phenol | 222-182-2 | 3380-34-5 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H410 | | M=100 | |
| 605-001-00-5 | formaldehyde ... % | 200-001-8 | 50-00-0 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H351<br>H331<br>H311<br>H301<br>H314<br>H317 | GHS06<br>GHS08<br>GHS05<br>Dgr | H351<br>H331<br>H311<br>H301<br>H314<br>H317 | | (*)<br>Skin Corr. 1B; H314: C ≥25 %<br>Skin Irrit. 2; H315: 5 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 5 % ≤ C < 25 %<br>STOT SE 3; H335: C ≥ 5 %<br>Skin Sens. 1; H317: C ≥ 0,2 % | B D |
| 605-002-00-0 | 1,3,5-trioxan;<br>trioxymethylene | 203-812-5 | 110-88-3 | Flam. Sol. 1<br>Repr. 2<br>STOT SE 3 | H228<br>H361d (***)<br>H335 | GHS02<br>GHS08<br>GHS07<br>Dgr | H228<br>H361d (***)<br>H335 | | | T |
| 605-003-00-6 | acetaldehyde;<br>ethanal | 200-836-8 | 75-07-0 | Flam. Liq. 1<br>Carc. 2<br>Eye Irrit. 2<br>STOT SE 3 | H224<br>H351<br>H319<br>H335 | GHS02<br>GHS08<br>GHS07<br>Dgr | H224<br>H351<br>H319<br>H335 | | | |
| 605-004-00-1 | 2,4,6-trimethyl-1,3,5-trioxan;<br>paraldehyde | 204-639-8 | 123-63-7 | Flam. Liq. **3** | H226 | GHS02<br>Dgr | H226 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 605-005-00-7 | 2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclooctane;<br>metaldehyde | 203-600-2 | 108-62-3 | Flam. Sol. 2<br>Acute Tox. 4 (*) | H228<br>H302 | GHS02<br>GHS07<br>Wng | H228<br>H302 | | | |
| 605-006-00-2 | butyraldehyde | 204-646-6 | 123-72-8 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 605-007-00-8 | 1,1-dimethoxyethane;<br>dimethyl acetal | 208-589-8 | 534-15-6 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 605-008-00-3 | acrylaldehyde;<br>acrolein;<br>prop-2-enal | 203-453-4 | 107-02-8 | Flam. Liq. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H225<br>H330<br>H311<br>H301<br>H314<br>H400 | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H225<br>H330<br>H311<br>H301<br>H314<br>H400 | | | D |
| 605-009-00-9 | crotonaldehyde;<br>2-butenal; [1]<br>(*E*)-2-butenal;<br>(*E*)-crotonaldehyde [2] | 224-030-0 [1]<br>204-647-1 [2] | 4170-30-3 [1]<br>123-73-9 [2] | Flam. Liq. 2<br>Muta. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1 | H225<br>H341<br>H330<br>H311<br>H301<br>H373 (**)<br>H335<br>H315<br>H318<br>H400 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H341<br>H330<br>H311<br>H301<br>H373 (**)<br>H335<br>H315<br>H318<br>H400 | | | |
| 605-010-00-4 | 2-furaldehyde | 202-627-7 | 98-01-1 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H351<br>H331<br>H301<br>H312<br>H319<br>H335 | GHS06<br>GHS08<br>Dgr | H351<br>H331<br>H301<br>H312<br>H319<br>H335 | | (*) | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 605-011-00-X | 2-chlorobenzaldehyde;<br>*o*-chlorobenzaldehyde | 201-956-3 | 89-98-5 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 605-012-00-5 | benzaldehyde | 202-860-4 | 100-52-7 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 605-013-00-0 | chloralose (INN);<br>(*R*)-1,2-O-(2,2,2-trichloroethylidene)-α-D-glucofuranose;<br>glucochloralose;<br>anhydroglucochloral | 240-016-7 | 15879-93-3 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | | |
| 605-014-00-6 | chloral hydrate;<br>2,2,2-trichloroethane-1,1-diol | 206-117-5 | 302-17-0 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H301<br>H319<br>H315 | GHS06<br>Dgr | H301<br>H319<br>H315 | | | |
| 605-015-00-1 | 1,1-diethoxyethane;<br>acetal | 203-310-6 | 105-57-7 | Flam. Liq. 2<br>Eye Irrit. 2<br>Skin Irrit. 2 | H225<br>H319<br>H315 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H315 | | | |
| 605-016-00-7 | glyoxal... %;<br>ethandial... % | 203-474-9 | 107-22-2 | Muta. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H341<br>H332<br>H319<br>H315<br>H317 | GHS07<br>GHS08<br>Wng | H341<br>H332<br>H319<br>H315<br>H317 | | (*) | B |
| 605-017-00-2 | 1,3-dioxolane | 211-463-5 | 646-06-0 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 605-018-00-8 | propanal;<br>propionaldehyde | 204-623-0 | 123-38-6 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H319<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335<br>H315 | | | |
| 605-019-00-3 | citral | 226-394-6 | 5392-40-5 | Skin Irrit. 2<br>Skin Sens. 1 | H315<br>H317 | GHS07<br>Wng | H315<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 605-020-00-9 | safrole;<br>5-allyl-1,3-benzodioxole | 202-345-4 | 94-59-7 | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 (*) | H350<br>H341<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H341<br>H302 | | | |
| 605-021-00-4 | formaldehyde, reaction products with butylphenol | 294-145-9 | 91673-30-2 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 605-022-00-X | glutaral;<br>glutaraldehyde;<br>1,5-pentanedial | 203-856-5 | 111-30-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H331<br>H301<br>H314<br>H334<br>H317<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H301<br>H314<br>H334<br>H317<br>H400 | | (*)<br>Skin Corr. 1B; H314: C ≥ 10 %<br>Skin Irrit. 2; H315: 0,5 % ≤ C < 10 %<br>Eye Dam. ; H318: 2 % ≤ C < 10 %<br>Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %<br>STOT SE; H335: C ≥ 0,5 %<br>Skin Sens. 1; H317: C ≥ 0,5 % | |
| 605-025-00-6 | chloroacetaldehyde | 203-472-8 | 107-20-0 | Carc. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H351<br>H330<br>H311<br>H301<br>H314<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H330<br>H311<br>H301<br>H314<br>H400 | | STOT SE 3; H335: C ≥ 5 % | |
| 605-026-00-1 | 2,5,7,7-tetramethyloctanal | 405-690-0 | 114119-97-0 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H317<br>H411 | GHS07 GHS09<br>Wng | H315<br>H317<br>H411 | | | |
| 605-027-00-7 | reaction mass of: 3a,4,5,6,7,7a-hexahydro-4,7-methano-1*H*-indene-6-carboxaldehyde; 3a,4,5,6,7,7a-hexahydro-4,7-methano-1*H*-indene-5-carboxaldehyde | 410-480-7 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 605-028-00-2 | β-methyl-3-(1-methylethyl)-benzenepropanal | 412-050-4 | 125109-85-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 605-029-00-8 | 2-cyclohexylpropanal | 412-270-0 | 2109-22-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 605-030-00-3 | 1-(*p*-methoxyphenyl)acetaldehyde oxime | 411-510-1 | 3353-51-3 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 605-031-00-9 | reaction mass of: 2,2-dimethoxyethanal [this component is considered to be anhydrous in terms of identity, structure and composition. However, 2,2-dimethoxyethanal will exist in a hydrated form. 60 % anhydrous is equivalent to 70.4 % hydrate;<br>water(Including free water and water in hydrated 2,2-dimethoxyethanal)] | 421-890-0 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 606-001-00-8 | acetone;<br>propan-2-one;<br>propanone | 200-662-2 | 67-64-1 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H336 | EUH066 | | |
| 606-002-00-3 | butanone;<br>ethyl methyl ketone | 201-159-0 | 78-93-3 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H336 | EUH066 | | |
| 606-003-00-9 | heptan-3-one;<br>butyl ethyl ketone | 203-388-1 | 106-35-4 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H226<br>H332<br>H319 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H319 | | | |
| 606-004-00-4 | 4-methylpentan-2-one;<br>isobutyl methyl ketone | 203-550-1 | 108-10-1 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H332<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H319<br>H335 | EUH066 | | |
| 606-005-00-X | 2,6-dimethylheptan-4-one;<br>di-isobutyl ketone | 203-620-1 | 108-83-8 | Flam. Liq. 3<br>STOT SE 3 | H226<br>H335 | GHS02<br>GHS07<br>Wng | H226<br>H335 | | STOT SE 3;<br>H335: C ≥ 10 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-006-00-5 | pentan-3-one;<br>diethyl ketone | 202-490-3 | 96-22-0 | Flam. Liq. 2<br>STOT SE 3<br>STOT SE 3 | H225<br>H335<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H335<br>H336 | EUH066 | | |
| 606-007-00-0 | 3-methylbutan-2-one;<br>methyl isopropyl ketone | 209-264-3 | 563-80-4 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 606-009-00-1 | 4-methylpent-3-en-2-one;<br>mesityl oxide | 205-502-5 | 141-79-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H312<br>H302 | | (*) | |
| 606-010-00-7 | cyclohexanone | 203-631-1 | 108-94-1 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H332 | GHS02<br>GHS07<br>Wng | H226<br>H332 | | | |
| 606-011-00-2 | 2-methylcyclohexanone | 209-513-6 | 583-60-8 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H332 | GHS02<br>GHS07<br>Wng | H226<br>H332 | | | |
| 606-012-00-8 | 3,5,5-trimethylcyclohex-2-enone;<br>isophorone | 201-126-0 | 78-59-1 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H351<br>H312<br>H302<br>H319<br>H335 | GHS08<br>GHS07<br>Wng | H351<br>H312<br>H302<br>H319<br>H335 | | STOT SE 3;<br>H335: C ≥ 10 % | |
| 606-013-00-3 | *p*-benzoquinone;<br>quinone | 203-405-2 | 106-51-4 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H331<br>H301<br>H319<br>H335<br>H315<br>H400 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H319<br>H335<br>H315<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-014-00-9 | chlorophacinone (ISO);<br>2-(2-(4-chlorophenyl)phenylacetyl)indan-1,3-dione | 223-003-0 | 3691-35-8 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H331<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H310<br>H300<br>H331<br>H372 (**)<br>H410 | | | |
| 606-016-00-X | pindone (ISO);<br>2-pivaloylindan-1,3-dione | 201-462-8 | 83-26-1 | Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H372 (**)<br>H410 | | | |
| 606-017-00-5 | diketene;<br>diketen | 211-617-1 | 674-82-8 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H332 | GHS02<br>GHS07<br>Wng | H226<br>H332 | | | D |
| 606-018-00-0 | dichlone (ISO);<br>2,3-dichloro-1,4-naphthoquinone | 204-210-5 | 117-80-6 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H315<br>H410 | | | |
| 606-019-00-6 | chlordecone (ISO);<br>perchloropentacyclo[5,3,0,$0^{2,6}$,$0^{3,9}$,$0^{4,8}$] decan-5-one;<br>decachloropentacyclo[5,2,1,$0^{2,6}$,$0^{3,9}$,$0^{5,8}$] decan-4-one | 205-601-3 | 143-50-0 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H311<br>H301<br>H410 | | | |
| 606-020-00-1 | 5-methylheptan-3-one | 208-793-7 | 541-85-5 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3 | H226<br>H319<br>H335 | GHS02<br>GHS07<br>Wng | H226<br>H319<br>H335 | | STOT SE 3;<br>H335: C ≥ 10 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-021-00-7 | N-methyl-2-pyrrolidone | 212-828-1 | 872-50-4 | Eye Irrit. 2<br>Skin Irrit. 2 | H319<br>H315 | GHS07<br>Wng | H319<br>H315 | | | |
| 606-022-00-2 | 1-phenyl-3-pyrazolidone | 202-155-1 | 92-43-3 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 606-023-00-8 | 4-methoxy-4-methylpentan-2-one | 203-512-4 | 107-70-0 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H332 | GHS02<br>GHS07<br>Wng | H226<br>H332 | | | |
| 606-024-00-3 | heptan-2-one;<br>methyl amyl ketone | 203-767-1 | 110-43-0 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H332<br>H302 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H302 | | | |
| 606-025-00-9 | cyclopentanone | 204-435-9 | 120-92-3 | Flam. Liq. 3<br>Eye Irrit. 2<br>Skin Irrit. 2 | H226<br>H319<br>H315 | GHS02<br>GHS07<br>Wng | H226<br>H319<br>H315 | | | |
| 606-026-00-4 | 5-methylhexan-2-one;<br>isoamyl methyl ketone | 203-737-8 | 110-12-3 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H332 | GHS02<br>GHS07<br>Wng | H226<br>H332 | | | |
| 606-027-00-X | heptan-4-one;<br>di-*n*-propyl ketone | 204-608-9 | 123-19-3 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H332 | GHS02<br>GHS07<br>Wng | H226<br>H332 | | | |
| 606-028-00-5 | 2,4-dimethylpentan-3-one;<br>di-isopropyl ketone | 209-294-7 | 565-80-0 | Flam. Liq. 2<br>Acute Tox. 4 (*) | H225<br>H332 | GHS02<br>GHS07<br>Dgr | H225<br>H332 | | | |
| 606-029-00-0 | pentane-2,4-dione;<br>acetylacetone | 204-634-0 | 123-54-6 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H302 | GHS02<br>GHS07<br>Wng | H226<br>H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-030-00-6 | hexan-2-one;<br>methyl butyl ketone;<br>butyl methyl ketone;<br>methyl-*n*-butyl ketone | 209-731-1 | 591-78-6 | Flam. Liq. 3<br>Repr. 2<br>STOT RE 1<br>STOT SE 3 | H226<br>H361f (***)<br>H372 (**)<br>H336 | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H361f (***)<br>H372 (**)<br>H336 | | | |
| 606-031-00-1 | 3-propanolide;<br>1,3-propiolactone | 200-340-1 | 57-57-8 | Carc. 1B<br>Acute Tox. 2 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H350<br>H330<br>H319<br>H315 | GHS06<br>GHS08<br>Dgr | H350<br>H330<br>H319<br>H315 | | | |
| 606-032-00-7 | hexachloroacetone | 204-129-5 | 116-16-5 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 606-033-00-2 | 2-(3,4-dichlorophenyl)-4-methyl-1,2,4-oxadiazolidinedione;<br>methazole | 243-761-6 | 20354-26-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H312<br>H302<br>H319<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H319<br>H315<br>H411 | | | |
| 606-034-00-8 | metribuzin (ISO);<br>4-amino-6-*tert*-butyl-3-methylthio-1,2,4-triazin-5(4*H*)-one;<br>4-amino-4,5-dihydro-6-(1,1-dimethylethyl)-3-methylthio-1,2,4-triazin-5-one | 244-209-7 | 21087-64-9 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 606-035-00-3 | chloridazon (ISO);<br>5-amino-4-chloro-2-phenylpyridazine-3-(2*H*)-one;<br>pyrazon | 216-920-2 | 1698-60-8 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-036-00-9 | quinomethionate;<br>chinomethionat (ISO);<br>6-methyl-1,3-dithiolo(4,5-*b*)quinoxalin-2-one | 219-455-3 | 2439-01-2 | Repr. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f (***)<br>H332<br>H312<br>H302<br>H373 (**)<br>H319<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361f (***)<br>H332<br>H312<br>H302<br>H373 (**)<br>H319<br>H317<br>H410 | | | |
| 606-037-00-4 | triadimefon (ISO);<br>1-(4-chlorophenoxy)-3,3-dimethyl-1-(1,2,4-triazol-1-yl)butanone | 256-103-8 | 43121-43-3 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H411 | | | |
| 606-038-00-X | diphacinone (ISO);<br>2-diphenylacetylindan-1,3-dione | 201-434-5 | 82-66-6 | Acute Tox. 2 (*)<br>STOT RE 1 | H300<br>H372 (**) | GHS06<br>GHS08<br>Dgr | H300<br>H372 (**) | | | |
| 606-039-00-5 | 5(or 6)-*tert*-butyl-2'-chloro-6'-ethylamino-3',7'-dimethylspiro(isobenzofuran-1(1*H*),9'-xanthene)-3-one | 400-680-2 | — | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H410 | | | |
| 606-040-00-0 | (*N*-benzyl-*N*-ethyl)amino-3-hydroxyacetophenone hydrochloride | 401-840-4 | 55845-90-4 | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 606-041-00-6 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | 400-600-6 | 71868-10-5 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 606-042-00-1 | acetophenone | 202-708-7 | 98-86-2 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-043-00-7 | 2,4-di-*tert*-butylcyclohexanone | 405-340-7 | 13019-04-0 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 606-044-00-2 | 2,4,6-trimethylbenzophenone | 403-150-9 | 954-16-5 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H410 | | | |
| 606-045-00-8 | oxadiazon (ISO);<br>3-[2,4-dichloro-5-(1-methylethoxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3*H*)-one | 243-215-7 | 19666-30-9 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-046-00-3 | reaction mass of *cis*- and *trans*-cyclohexadec-8-en-1-one | 401-700-2 | 3100-36-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-047-00-9 | 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone | 404-360-3 | 119313-12-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-048-00-4 | 2'-anilino-3'-methyl-6'-dipentylaminospiro(isobenzofuran-1(1*H*),9'-xanthen)-3-one | 406-480-1 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 606-049-00-X | 4-(*trans*-4-propylcyclohexyl)acetophenone | 406-700-6 | 78531-61-0 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 606-050-00-5 | 6-anilino-1-benzoyl-4-(4-*tert*-pentylphenoxy)naphto[1,2,3-de]quinoline-2,7-(3*H*)-dione | 412-480-2 | 72453-58-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-051-00-0 | 4-pentylcyclohexanone | 406-670-4 | 61203-83-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-052-00-6 | 4-(*N*,*N*-dibutylamino)-2-hydroxy-2'-carboxybenzophenone | 410-410-5 | 54574-82-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-053-00-1 | flurtamone (ISO);<br>(*RS*)-5-methylamino-2-phenyl-4-(α,α,α-trifluoro-*m*-tolyl)furan-3(2*H*)-one | — | 96525-23-4 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-054-00-7 | isoxaflutole (ISO);<br>5-cyclopropyl-1,2-oxazol-4-yl α,α,α-trifluoro-2-mesyl-*p*-tolyl ketone | — | 141112-29-0 | Repr. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H361d (***)<br>H410 | | | |
| 606-055-00-2 | 1-(2,3-dihydro-1,3,3,6-tetramethyl-1-(1-methylethyl)-1*H*-inden-5-yl)ethanone | 411-180-9 | 92836-10-7 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H302<br>H373 (**)<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H411 | | | |
| 606-056-00-8 | 4-chloro-3',4'-dimethoxybenzophenone | 404-610-1 | 116412-83-0 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-057-00-3 | 4-propylcyclohexanone | 406-810-4 | 40649-36-3 | Skin Irrit. 2<br>Aquatic Chronic 3 | H315<br>H412 | GHS07<br>Wng | H315<br>H412 | | | |
| 606-058-00-9 | 4'-fluoro-2,2-dimethoxyacetophenone | 407-500-1 | 21983-80-2 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 606-059-00-4 | 2,4-difluoro-α-(1*H*-1,2,4-triazol-1-yl)acetophenone hydrochloride | 412-390-3 | 86386-75-6 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H317 | | | |
| 606-060-00-X | reaction mass of: *trans*-2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-naphthalene-2-yl)-1,3-dioxolane;<br>*cis*-2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-naphthalene-2-yl)-1,3-dioxolane | 412-950-7 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-061-00-5 | (3-chlorophenyl)-(4-methoxy-3-nitrophenyl) methanone | 423-290-4 | 66938-41-8 | Muta. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H341<br>H410 | | | |
| 606-062-00-0 | tetrahydrothiopyran-3-carboxaldehyde | 407-330-8 | 61571-06-0 | Repr. 1B<br>Eye Dam. 1<br>Aquatic Chronic 3 | H360-D (***)<br>H318<br>H412 | GHS08<br>GHS05<br>Dgr | H360D (***)<br>H318<br>H412 | | | |
| 606-063-00-6 | (*E*)-3-(2-chlorophenyl)-2-(4-fluorophenyl) propenal | 410-980-5 | 112704-51-5 | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | |
| 606-064-00-1 | pregn-5-ene-3,20-dione bis(ethylene ketal) | 407-450-0 | 7093-55-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 606-065-00-7 | 1-(4-morpholinophenyl)butan-1-one | 413-790-0 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-066-00-2 | (*E*)-5[(4-chlorophenyl)methylene]-2,2-dimethylcyclopentanone | 410-440-9 | 164058-20-2 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-067-00-8 | reaction mass of: 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1*H*-benz(g)inden-4-yl)ethanone;<br>1-(2,3,5,6,7,8-hexahydro-1,1-dimethyl-1*H*-benz(f)inden-4-yl)ethanone;<br>1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1*H*-benz(g)inden-5-yl)ethanone;<br>1-(2,3,6,7,8,9-hexahydro-3,3-dimethyl-1*H*-benz(g)inden-5-yl)ethanone | 414-870-8 | 96792-67-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-068-00-3 | 2,7,11-trimethyl-13-(2,6,6-trimethylcyclohex-1-en-1-yl)tridecahexaen-2,4,6,8,10,12-al | 415-770-7 | 1638-05-7 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H373 (**)<br>H317<br>H412 | GHS08<br>GHS07<br>Wng | H373 (**)<br>H317<br>H412 | | | |
| 606-069-00-9 | spiro[1,3-dioxolane-2,5'-(4',4',8',8'-tetramethyl-hexahydro-3',9'-methanonaphthalene)] | 415-460-1 | 154171-76-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-070-00-4 | butroxydim (ISO);<br>5-(3-butyryl-2,4,6-trimethylphenyl)-2-[1-(ethoxyimino)propyl]-3-hydroxycyclohex-2-en-1-one | 414-790-3 | 138164-12-2 | Repr. 2<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f-d<br>H302<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361fd<br>H302<br>H315<br>H410 | | | |
| 606-071-00-X | 17-spiro(5,5-dimethyl-1,3-dioxan-2-yl)androsta-1,4-diene-3-one | 421-050-3 | 13258-43-0 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-072-00-5 | 3-acetyl-1-phenyl-pyrrolidine-2,4-dione | 421-600-2 | 719-86-8 | STOT RE 2 (*)<br>Aquatic Chronic 2 | H373 (**)<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H411 | | | |
| 606-073-00-0 | 4,4'-bis(dimethylamino)benzophenone;<br>Michler's ketone | 202-027-5 | 90-94-8 | Carc. 1B<br>Muta. 2<br>Eye Dam. 1 | H350<br>H341<br>H318 | GHS08<br>GHS05<br>Dgr | H350<br>H341<br>H318 | | | |
| 606-075-00-1 | 1-benzyl-5-ethoxyimidazolidine-2,4-dione | 417-340-4 | 65855-02-9 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 606-076-00-7 | 1-((2-quinolinyl-carbonyl)oxy)-2,5-pyrrolidinedione | 418-630-3 | 136465-99-1 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 606-077-00-2 | (3*S*,4*S*)-3-hexyl-4-[(*R*)-2-hydroxytridecyl]-2-oxetanone | 418-650-2 | 104872-06-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-078-00-8 | 1-octylazepin-2-one | 420-040-6 | 59227-88-2 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-079-00-3 | 2-*n*-butyl-benzo[*d*]isothiazol-3-one | 420-590-7 | 4299-07-4 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410 | | | |
| 606-080-00-9 | Reaction product of: 3-hydroxy-5,7-di-*tert*-butylbenzofuran-2-one with o-xylene | 417-100-9 | — | Aquatic Chronic 4 | H413 | | H413 | | | |
| 606-081-00-4 | (3β, 5α, 6β)-3-(acetyloxy)-5-bromo-6-hydroxy-androstan-17-one | 419-790-7 | 4229-69-0 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 606-082-00-X | reaction mass of: butan-2-one oxime; syn-*O*,*O*'-di(butan-2-one oxime)diethoxysilane | 406-930-7 | | STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H372 (**)<br>H317<br>H412 | GHS08<br>GHS07<br>Dgr | H372 (**)<br>H317<br>H412 | | | |
| 606-083-00-5 | 2-chloro-5-*sec*-hexadecylhydroquinone | 407-750-1 | 137193-60-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H315<br>H317<br>H412 | GHS07<br>Wng | H319<br>H315<br>H317<br>H412 | | | |
| 606-084-00-0 | 1-(4-methoxy-5-benzofuranyl)-3-phenyl-1,3-propanedione | 414-540-3 | 484-33-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-085-00-6 | (1*R*,4*S*)-2-azabicyclo[2.2.1]hept-5-en-3-one | 418-530-1 | 79200-56-9 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H317 | | | |
| 606-086-00-1 | 1-(3,3-dimethylcyclohexyl)pent-4-en-1-one | 422-330-8 | 56973-87-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-087-00-7 | 6-ethyl-5-fluoro-4(3*H*)-pyrimidone | 422-460-5 | 137234-87-8 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 606-088-00-2 | 2,4,4,7-tetramethyl-6-octen-3-one | 422-520-0 | 74338-72-0 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 606-089-00-8 | reaction mass of: 1,4-diamino-2-chloro-3-phenoxyanthraquinone;<br>1,4-diamino-2,3-bis-phenoxyanthraquinone | 423-220-2 | 12223-77-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 606-091-00-9 | 6-chloro-5-(2-chloroethyl)-1,3-dihydroindol-2-one | 421-320-0 | 118289-55-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 606-092-00-4 | reaction mass of: (*E*)-oxacyclohexadec-12-en-2-one;<br>(*E*)-oxacyclohexadec-13-en-2-one;<br>a) (*Z*)-oxacyclohexadec-(12)-en-2-one and b) (*Z*)-oxacyclohexadec-(13)-en-2-one | 422-320-3 | | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-001-00-0 | formic acid ... % | 200-579-1 | 64-18-6 | Skin Corr. 1A | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 90 %<br>Skin Corr. 1B; H314: 10 % ≤ C < 90 %<br>Skin Irrit. 2; H315: 2 % ≤ C < 10 %<br>Eye Irrit. 2; H319: 2 % ≤ C < 10 % | B |
| 607-002-00-6 | acetic acid ... % | 200-580-7 | 64-19-7 | Flam. Liq. 3<br>Skin Corr. 1A | H226<br>H314 | GHS02<br>GHS05<br>Dgr | H226<br>H314 | | Skin Corr. 1A; H314: C ≥ 90 %<br>Skin Corr. 1B; H314: 25 % ≤ C < 90 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-003-00-1 | chloroacetic acid | 201-178-4 | 79-11-8 | Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H301<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H314<br>H400 | | | |
| 607-004-00-7 | TCA (ISO);<br>trichloroacetic acid | 200-927-2 | 76-03-9 | Skin Corr. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H314<br>H410 | | STOT SE 3;<br>H335: C ≥ 1 % | |
| 607-005-00-2 | TCA-sodium (ISO);<br>sodium trichloroacetate | 211-479-2 | 650-51-1 | STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H335<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H335<br>H410 | | | |
| 607-006-00-8 | oxalic acid | 205-634-3 | 144-62-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | * | |
| 607-007-00-3 | salts of oxalic acid | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | * | A |
| 607-008-00-9 | acetic anhydride | 203-564-8 | 108-24-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H226<br>H332<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H302<br>H314 | | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 5 % ≤ C < 25 %<br>Eye Dam. 1;<br>H318: 5 % ≤ C < 25 %<br>Eye Irrit. 2; H319:<br>1 % ≤ C < 5 %<br>STOT SE 3;<br>H335: C ≥ 5 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-009-00-4 | phthalic anhydride | 201-607-5 | 85-44-9 | Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H302<br>H335<br>H315<br>H318<br>H334<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H335<br>H315<br>H318<br>H334<br>H317 | | | |
| 607-010-00-X | propionic anhydride | 204-638-2 | 123-62-6 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 % | |
| 607-011-00-5 | acetyl chloride | 200-865-6 | 75-36-5 | Flam. Liq. 2<br>Skin Corr. 1B | H225<br>H314 | GHS02<br>GHS05<br>Dgr | H225<br>H314 | EUH014 | | |
| 607-012-00-0 | benzoyl chloride | 202-710-8 | 98-88-4 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 607-013-00-6 | dimethyl carbonate | 210-478-4 | 616-38-6 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 607-014-00-1 | methyl formate | 203-481-7 | 107-31-3 | Flam. Liq. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H224<br>H332<br>H302<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H224<br>H332<br>H302<br>H319<br>H335 | | | |
| 607-015-00-7 | ethyl formate | 203-721-0 | 109-94-4 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H332<br>H302<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H302<br>H319<br>H335 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-016-00-2 | propyl formate; [1]<br>isopropyl formate [2] | 203-798-0 [1]<br>210-901-2 [2] | 110-74-7 [1]<br>625-55-8 [2] | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>STOT SE 3 | H225<br>H319<br>H335<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335<br>H336 | | | C |
| 607-017-00-8 | butyl formate; [1]<br>*tert*-butyl formate; [2]<br>isobutyl formate [3] | 209-772-5 [1]<br>212-105-0 [2]<br>208-818-1 [3] | 592-84-7 [1]<br>762-75-4 [2]<br>542-55-2 [3] | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335 | | | C |
| 607-018-00-3 | isopentyl formate; [1]<br>2-methylbutyl formate [2] | 203-769-2 [1]<br>252-343-2 [2] | 110-45-2 [1]<br>35073-27-9 [2] | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335 | | | C |
| 607-019-00-9 | methyl chloroformate | 201-187-3 | 79-22-1 | Flam. Liq. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H225<br>H330<br>H312<br>H302<br>H314 | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H330<br>H312<br>H302<br>H314 | | | |
| 607-020-00-4 | ethyl chloroformate | 208-778-5 | 541-41-3 | Flam. Liq. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H225<br>H330<br>H302<br>H314 | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H330<br>H302<br>H314 | | | |
| 607-021-00-X | methyl acetate | 201-185-2 | 79-20-9 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H336 | EUH066 | | |
| 607-022-00-5 | ethyl acetate | 205-500-4 | 141-78-6 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H336 | EUH066 | | |
| 607-023-00-0 | vinyl acetate | 203-545-4 | 108-05-4 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-024-00-6 | propyl acetate; [1]<br>isopropyl acetate [2] | 203-686-1 [1]<br>203-561-1 [2] | 109-60-4 [1]<br>108-21-4 [2] | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3 | H225<br>H319<br>H336 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H336 | EUH066 | | C |
| 607-025-00-1 | *n*-butyl acetate | 204-658-1 | 123-86-4 | Flam. Liq. 3<br>STOT SE 3 | H226<br>H336 | GHS02<br>GHS07<br>Wng | H226<br>H336 | EUH066 | | |
| 607-026-00-7 | *sec*-butyl acetate; [1]<br>isobutyl acetate; [2]<br>*tert*-butyl acetate [3] | 203-300-1 [1]<br>203-745-1 [2]<br>208-760-7 [3] | 105-46-4 [1]<br>110-19-0 [2]<br>540-88-5 [3] | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | EUH066 | | C |
| 607-027-00-2 | methyl propionate | 209-060-4 | 554-12-1 | Flam. Liq. 2<br>Acute Tox. 4 (*) | H225<br>H332 | GHS02<br>GHS07<br>Dgr | H225<br>H332 | | | |
| 607-028-00-8 | ethyl propionate | 203-291-4 | 105-37-3 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 607-029-00-3 | *n*-butyl propionate; [1]<br>*sec*-butyl propionate; [2]<br>iso-butyl propionate [3] | 209-669-5 [1]<br>- [2]<br>208-746-0 [3] | 590-01-2 [1]<br>591-34-4 [2]<br>540-42-1 [3] | Flam. Liq. 3 | H226 | GHS02<br>Wng | H226 | | | C |
| 607-030-00-9 | propyl propionate | 203-389-7 | 106-36-5 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H332 | GHS02<br>GHS07<br>Wng | H226<br>H332 | | | |
| 607-031-00-4 | butyl butyrate | 203-656-8 | 109-21-7 | Flam. Liq. 3 | H226 | GHS02<br>Wng | H226 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-032-00-X | ethyl acrylate | 205-438-8 | 140-88-5 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 | | Skin Irrit. 2; H315: C ≥ 5 %<br>Eye Irrit. 2; H319: C ≥ 5 %<br>STOT SE 3; H335: C ≥ 5 % | D |
| 607-033-00-5 | *n*-butyl methacrylate | 202-615-1 | 97-88-1 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H226<br>H319<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Wng | H226<br>H319<br>H335<br>H315<br>H317 | | | D |
| 607-034-00-0 | methyl acrylate;<br>methyl propenoate | 202-500-6 | 96-33-3 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 | | | D |
| 607-035-00-6 | methyl methacrylate;<br>methyl 2-methylprop-2-enoate;<br>methyl 2-methylpropenoate | 201-297-1 | 80-62-6 | Flam. Liq. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H225<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Dgr | H225<br>H335<br>H315<br>H317 | | | D |
| 607-036-00-1 | 2-methoxyethyl acetate;<br>methylglycol acetate | 203-772-9 | 110-49-6 | Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H360-FD<br>H332<br>H312<br>H302 | GHS08<br>GHS07<br>Dgr | H360FD<br>H332<br>H312<br>H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-037-00-7 | 2-ethoxyethyl acetate;<br>ethylglycol acetate | 203-839-2 | 111-15-9 | Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H360-FD<br>H332<br>H312<br>H302 | GHS08<br>GHS07<br>Dgr | H360FD<br>H332<br>H312<br>H302 | | | |
| 607-038-00-2 | 2-butoxyethyl acetate;<br>butylglycol acetate | 203-933-3 | 112-07-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312 | GHS07<br>Wng | H332<br>H312 | | | |
| 607-039-00-8 | 2,4-D (ISO);<br>2,4-dichlorophenoxyacetic acid | 202-361-1 | 94-75-7 | Acute Tox. 4 (*)<br>STOT SE 3<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H335<br>H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H335<br>H318<br>H317<br>H412 | | | |
| 607-040-00-3 | salts of 2,4-D | — | — | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 | | | A |
| 607-041-00-9 | 2,4,5-T (ISO);<br>2,4,5-trichlorophenoxy acetic acid | 202-273-3 | 93-76-5 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H335<br>H315<br>H410 | | | |
| 607-042-00-4 | salts and esters of 2,4,5-T;<br>salts and esters of 2,4,5-trichlorophenoxy acetic acid | — | — | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H335<br>H315<br>H410 | | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-043-00-X | dicamba (ISO);<br>2,5-dichloro-6-methoxybenzoic acid;<br>3,6-dichloro-2-methoxybenzoic acid | 217-635-6 | 1918-00-9 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H412 | | | |
| 607-044-00-5 | 3,6-dichloro-*o*-anisic acid, compound with dimethylamine (1:1); [1]<br>potassium 3,6-dichloro-*o*-anisate [2] | 218-951-7 [1]<br>233-002-7 [2] | 2300-66-5 [1]<br>10007-85-9 [2] | Eye Irrit. 2<br>Aquatic Chronic 3 | H319<br>H412 | GHS07<br>Wng | H319<br>H412 | | | |
| 607-045-00-0 | dichlorprop (ISO);<br>2-(2,4-dichlorophenoxy) propionic acid | 204-390-5 | 120-36-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H312<br>H302<br>H315<br>H318 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H315<br>H318 | | | |
| 607-046-00-6 | salts of dichlorprop | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | A |
| 607-047-00-1 | fenoprop (ISO);<br>2-(2,4,5-trichlorophenoxy)propionic acid | 202-271-2 | 93-72-1 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H315<br>H410 | | | |
| 607-048-00-7 | salts of fenoprop;<br>salts of 2-(2,4,5-trichlorophenoxy)propionic acid | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | | A |
| 607-049-00-2 | mecoprop (ISO);<br>2-(4-chloro-*o*-tolyloxy) propionic acid;<br>(*RS*)-2-(4-chloro-*o*-tolyloxy)propionic acid; [1]<br>2-(4-chloro-2-methylphenoxy)propionic acid [2] | 230-386-8 [1]<br>202-264-4 [2] | 7085-19-0 [1]<br>708519-0 [2] | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H410 | | M=100 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-050-00-8 | salts of mecoprop | — | — | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H410 | | | A |
| 607-051-00-3 | MCPA (ISO);<br>4-chloro-*o*-tolyloxyacetic acid | 202-360-6 | 94-74-6 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H302<br>H315<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318 | | | |
| 607-052-00-9 | salts and esters of MCPA | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | A |
| 607-053-00-4 | MCPB (ISO);<br>4-(4-chloro-*o*-tolyloxy) butyric acid | 202-365-3 | 94-81-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-054-00-X | salts and esters of MCPB | — | — | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | A |
| 607-055-00-5 | endothal-sodium (ISO);<br>disodium 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylate | 204-959-8 | 129-67-9 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H301<br>H312<br>H319<br>H335<br>H315 | GHS06<br>Dgr | H301<br>H312<br>H319<br>H335<br>H315 | | | |
| 607-056-00-0 | warfarin (ISO); [1]<br>(*S*)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone; [2]<br>(*R*)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone [3] | 201-377-6 [1]<br>226-907-3 [2]<br>226-908-9 [3] | 81-81-2 [1]<br>5543-57-7 [2]<br>5543-58-8 [3] | Repr. 1A<br>STOT RE 1<br>Aquatic Chronic 3 | H360-D (***)<br>H372 (**)<br>H412 | GHS08<br>Dgr | H360D (***)<br>H372 (**)<br>H412 | | | |
| 607-057-00-6 | coumachlor (ISO);<br>3-[1-(4-chlorophenyl)-3-oxobutyl]-4-hydroxycoumarin | 201-378-1 | 81-82-3 | STOT RE 2 (*)<br>Aquatic Chronic 3 | H373 (**)<br>H412 | GHS08<br>Wng | H373 (**)<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-058-00-1 | coumafuryl (ISO);<br>fumarin;<br>(*RS*)-3-(1-(2-furyl)-3-oxobutyl)4-hydroxycoumarin;<br>4-hydroxy-3-[3-oxo-1-(2-furyl) butyl]coumarin | 204-195-5 | 117-52-2 | Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Chronic 3 | H301<br>H372 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H301<br>H372 (**)<br>H412 | | | |
| 607-059-00-7 | coumatetralyl;<br>4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin | 227-424-0 | 5836-29-3 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 1<br>Aquatic Chronic 3 | H310<br>H300<br>H372 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H310<br>H300<br>H372 (**)<br>H412 | | | |
| 607-060-00-2 | dicoumarol;<br>4,4'-dihydroxy-3,3'-methylenebis(2*H*-chromen-2-one) | 200-632-9 | 66-76-2 | STOT RE 1<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H372 (**)<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H372 (**)<br>H302<br>H411 | | | |
| 607-061-00-8 | acrylic acid;<br>prop-2-enoic acid | 201-177-9 | 79-10-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H226<br>H332<br>H312<br>H302<br>H314<br>H400 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314<br>H400 | | STOT SE 3;<br>H335: C ≥ 1 % | D |
| 607-062-00-3 | *n*-butyl acrylate | 205-480-7 | 141-32-2 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H226<br>H319<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Wng | H226<br>H319<br>H335<br>H315<br>H317 | | | D |
| 607-063-00-9 | isobutyric acid | 201-195-7 | 79-31-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 607-064-00-4 | benzyl chloroformate | 207-925-0 | 501-53-1 | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H314<br>H410 | | STOT SE 3;<br>H335: C ≥ 5 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-065-00-X | bromoacetic acid | 201-175-8 | 79-08-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H314<br>H400 | | | |
| 607-066-00-5 | dichloroacetic acid | 201-207-0 | 79-43-6 | Skin Corr. 1A<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | | | |
| 607-067-00-0 | dichloroacetyl chloride | 201-199-9 | 79-36-7 | Skin Corr. 1A<br>Aquatic Acute 1 | H314<br>H400 | GHS05<br>GHS09<br>Dgr | H314<br>H400 | | | |
| 607-068-00-6 | iodoacetic acid | 200-590-1 | 64-69-7 | Acute Tox. 3 (*)<br>Skin Corr. 1A | H301<br>H314 | GHS06<br>GHS05<br>Dgr | H301<br>H314 | | | |
| 607-069-00-1 | ethyl bromoacetate | 203-290-9 | 105-36-2 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*) | H330<br>H310<br>H300 | GHS06<br>Dgr | H330<br>H310<br>H300 | | | |
| 607-070-00-7 | ethyl chloroacetate | 203-294-0 | 105-39-5 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H400 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H400 | | | |
| 607-071-00-2 | ethyl methacrylate | 202-597-5 | 97-63-2 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H225<br>H319<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Dgr | H225<br>H319<br>H335<br>H315<br>H317 | | | D |
| 607-072-00-8 | 2-hydroxyethyl acrylate | 212-454-9 | 818-61-1 | Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1 | H311<br>H314<br>H317<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H311<br>H314<br>H317<br>H400 | | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2 % | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-073-00-3 | 4-CPA (ISO);<br>4-chlorophenoxyacetic acid | 204-581-3 | 122-88-3 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-074-00-9 | chlorfenac(ISO);<br>2,3,6-trichlorophenylacetic acid | 201-599-3 | 85-34-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 607-075-00-4 | chlorfenprop-methyl;<br>methyl 2-chloro-3-(4-chlorophenyl)propionate | 238-413-5 | 14437-17-3 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 607-076-00-X | dodine(ISO);<br>dodecylguanidinium acetate | 219-459-5 | 2439-10-3 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H315<br>H410 | | | |
| 607-077-00-5 | erbon (ISO);<br>2-(2,4,5-trichlorophenoxy)ethyl 2,2-dichloropropionate | — | 136-25-4 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 607-078-00-0 | fluenetil (ISO);<br>2-fluoroethyl biphenyl-4-ylacetate | — | 4301-50-2 | Acute Tox. 1<br>Acute Tox. 2 (*) | H310<br>H300 | GHS06<br>Dgr | H310<br>H300 | | | |
| 607-079-00-6 | kelevan (ISO);<br>ethyl 5-(perchloro-5-hydroxypentacyclo [5,3,0,$0^{2,6}$,$0^{3,9}$,$0^{4,8}$]decan-5-yl)-4-oxopentanoate;<br>ethyl 5-(1,2,3,5,6,7,8,9,10,10-decachloro-4-hydroxypentacyclo(5,2,1,$0^{2,6}$,$0^{3,9}$,$0^{5,8}$)dec-4-yl)-4-oxovalerate | — | 4234-79-1 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H311<br>H302<br>H411 | GHS06<br>GHS09<br>Dgr | H311<br>H302<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-080-00-1 | chloroacetyl chloride | 201-171-6 | 79-04-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Skin Corr. 1A<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H372 (**)<br>H314<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H372 (**)<br>H314<br>H400 | EUH014<br>EUH029 | | |
| 607-081-00-7 | fluoroacetic acid | 205-631-7 | 144-49-0 | Acute Tox. 2 (*)<br>Aquatic Acute 1 | H300<br>H400 | GHS06<br>GHS09<br>Dgr | H300<br>H400 | | | |
| 607-082-00-2 | fluoroacetates, soluble | — | — | Acute Tox. 2 (*)<br>Aquatic Acute 1 | H300<br>H400 | GHS06<br>GHS09<br>Dgr | H300<br>H400 | | | A |
| 607-083-00-8 | 2,4-DB (ISO);<br>4-(2,4-dichlorophenoxy)butyric acid | 202-366-9 | 94-82-6 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 607-084-00-3 | salts of 2,4-DB | — | — | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | A |
| 607-085-00-9 | benzyl benzoate | 204-402-9 | 120-51-4 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-086-00-4 | diallyl phthalate | 205-016-3 | 131-17-9 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 607-088-00-5 | methacrylic acid;<br>2-methylpropenoic acid | 201-204-4 | 79-41-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 1 % | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-089-00-0 | propionic acid ... % | 201-176-3 | 79-09-4 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H319: 10 % ≤ C < 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 %<br>STOT SE 3; H335: C ≥ 10 % | B |
| 607-090-00-6 | thioglycolic acid | 200-677-4 | 68-11-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H331<br>H311<br>H301<br>H314 | GHS06<br>GHS05<br>Dgr | H331<br>H311<br>H301<br>H314 | | * | |
| 607-091-00-1 | trifluoroacetic acid . . . % | 200-929-3 | 76-05-1 | Acute Tox. 4 (*) | H332 | GHS05 | H332 | | * | B |
| | | | | Skin Corr. 1A<br>Aquatic Chronic 3 | H314<br>H412 | GHS07<br>Dgr | H314<br>H412 | | | |
| 607-092-00-7 | methyl lactate; [1]<br>methyl (±)-lactate; [2]<br>methyl (*R*)-lactate; [3]<br>methyl (*S*)-(-)-lactate [4] | 208-930-0 [1]<br>218-449-8 [2]<br>241-420-6 [3]<br>248-704-9 [4] | 547-64-8 [1]<br>2155-30-8 [2]<br>17392-83-5 [3]<br>27871-49-4 [4] | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3 | H226<br>H319<br>H335 | GHS02<br>GHS07<br>Wng | H226<br>H319<br>H335 | | | C |
| 607-093-00-2 | propionyl chloride | 201-170-0 | 79-03-8 | Flam. Liq. 2<br>Skin Corr. 1B | H225<br>H314 | GHS02<br>GHS05<br>Dgr | H225<br>H314 | EUH014 | | B D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-094-00-8 | peracetic acid . . . % | 201-186-8 | 79-21-0 | Flam. Liq. 3<br>Org. Perox. D (****)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H226<br>H242<br>H332<br>H312<br>H302<br>H314<br>H400 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H242<br>H332<br>H312<br>H302<br>H314<br>H400 | | *<br>STOT SE 3; H335: C ≥ 1 % | B D |
| 607-095-00-3 | maleic acid | 203-742-5 | 110-16-7 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H302<br>H319<br>H335<br>H315 | GHS07<br>Wng | H302<br>H319<br>H335<br>H315 | | | |
| 607-096-00-9 | maleic anhydride | 203-571-6 | 108-31-6 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1 | H302<br>H314<br>H334<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H334<br>H317 | | | |
| 607-097-00-4 | benzene-1,2,4-tricarboxylic acid 1,2-anhydride;<br>trimellitic anhydride | 209-008-0 | 552-30-7 | STOT SE 3<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H335<br>H318<br>H334<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H335<br>H318<br>H334<br>H317 | | | |
| 607-098-00-X | benzene-1,2:4,5-tetracarboxylic dianhydride;<br>benzene-1,2:4,5-tetracarboxylic dianhydride;<br>pyromellitic dianhydride | 201-898-9 | 89-32-7 | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H318<br>H334<br>H317 | GHS08<br>GHS05<br>Dgr | H318<br>H334<br>H317 | | | |
| 607-099-00-5 | 1,2,3,6-tetrahydrophthalic anhydride; [1]<br>*cis*-1,2,3,6-tetrahydrophthalic anhydride; [2]<br>3,4,5,6-tetrahydrophthalic anhydride; [3]<br>tetrahydrophthalic anhydride [4] | 201-605-4 [1]<br>213-308-7 [2]<br>219-374-3 [3]<br>247-570-9 [4] | 85-43-8 [1]<br>935-79-5 [2]<br>2426-02-0 [3]<br>26266-63-7 [4] | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H334<br>H317<br>H412 | GHS08<br>GHS05<br>Dgr | H318<br>H334<br>H317<br>H412 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-100-00-9 | benzophenone-3,3',4,4'-tetracarboxylic dianhydride;<br>4,4'-carbonyldi(phthalic anhydride) | 219-348-1 | 2421-28-5 | Eye Irrit. 2<br>STOT SE 3 | H319<br>H335 | GHS07<br>Wng | H319<br>H335 | | Eye Irrit. 2; H319: C ≥ 1 %<br>STOT SE 3; H335: C ≥ 1 % | |
| 607-101-00-4 | 1,4,5,6,7,7-hexachlorobicyclo [2,2,1]hept-5-ene-2,3-dicarboxylic anhydride chlorendic anhydride | 204-077-3 | 115-27-5 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | Skin Irrit. 2; H315: C ≥ 1 %<br>Eye Irrit. 2; H319: C ≥ 1 %<br>STOT SE 3; H335: C ≥ 1 % | |
| 607-102-00-X | cyclohexane-1,2-dicarboxylic anhydride; [1]<br>*cis*-cyclohexane-1,2-dicarboxylic anhydride; [2]<br>*trans*-cyclohexane-1,2-dicarboxylic anhydride [3] | 201-604-9 [1]<br>236-086-3 [2]<br>238-009-9 [3] | 85-42-7 [1]<br>13149-00-3 [2]<br>14166-21-3 [3] | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H318<br>H334<br>H317 | GHS08<br>GHS05<br>Dgr | H318<br>H334<br>H317 | | | C |
| 607-103-00-5 | succinic anhydride | 203-570-0 | 108-30-5 | Eye Irrit. 2<br>STOT SE 3 | H319<br>H335 | GHS07<br>Wng | H319<br>H335 | | Eye Irrit. 2; H319: C ≥ 1 %<br>STOT SE 3; H335: C ≥ 1 % | |
| 607-104-00-0 | cyclopentane-1,2,3,4-tetracarboxylic dianhydride | 227-964-7 | 6053-68-5 | Eye Irrit. 2<br>STOT SE 3 | H319<br>H335 | GHS07<br>Wng | H319<br>H335 | | Eye Irrit. 2; H319: C ≥ 1 %<br>STOT SE 3; H335: C ≥ 1 % | |
| 607-105-00-6 | 8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride; [1]<br>1,2,3,6-tetrahydro-3,6-methanophthalic anhydride; [2]<br>(1α,2α,3β,6β)-1,2,3,6-tetrahydro-3,6-methanophthalic anhydride [3] | 204-957-7 [1]<br>212-557-9 [2]<br>220-384-5 [3] | 129-64-6 [1]<br>826-62-0 [2]<br>2746-19-2 [3] | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H318<br>H334<br>H317 | GHS08<br>GHS05<br>Dgr | H318<br>H334<br>H317 | | | C |
| 607-106-00-1 | 8,9-dinorborn-5-ene-2,3-dicarboxylic anhydride | — | 123748-85-6 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H302<br>H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H302<br>H319<br>H335<br>H315<br>H334 | | STOT SE 3; H335: C ≥ 10 % | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-107-00-7 | 2-ethylhexyl acrylate | 203-080-7 | 103-11-7 | STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H335<br>H315<br>H317 | GHS07<br>Wng | H335<br>H315<br>H317 | | | D |
| 607-108-00-2 | 2-hydroxy-1-methylethylacrylate; [1]<br>2-hydroxypropylacrylate; [2]<br>acrylic acid, monoester with propane-1,2-diol [3] | 220-852-9 [1]<br>213-663-8 [2]<br>247-118-0 [3] | 2918-23-2 [1]<br>999-61-1 [2]<br>25584-83-2 [3] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H331<br>H311<br>H301<br>H314<br>H317 | GHS06<br>GHS05<br>Dgr | H331<br>H311<br>H301<br>H314<br>H317 | | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2 % | C D |
| 607-109-00-8 | hexamethylene diacrylate;<br>hexane-1,6-diol diacrylate | 235-921-9 | 13048-33-4 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | D |
| 607-110-00-3 | pentaerythritol triacrylate | 222-540-8 | 3524-68-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | D |
| 607-111-00-9 | 2,2-bis(acryloyloxymethyl)butyl acrylate;<br>trimethylolpropane triacrylate | 239-701-3 | 15625-89-5 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | D |
| 607-112-00-4 | 2,2-dimethyltrimethylene diacrylate;<br>neopentyl glycol diacrylate | 218-741-5 | 2223-82-7 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H311<br>H319<br>H315<br>H317 | GHS06<br>Dgr | H311<br>H319<br>H315<br>H317 | | * | D |
| 607-113-00-X | isobutyl methacrylate | 202-613-0 | 97-86-9 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H226<br>H319<br>H335<br>H315<br>H317<br>H400 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H319<br>H335<br>H315<br>H317<br>H400 | | | D |
| 607-114-00-5 | ethylene dimethacrylate | 202-617-2 | 97-90-5 | STOT SE 3<br>Skin Sens. 1 | H335<br>H317 | GHS07<br>Wng | H335<br>H317 | | STOT SE 3;<br>H335: C ≥ 10 % | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-115-00-0 | isobutyl acrylate | 203-417-8 | 106-63-8 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Skin Sens. 1 | H226<br>H332<br>H312<br>H315<br>H317 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H312<br>H315<br>H317 | | | D |
| 607-116-00-6 | cyclohexyl acrylate | 221-319-3 | 3066-71-5 | STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H335<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H335<br>H315<br>H411 | | STOT SE 3;<br>H335: C ≥ 10 % | D |
| 607-117-00-1 | 2,3-epoxypropyl acrylate;<br>glycidyl acrylate | 203-440-3 | 106-90-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H331<br>H311<br>H301<br>H314<br>H317 | GHS06<br>GHS05<br>Dgr | H331<br>H311<br>H301<br>H314<br>H317 | | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2 % | D |
| 607-118-00-7 | 1-methyltrimethylene diacrylate;<br>1,3-butylene glycol diacrylate | 243-105-9 | 19485-03-1 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H312<br>H314<br>H317 | GHS05<br>GHS07<br>Dgr | H312<br>H314<br>H317 | | | D |
| 607-119-00-2 | tetramethylene diacrylate;<br>1,4-butyleneglycol diacrylate | 213-979-6 | 1070-70-8 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H312<br>H314<br>H317 | GHS05<br>GHS07<br>Dgr | H312<br>H314<br>H317 | | | D |
| 607-120-00-8 | 2,2'-oxydiethyl diacrylate;<br>diethylene glycol diacrylate | 223-791-6 | 4074-88-8 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H311<br>H319<br>H315<br>H317 | GHS06<br>Dgr | H311<br>H319<br>H315<br>H317 | | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2 % | D |
| 607-121-00-3 | 8,9,10-trinorborn-2-yl acrylate | — | 10027-06-2 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Skin Sens. 1 | H312<br>H315<br>H317 | GHS07<br>Wng | H312<br>H315<br>H317 | | | D |
| 607-122-00-9 | pentaerythritol tetraacrylate | 225-644-1 | 4986-89-4 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-123-00-4 | 2,3-epoxypropyl methacrylate;<br>glycidyl methacrylate | 203-441-9 | 106-91-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H332<br>H312<br>H302<br>H319<br>H315<br>H317 | GHS07<br>Wng | H332<br>H312<br>H302<br>H319<br>H315<br>H317 | | | D |
| 607-124-00-X | 2-hydroxyethyl methacrylate | 212-782-2 | 868-77-9 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | D |
| 607-125-00-5 | 2-hydroxypropyl methacrylate; [1]<br>3-hydroxypropyl methacrylate [2] | 213-090-3 [1]<br>220-426-2 [2] | 923-26-2 [1]<br>2761-09-3 [2] | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | C D |
| 607-126-00-0 | 2,2'-(ethylenedioxy)diethyl diacrylate;<br>triethylene glycol diacrylate | 216-853-9 | 1680-21-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | D |
| 607-127-00-6 | 2-diethylaminoethyl methacrylate | 203-275-7 | 105-16-8 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H332<br>H319<br>H315<br>H317 | GHS07<br>Wng | H332<br>H319<br>H315<br>H317 | | | D |
| 607-128-00-1 | 2-*tert*-butylaminoethyl methacrylate | 223-228-4 | 3775-90-4 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | D |
| 607-129-00-7 | ethyl lactate;<br>ethyl DL-lactate; [1]<br>ethyl (*S*)-2-hydroxypropionate;<br>ethyl L-lactate;<br>ethyl-(*S*)-lactate [2] | 202-598-0 [1]<br>211-694-1 [2] | 97-64-3 [1]<br>687-47-8 [2] | Flam. Liq. 3<br>STOT SE 3<br>Eye Dam. 1 | H226<br>H335<br>H318 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H335<br>H318 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-130-00-2 | pentyl acetate; [1]<br>isopentyl acetate; [2]<br>1-methylbutyl acetate; [3]<br>2-methylbutyl acetat; [4]<br>2(or 3)-methylbutyl acetate [5] | 211-047-3 [1]<br>204-662-3 [2]<br>210-946-8 [3]<br>210-843-8 [4]<br>282-263-3 [5] | 628-63-7 [1]<br>123-92-2 [2]<br>626-38-0 [3]<br>624-41-9 [4]<br>84145-37-9 [5] | Flam. Liq. 3 | H226 | GHS02<br>Wng | H226 | EUH066 | | C |
| 607-131-00-8 | isopentyl propionate; [1]<br>pentyl propionate; [2]<br>2-methylbutyl propionate [3] | 203-322-1 [1]<br>210-852-7 [2]<br>219-449-0 [3] | 105-68-0 [1]<br>624-54-4 [2]<br>2438-20-2 [3] | Flam. Liq. 3 | H226 | GHS02<br>Wng | H226 | | | C |
| 607-132-00-3 | 2-dimethylaminoethyl methacrylate | 220-688-8 | 2867-47-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H312<br>H302<br>H319<br>H315<br>H317 | GHS07<br>Wng | H312<br>H302<br>H319<br>H315<br>H317 | | | D |
| 607-133-00-9 | monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H319<br>H335<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H411 | | STOT SE 3;<br>H335: C ≥ 10 % | A |
| 607-134-00-4 | monoalkyl or monoaryl or monoalkyaryl esters of methacrylic acid with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | STOT SE 3;<br>H335: C ≥ 10 % | A |
| 607-135-00-X | butyric acid | 203-532-3 | 107-92-6 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-136-00-5 | butyryl chloride | 205-498-5 | 141-75-3 | Flam. Liq. 2<br>Skin Corr. 1B | H225<br>H314 | GHS02<br>GHS05<br>Dgr | H225<br>H314 | | | |
| 607-137-00-0 | methyl acetoacetate | 203-299-8 | 105-45-3 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 607-138-00-6 | butyl chloroformate;<br>chloroformic acid butyl ester | 209-750-5 | 592-34-7 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H226<br>H331<br>H314 | GHS02<br>GHS06<br>GHS05<br>Dgr | H226<br>H331<br>H314 | | | |
| 607-139-00-1 | 2-chloropropionic acid | 209-952-3 | 598-78-7 | Acute Tox. 4 (*)<br>Skin Corr. 1A | H302<br>H314 | GHS05<br>GHS07<br>Dgr | H302<br>H314 | | | |
| 607-140-00-7 | isobutyryl chloride | 201-194-1 | 79-30-1 | Flam. Liq. 2<br>Skin Corr. 1A | H225<br>H314 | GHS02<br>GHS05<br>Dgr | H225<br>H314 | | | |
| 607-141-00-2 | oxydiethylene bis(chloroformate) | 203-430-9 | 106-75-2 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H315<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H411 | | | |
| 607-142-00-8 | propyl chloroformate;<br>chloroformic acid propylester;<br>*n*-propyl chloroformate | 203-687-7 | 109-61-5 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H225<br>H331<br>H314 | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H331<br>H314 | | | |
| 607-143-00-3 | valeric acid | 203-677-2 | 109-52-4 | Skin Corr. 1B<br>Aquatic Chronic 3 | H314<br>H412 | GHS05<br>Dgr | H314<br>H412 | | | |
| 607-144-00-9 | adipic acid | 204-673-3 | 124-04-9 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-145-00-4 | methanesulphonic acid | 200-898-6 | 75-75-2 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 607-146-00-X | fumaric acid | 203-743-0 | 110-17-8 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 607-147-00-5 | oxalic acid diethylester;<br>diethyl oxalate | 202-464-1 | 95-92-1 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |
| 607-148-00-0 | guanidinium chloride;<br>guanadine hydrochloride | 200-002-3 | 50-01-1 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2 | H302<br>H319<br>H315 | GHS07<br>Wng | H302<br>H319<br>H315 | | | |
| 607-149-00-6 | urethane (INN);<br>ethyl carbamate | 200-123-1 | 51-79-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | |
| 607-150-00-1 | endothal (ISO);<br>7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid | 205-660-5 | 145-73-3 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H301<br>H312<br>H319<br>H335<br>H315 | GHS06<br>Dgr | H301<br>H312<br>H319<br>H335<br>H315 | | | |
| 607-151-00-7 | propargite (ISO);<br>2-(4-*tert*-butylphenoxy) cyclohexyl prop-2-ynyl sulphite | 219-006-1 | 2312-35-8 | Carc. 2<br>Acute Tox. 3 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H331<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H331<br>H315<br>H318<br>H410 | | M=10 | |
| 607-152-00-2 | 2,3,6-TBA (ISO);<br>2,3,6-trichlorobenzoic acid | 200-026-4 | 50-31-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 607-153-00-8 | benazolin (ISO);<br>4-chloro-2,3-dihydro-2-oxo-1,3-benzothiazol-3-ylacetic acid | 223-297-0 | 3813-05-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H319<br>H315<br>H412 | GHS07<br>Wng | H319<br>H315<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-154-00-3 | ethyl *N*-benzoyl-N-(3,4-dichlorophenyl)-DL-alaninate;<br>benzoylprop-ethyl (ISO) | 244-845-5 | 22212-55-1 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 607-155-00-9 | 3-(3-amino-5-(1-methylguanidino)-1-oxopentylamino-6-(4-amino-2-oxo-2,3-dihydro-pyrimidin-1-yl)-2,3-dihydro-(6*H*)-pyran-2-carboxylic acid;<br>blasticidin-s | — | 2079-00-7 | Acute Tox. 2 (*) | H300 | GHS06<br>Dgr | H300 | | | |
| 607-156-00-4 | chlorfenson (ISO);<br>4-chlorophenyl 4-chlorobenzenesulfonate | 201-270-4 | 80-33-1 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H315<br>H410 | | | |
| 607-157-00-X | 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin;<br>difenacoum | 259-978-4 | 56073-07-5 | Acute Tox. 2 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H300<br>H372 (**)<br>H410 | | | |
| 607-158-00-5 | sodium salt of chloroacetic acid;<br>sodium chloroacetate | 223-498-3 | 3926-62-3 | Acute Tox. 3 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1 | H301<br>H315<br>H400 | GHS06<br>GHS09<br>Dgr | H301<br>H315<br>H400 | | | |
| 607-159-00-0 | chlorobenzilate (ISO);<br>ethyl 2,2-di(4-chlorophenyl)-2-hydroxyacetate;<br>ethyl 4,4'-dichlorobenzilate | 208-110-2 | 510-15-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 607-160-00-6 | isobutyl 2-(4-(4-chlorophenoxy)phenoxy) propionate;<br>clofop-isobutyl (ISO) | — | 51337-71-4 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-161-00-1 | diethanolamine salt of 4-CPA | — | — | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-162-00-7 | 2,2-dichloropropionic acid;<br>dalapon | 200-923-0 | 75-99-0 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H315<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318<br>H412 | | | |
| 607-163-00-2 | 3-acetyl-6-methyl-2*H*-pyran-2,4(3*H*)-dione;<br>dehydracetic acid | 208-293-9 | 520-45-6 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-164-00-8 | sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2*H*-pyran-3-ylidene)ethonolate;<br>sodium dehydracetate | 224-580-1 | 4418-26-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-165-00-3 | diclofop-methyl (ISO)<br>methyl 2-(4-(2,4-dichlorophenoxy)phenoxy) propionate;<br>methyl (*RS*)-2-[4-(2,4-dichlorophenoxy)phenoxy]propionate; | 257-141-8 | 51338-27-3 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 607-166-00-9 | medinoterb acetate (ISO);<br>6-*tert*-butyl-3-methyl-2,4-dinitrophenyl acetate | 219-634-6 | 2487-01-6 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*) | H301<br>H312 | GHS06<br>Dgr | H301<br>H312 | | | |
| 607-167-00-4 | sodium 3-chloroacrylate | — | 4312-97-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 607-168-00-X | dipropyl 6,7-methylenedioxy-1,2,3,4-tetrahydro-3-methylnaphthalene-1,2-dicarboxylate;<br>propylisome | — | 83-59-0 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H302<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H311<br>H302<br>H410 | | | |
| 607-169-00-5 | sodium fluoroacetate | 200-548-2 | 62-74-8 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1 | H330<br>H310<br>H300<br>H400 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-170-00-0 | bis(1,2,3-trithiacyclohexyldimethylammonium) oxalate;<br>thiocyclam-oxalate | 250-859-2 | 31895-22-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 607-172-00-1 | 4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin;<br>brodifacoum | 259-980-5 | 56073-10-0 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H310<br>H300<br>H372 (**)<br>H410 | | | |
| 607-173-00-7 | dimethyl (3-methyl-4-(5-nitro-3-ethoxycarbonyl-2-thienyl)azo)phenylnitrilodipropionate | 400-460-6 | — | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 607-174-00-2 | reaction mass of dodecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,11,2)henicosan-20-yl)propionate and tetradecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,11,2)henicosan-20-yl)propionate | 400-580-9 | — | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 607-175-00-8 | methyl 2-(2-nitrobenzylidene)acetoacetate | 400-650-9 | 39562-27-1 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-176-00-3 | reaction mass of α-3-(3-(2*H*-benzotriazol-2-yl)-5-*tert*-butyl-4-hydroxyphenyl)propionyl-ω-hydroxypoly(oxyethylene) and α-3-(3-(2*H*-benzotriazol-2-yl)-5-*tert*-butyl-4-hydroxyphenyl)propionyl-ω-3-(3-(2*H*-benzotriazol-2-yl)-5-*tert*-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) | 400-830-7 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-177-00-9 | methyl 2-(3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)3-methylureidosulphonyl)benzoate | 401-190-1 | 101200-48-0 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-178-00-4 | methyl α-((4,6-dimethoxypyrimidin-2-yl) ureidosulphonyl)-*o*-toluate | 401-340-6 | 83055-99-6 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-179-00-X | (benzothiazol-2-ylthio)succinic acid | 401-450-4 | 95154-01-1 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-180-00-5 | potassium 2-hydroxycarbazole-1-carboxylate | 401-630-2 | 96566-70-0 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 3 | H302<br>H319<br>H335<br>H412 | GHS07<br>Wng | H302<br>H319<br>H335<br>H412 | | | |
| 607-181-00-0 | 3,5-dichloro-2,4-difluorobenzoyl fluoride | 401-800-6 | 101513-70-6 | Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H331<br>H314<br>H302<br>H317<br>H412 | GHS06<br>GHS05<br>Dgr | H331<br>H314<br>H302<br>H317<br>H412 | EUH029 | | |
| 607-182-00-6 | methyl 3-sulphamoyl-2-thenoate | 402-050-2 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-183-00-1 | zinc 2-hydroxy-5-$C_{13-18}$alkylbenzoate | 402-280-3 | — | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H319<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H411 | | | |
| 607-184-00-7 | *S*-(3-trimethoxysilyl)propyl 19-isocyanato-11-(6-isocyanatohexyl)-10,12-dioxo-2,9,11,13-tetraazanonadecanethioate | 402-290-8 | 85702-90-5 | Flam. Liq. 3<br>Resp. Sens. 1<br>Skin Sens. 1 | H226<br>H334<br>H317 | GHS02<br>GHS08<br>Dgr | H226<br>H334<br>H317 | | | |
| 607-185-00-2 | ethyl *trans*-3-dimethylaminoacrylate | 402-650-4 | 1117-37-9 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-186-00-8 | quinclorac (ISO);<br>3,7-dichloroquinoline-8-carboxylic acid | 402-780-1 | 84087-01-4 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-187-00-3 | bis(2,2,6,6-tetramethyl-4-piperidyl) succinate | 402-940-0 | 62782-03-0 | Eye Irrit. 2<br>Aquatic Chronic 3 | H319<br>H412 | GHS07<br>Wng | H319<br>H412 | | | |
| 607-188-00-9 | hydrogen sodium *N*-carboxylatoethyl-*N*-octadec-9-enylmaleamate | 402-970-4 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-189-00-4 | trimethylenediaminetetraacetic acid | 400-400-9 | 1939-36-2 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410 | | | |
| 607-190-00-X | methyl acrylamidomethoxyacetate (containing ≥ 0,1 % acrylamid) | 401-890-7 | 77402-03-0 | Carc. 1B<br>Muta. 1B<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H350<br>H340<br>H302<br>H319 | GHS08<br>GHS07<br>Dgr | H350<br>H340<br>H302<br>H319 | | | |
| 607-191-00-5 | isobutyl 3,4-epoxybutyrate | 401-920-9 | 100181-71-3 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 607-192-00-0 | disodium *N*-carboxymethyl-*N*-(2-(2-hydroxyethoxy)ethyl)glycinate | 402-360-8 | 92511-22-3 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-194-00-1 | propylene carbonate | 203-572-1 | 108-32-7 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 607-195-00-7 | 2-methoxy-1-methylethyl acetate | 203-603-9 | 108-65-6 | Flam. Liq. 3<br>Eye Irrit. 2 | H226<br>H319 | GHS02<br>GHS07<br>Wng | H226<br>H319 | | | |
| 607-196-00-2 | heptanoic acid | 203-838-7 | 111-14-8 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-197-00-8 | nonanoic acid | 203-931-2 | 112-05-0 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 607-198-00-3 | propyl 3,4,5-trihydroxybenzoate | 204-498-2 | 121-79-9 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |
| 607-199-00-9 | octyl 3,4,5-trihydroxybenzoate | 213-853-0 | 1034-01-1 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |
| 607-200-00-2 | dodecyl 3,4,5-trihydroxybenzoate | 214-620-6 | 1166-52-5 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-201-00-8 | thiocarbonyl chloride | 207-341-6 | 463-71-8 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H331<br>H302<br>H319<br>H335<br>H315 | GHS06<br>Dgr | H331<br>H302<br>H319<br>H335<br>H315 | | | |
| 607-203-00-9 | 2-ethylhexyl[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]thio]acetate | 279-452-8 | 80387-97-9 | Repr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H360-D (***)<br>H317<br>H412 | GHS08<br>GHS07<br>Dgr | H360D (***)<br>H317<br>H412 | | | |
| 607-204-00-4 | (chlorophenyl)(chlorotolyl)methane, mixed isomers | 400-140-6 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-205-00-X | methyl chloroacetate | 202-501-1 | 96-34-4 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H226<br>H331<br>H301<br>H335<br>H315<br>H318 | GHS02<br>GHS06<br>GHS05<br>Dgr | H226<br>H331<br>H301<br>H335<br>H315<br>H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-206-00-5 | isopropyl chloroacetate | 203-301-7 | 105-48-6 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H226<br>H301<br>H319<br>H335<br>H315 | GHS02<br>GHS06<br>Dgr | H226<br>H301<br>H319<br>H335<br>H315 | | | |
| 607-207-00-0 | haloxyfop-etotyl (ISO);<br>2-ethoxyethyl 2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate;<br>haloxyfop-(2-ethoxyethyl) | 402-560-5 | 87237-48-7 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 607-208-00-6 | 4,8,12-trimethyltrideca-3,7,11-trienoic acid, mixed isomers | 403-000-2 | 91853-67-7 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H410 | | | |
| 607-209-00-1 | reaction mass of *O*,*O*'-diisopropyl (pentathio)dithioformate and *O*,*O*'-diisopropyl (trithio)dithioformate and *O*,*O*'-diisopropyl (tetrathio)dithioformate | 403-030-6 | — | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 607-210-00-7 | methyl acrylamidoglycolate (containing ≥ 0,1 % acrylamide) | 403-230-3 | 77402-05-2 | Carc. 1B<br>Muta. 1B<br>Skin Corr. 1B<br>Skin Sens. 1 | H350<br>H340<br>H314<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H350<br>H340<br>H314<br>H317 | | | |
| 607-211-00-2 | methyl 3-(3-*tert*-butyl-4-hydroxy-5-methylphenyl)propionate | 403-270-1 | 6386-39-6 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 607-212-00-8 | poly(oxypropylenecarbonyl-co-oxy(ethylethylene)carbonyl), containing 27 % hydroxyvalerate | 403-300-3 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-213-00-3 | ethyl 3,3-bis(*tert*-pentylperoxy)butyrate | 403-320-2 | 67567-23-1 | Org. Perox. D (****)<br>Flam. Liq. 3<br>Aquatic Chronic 2 | H242<br>H226<br>H411 | GHS02<br>GHS09<br>Dgr | H242<br>H226<br>H411 | | | |
| 607-214-00-9 | *N*,*N*-hydrazinodiacetic acid | 403-510-5 | 19247-05-3 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H301<br>H373 (**)<br>H317<br>H412 | GHS06<br>GHS08<br>Dgr | H301<br>H373 (**)<br>H317<br>H412 | | | |
| 607-215-00-4 | 3-(3-*tert*-butyl-4-hydroxyphenyl)propionic acid | 403-920-4 | 107551-67-7 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |
| 607-216-00-X | glutamic acid, reaction products with *N*-($C_{12-14}$alkyl)propylenediamine | 403-950-8 | — | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H302<br>H314<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H302<br>H314<br>H410 | | | |
| 607-217-00-5 | 2-ethoxyethyl 2-(4-(2,6-dihydro-2,6-dioxo-7-phenyl-1,5-dioxaindacen-3-yl)phenoxy) acetate | 403-960-2 | — | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 607-218-00-0 | dichlorprop-P (ISO);<br>(+)-*R*-2-(2,4-dichlorophenoxy)propionic acid | 403-980-1 | 15165-67-0 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318<br>H317 | | | |
| 607-219-00-6 | bis(2-ethylhexyl) dithiodiacetate | 404-510-8 | 62268-47-7 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H411 | | | |
| 607-221-00-7 | 6-docosyloxy-1-hydroxy-4-(1-(4-hydroxy-3-methylphenanthren-1-yl)-3-oxo-2-oxaphenalen-1-yl)naphthalene-2-carboxylic acid | 404-550-6 | — | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-222-00-2 | 6-(2,3-dimethylmaleimido)hexyl methacrylate | 404-870-6 | 63740-41-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-223-00-8 | transfluthrin (ISO);<br>2,3,5,6-tetrafluorobenzyl *trans*-2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate | 405-060-5 | 118712-89-3 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H410 | | | |
| 607-224-00-3 | methyl 2-(3-nitrobenzylidene)acetoacetate | 405-270-7 | 39562-17-9 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 607-225-00-9 | 3-azidosulfonylbenzoic acid | 405-310-3 | 15980-11-7 | Self-React. C (****)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H241<br>H373 (**)<br>H318<br>H317 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H241<br>H373 (**)<br>H318<br>H317 | | | |
| 607-226-00-4 | reaction mass of 2-acryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate and 2-methacryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate | 405-360-6 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H315<br>H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H315<br>H318<br>H317<br>H412 | | | |
| 607-227-00-X | potassium 2-amino-2-methylpropionate octahydrate | 405-560-3 | 120447-91-8 | Acute Tox. 4 (*)<br>Skin Corr. 1A | H302<br>H314 | GHS05<br>GHS07<br>Dgr | H302<br>H314 | | | |
| 607-228-00-5 | bis(2-methoxyethyl) phthalate | 204-212-6 | 117-82-8 | Repr. 1B | H360-Df | GHS08<br>Dgr | H360Df | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-229-00-0 | diethylcarbamoyl chloride | 201-798-5 | 88-10-8 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H351<br>H332<br>H302<br>H319<br>H335<br>H315 | GHS08<br>GHS07<br>Wng | H351<br>H332<br>H302<br>H319<br>H335<br>H315 | | | |
| 607-230-00-6 | 2-ethylhexanoic acid | 205-743-6 | 149-57-5 | Repr. 2 | H361d (***) | GHS08<br>Wng | H361d (***) | | | |
| 607-231-00-1 | 3,6-dichloropyridine-2-carboxylic acid; clopyralid | 216-935-4 | 1702-17-6 | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 607-232-00-7 | pyridate (ISO);<br>*O*-(6-chloro-3-phenylpyridazin-4-yl) *S*-octyl thiocarbonate | 259-686-7 | 55512-33-9 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 607-233-00-2 | hexyl acrylate | 219-698-5 | 2499-95-8 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H319<br>H335<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H317<br>H411 | | | |
| 607-234-00-8 | flurenol (ISO);<br>9-hydroxy-9*H*-fluorene-9-carboxylic acid | 207-397-1 | 467-69-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-235-00-3 | mecrilate;<br>methyl 2-cyanoacrylate | 205-275-2 | 137-05-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | STOT SE 3;<br>H335: C ≥ 10 % | |
| 607-236-00-9 | ethyl 2-cyanoacrylate | 230-391-5 | 7085-85-0 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | STOT SE 3;<br>H335: C ≥ 10 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-237-00-4 | benzyl 2-chloro-4-(trifluoromethyl)thiazole-5-carboxylate;<br>flurazole | 276-942-3 | 72850-64-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-238-00-X | tau-fluvalinate (ISO);<br>cyano-(3-phenoxyphenyl)methyl *N*-[2-chloro-4-(trifluoromethyl)phenyl]-D-valinate | — | 102851-06-9 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H315<br>H410 | | | |
| 607-239-00-5 | fenpropathrin (ISO);<br>α-cyano-3-phenoxybenzyl 2,2,3,3-tetramethylcyclopropanecarboxylate | 254-485-0 | 39515-41-8 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H301<br>H312<br>H410 | | | |
| 607-240-00-0 | *cis*-1,2,3,6-tetrahydro-4-methylphthalic anhydride; [1]<br>1,2,3,6-tetrahydro-4-methylphthalic anhydride; [2]<br>1,2,3,6-tetrahydro-3-methylphthalic anhydride; [3]<br>tetrahydromethylphthalic anhydride; [4]<br>1,2,3,6-tetrahydromethylphthalic anhydride; [5]<br>tetrahydro-4-methylphthalic anhydride; [6]<br>2,3,5,6-tetrahydro-2-methylphthalic anhydride [7] | 216-906-6 [1]<br>222-323-8 [2]<br>226-247-6 [3]<br>234-290-7 [4]<br>247-830-1 [5]<br>251-823-9 [6]<br>255-853-3 [7] | 1694-82-2 [1]<br>3425-89-6 [2]<br>5333-84-6 [3]<br>11070-44-3 [4]<br>26590-20-5 [5]<br>34090-76-1 [6]<br>42498-58-8 [7] | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H318<br>H334<br>H317 | GHS08<br>GHS05<br>Dgr | H318<br>H334<br>H317 | | | C |
| 607-241-00-6 | hexahydro-4-methylphthalic anhydride; [1]<br>hexahydromethylphthalic anhydride; [2]<br>hexahydro-1-methylphthalic anhydride; [3]<br>hexahydro-3-methylphthalic anhydride [4] | 243-072-0 [1]<br>247-094-1 [2]<br>256-356-4 [3]<br>260-566-1 [4] | 19438-60-9 [1]<br>25550-51-0 [2]<br>48122-14-1 [3]<br>57110-29-9 [4] | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H318<br>H334<br>H317 | GHS08<br>GHS05<br>Dgr | H318<br>H334<br>H317 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-242-00-1 | tetrachlorophthalic anhydride | 204-171-4 | 117-08-8 | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS09<br>Dgr | H318<br>H334<br>H317<br>H410 | | | |
| 607-243-00-7 | sodium 3,6-dichloro-o-anisate; [1]<br>3,6-dichloro-o-anisic acid, compound with 2,2'-iminodiethanol (1:1); [2]<br>3,6-dichloro-o-anisic acid, compound with 2-aminoethanol (1:1) [3] | 217-846-3 [1]<br>246-590-5 [2]<br>258-527-9 [3] | 1982-69-0 [1]<br>25059-78-3 [2]<br>53404-28-7 [3] | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-244-00-2 | isooctyl acrylate | 249-707-8 | 29590-42-9 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H410 | | STOT SE 3;<br>H335: C ≥ 10 % | |
| 607-245-00-8 | *tert*-butyl acrylate | 216-768-7 | 1663-39-4 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H225<br>H332<br>H312<br>H302<br>H335<br>H315<br>H317<br>H412 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H335<br>H315<br>H317<br>H412 | | | D |
| 607-246-00-3 | allyl methacrylate;<br>2-methyl-2-propenoic acid 2-propenyl ester | 202-473-0 | 96-05-9 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1 | H226<br>H331<br>H312<br>H302<br>H400 | GHS02<br>GHS06<br>GHS09<br>Dgr | H226<br>H331<br>H312<br>H302<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-247-00-9 | dodecyl methacrylate | 205-570-6 | 142-90-5 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H410 | | STOT SE 3;<br>H335: C ≥ 10 % | |
| 607-248-00-4 | naptalam-sodium (ISO);<br>sodium *N*-naphth-1-ylphthalamate | 205-073-4 | 132-67-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-249-00-X | (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate | 256-032-2 | 42978-66-5 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H319<br>H335<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H317<br>H411 | | STOT SE 3;<br>H335: C ≥ 10 % | |
| 607-250-00-5 | 4*H*-3,1-benzoxazine-2,4(1*H*)-dione | 204-255-0 | 118-48-9 | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | |
| 607-251-00-0 | 2-methoxypropyl acetate | 274-724-2 | 70657-70-4 | Flam. Liq. 3<br>Repr. 1B<br>STOT SE 3 | H226<br>H360-D (***)<br>H335 | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H360D (***)<br>H335 | | | |
| 607-252-00-6 | lambda-cyhalothrin (ISO);<br>reaction mass of (*S*)-α-cyano-3-phenoxybenzyl(*Z*)-(1*R*)-*cis*-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate and (*R*)-α-cyano-3-phenoxybenzyl (*Z*)-(1*S*)-*cis*-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate (1:1) | 415-130-7 | 91465-08-6 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H301<br>H312<br>H410 | | | |
| 607-253-00-1 | α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate;<br>cyfluthrin | 269-855-7 | 68359-37-5 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H331<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H300<br>H331<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-254-00-7 | α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate;<br>beta-cyfluthrin | 269-855-7 | 68359-37-5 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H410 | | | |
| 607-255-00-2 | fluroxypyr (ISO);<br>4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid | — | 69377-81-7 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-256-00-8 | azoxystrobin (ISO);<br>methyl (*E*)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate | — | 131860-33-8 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H410 | | | |
| 607-257-00-3 | isopropyl propionate | 211-300-8 | 637-78-5 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | |
| 607-258-00-9 | dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioxoimidazolidin-1-yl)-3-(4-methoxybenzoyl)acetamido)-4-chlorobenzoate | 403-990-6 | 70950-45-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-259-00-4 | methyl 2*R*,3*S*-(-)-3-(4-methoxyphenyl)oxiranecarboxylate | 404-130-2 | 105560-93-8 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |
| 607-260-00-X | ethyl 2-(3-nitrobenzylidene)acetoacetate | 404-490-0 | 39562-16-8 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |
| 607-261-00-5 | iso($C_{10}$-$C_{14}$)alkyl (3,5-di-*tert*-butyl-4-hydroxyphenyl)methylthioacetate | 404-800-4 | 118832-72-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-262-00-0 | 7-chloro-1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid | 405-050-0 | 86393-33-1 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-263-00-6 | potassium iron(III) 1,3-propanediamine-*N*,*N*,*N*',*N*'-tetraacetate hemihydrate | 405-680-6 | — | Self-heat. 2 (****)<br>Aquatic Chronic 2 | H252<br>H411 | GHS02<br>GHS09<br>Wng | H252<br>H411 | | | |
| 607-264-00-1 | 2-chloro-4-(methylsulfonyl)benzoic acid | 406-520-8 | 53250-83-2 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-265-00-7 | ethyl-2-chloro-2,2-diphenylacetate | 406-580-5 | 52460-86-3 | Skin Irrit. 2<br>Aquatic Chronic 3 | H315<br>H412 | GHS07<br>Wng | H315<br>H412 | | | |
| 607-266-00-2 | reaction mass of: hydroxyaluminium bis[2-hydroxy-3,5-di-*tert*-butylbenzoate];<br>3,5-di-*tert*-butyl-salicylic acid | 406-890-0 | 130296-87-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 607-267-00-8 | *tert*-butyl (5*S*,6*R*,7*R*)-3-bromomethyl-5,8-dioxo-7-(2-(2-phenylacetamido)-5-thia-1-azabicyclo[4.2.0] oct-2-ene-2-carboxylate | 407-620-4 | 33610-13-8 | Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H334<br>H317<br>H412 | GHS08<br>Dgr | H334<br>H317<br>H412 | | | |
| 607-268-00-3 | 2-methylpropyl (*R*)-2-hydroxypropanoate | 407-770-0 | 61597-96-4 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 607-269-00-9 | (*R*)-2-(4-hydroxyphenoxy)propanoic acid | 407-960-3 | 94050-90-5 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-270-00-4 | 3,9-bis(2-(3-(3-*tert*-butyl-4-hydroxy-5-methylphenyl)propionyloxy-1,1-dimethylethyl)-2,4,8,10- tetraoxaspiro[5.5]undecane | 410-730-5 | 90498-90-1 | Acute Tox. 4 (*) | H312 | GHS07<br>Wng | H312 | | | |
| 607-271-00-X | 2-isopropyl-5-methylcyclohexyloxycarbonyloxy-2-hydroxypropane | 417-420-9 | 156324-82-2 | Eye Irrit. 2<br>Aquatic Chronic 2 | H319<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-272-00-5 | fluroxypyr-meptyl (ISO);<br>methylheptyl, *O*-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate; [1]<br>fluroxypyr-butometyl (ISO);<br>2-butoxy-1-methylethyl, *O*-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate [2] | 279-752-9 [1]<br>- [2] | 81406-37-3 [1]<br>154486-27-8 [2] | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-273-00-0 | ammonium 7-(2,6-dimethyl-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8a-hexahydro-1-naphthyl)-3,5-dihydroxyheptanoate | 404-520-2 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-274-00-6 | 2-(*N*-benzyl-*N*-methylamino)ethyl 3-amino-2-butenoate | 405-350-1 | 54527-73-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-275-00-1 | sodium benzoyloxybenzene-4-sulfonate | 405-450-5 | 66531-87-1 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-276-00-7 | bis[(1-methylimidazol)-(2-ethyl-hexanoate)], zinc complex | 405-635-0 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H315<br>H318<br>H410 | | | |
| 607-277-00-2 | reaction mass of: 2-(hexylthio)ethylamine hydrochloride;<br>sodium propionate | 405-720-2 | — | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 | | | |
| 607-278-00-8 | reaction mass of isomers of: sodium phenethylnaphthalenesulfonate;<br>sodium naphthylethylbenzenesulfonate | 405-760-0 | — | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |
| 607-279-00-3 | reaction mass of *n*-octadecylaminodiethyl bis(hydrogen maleate);<br>*n*-octadecylaminodiethyl hydrogen maleate hydrogenphthalate | 405-960-8 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-280-00-9 | sodium 4-chloro-1-hydroxybutane-1-sulfonate | 406-190-5 | 54322-20-2 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1 | H302<br>H319<br>H317 | GHS07<br>Wng | H302<br>H319<br>H317 | | | |
| 607-281-00-4 | reaction mass of branched and linear $C_7$-$C_9$ alkyl 3-[3-(2*H*-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]propionates | 407-000-3 | 127519-17-9 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-282-00-X | 2-acetoxymethyl-4-benzyloxybut-1-yl acetate | 407-140-5 | 131266-10-9 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-283-00-5 | *E*-ethyl-4-oxo-4-phenylcrotonate | 408-040-4 | 15121-89-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H315<br>H318<br>H317<br>H410 | | | |
| 607-284-00-0 | reaction mass of: sodium 3,3'-(1,4-phenylenebis(carbonylimino-3,1-propanediylimino))bis(10-amino-6,13-dichloro-4,11-triphenodioxazinedisulfonate);<br>lithium 3,3'-(1,4-phenylenebis-(carbonylimino-3,1-propanediyl-imino))bis(10-amino-6,13-dichloro)-4,11-triphenodioxazinedisulfonate (9:1) | 410-040-4 | 136213-76-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-285-00-6 | reaction mass of: 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonic acid;<br>sodium 7-(((3-aminophenyl)sulfonyl) amino)-naphthalene-1,3-disulfonate;<br>potassium 7-(((3-aminophenyl)sulfonyl) amino)-naphthalene-1,3-disulfonate | 410-065-0 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | | | | |
| 607-286-00-1 | reaction mass of: sodium/potassium 7-[[[3-[[4-((2-hydroxy-naphthyl)azo)phenyl]azo] phenyl]sulfonyl]amino]-naphthalene-1,3-disulfonate | 410-070-8 | 141880-36-6 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-287-00-7 | *O*'-methyl *O*-(1-methyl-2-methacryloyloxyethyl)-1,2,3,6-tetrahydrophthalate | 410-140-8 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-288-00-2 | tetrasodium (*c*-(3-(1-(3-(*e*-6-dichloro-5-cyanopyrimidin-*f*-yl(methyl)amino)propyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)-4-sulfonatophenylsulfamoyl)phthalocyanine-*a*,*b*,*d*-trisulfonato(6-))nickelato II, where *a* is 1 or 2 or 3 or 4,*b* is 8 or 9 or 10 or 11,*c* is 15 or 16 or 17 or 18, *d* is 22 or 23 or 24 or 25 and where *e* and *f* together are 2 and 4 or 4 and 2 respectively | 410-160-7 | 148732-74-5 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H317<br>H412 | GHS07<br>Wng | H319<br>H317<br>H412 | | | |
| 607-289-00-8 | 3-(3-(4-(2,4-bis(1,1-dimethylpropyl)phenoxy)butylaminocarbonyl-4-hydroxy-1-naphthalenyl)thio)propanoic acid | 410-370-9 | 105488-33-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-290-00-3 | reaction mass (ratio not known) of: ammonium 1-$C_{14}$-$C_{18}$-alkyloxycarbonyl-2-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate;<br>ammonium 2-$C_{14}$-$C_{18}$-alkyloxycarbonyl-1-(3-allyloxy-2-hydroxypropoxycarbonyl) ethane-1-sulfonate | 410-540-2 | — | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 607-291-00-9 | dodecyl-ω-($C_5$/$C_6$-cycloalkyl)alkyl carboxylate | 410-630-1 | 104051-92-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-292-00-4 | reaction mass of: [1-(methoxymethyl)-2-($C_{12}$-alkoxy)-ethoxy]acetic acid;<br>[1-(methoxymethyl)-2-($C_{14}$-alkoxy)-ethoxy] acetic acid | 410-640-6 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H315<br>H318<br>H410 | | | |
| 607-293-00-X | reaction mass of: *N*-aminoethylpiperazonium mono-2,4,6-trimethylnonyldiphenyl ether di-sulfonate;<br>*N*-aminoethylpiperazonium di-2,4,6-trimethylnonyldiphenyl ether di-sulfonate | 410-650-0 | — | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |
| 607-294-00-5 | sodium 2-benzoyloxy-1-hydroxyethane-sulfonate | 410-680-4 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-295-00-0 | reaction mass of: tetrasodium phosphonoethane-1,2-dicarboxylate; hexasodium phosphonobutane-1,2,3,4-tetracarboxylate | 410-800-5 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-296-00-6 | reaction mass of: pentaerythriol tetraesters with heptanoic acid and 2-ethylhexanoic acid | 410-830-9 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-297-00-1 | (*E-E* )-3,3'-(1,4-phenylenedimethylidene)bis (2-oxobornane-10-sulfonic acid) | 410-960-6 | 92761-26-7 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-298-00-7 | 2-(trimethylammonium)ethoxycarboxybenzene-4-sulfonate | 411-010-3 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-299-00-2 | methyl 3-(acetylthio)-2-methyl-propanoate | 411-040-7 | 97101-46-7 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 607-300-00-6 | trisodium [2-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-5-(*b*-sulfamoyl-*c*,*d*-sulfonatophthalocyanin-*a*-yl-K4,N29,N30,N31, N32-sulfonylamino)benzoato(5-)]cuprate(II) where *a*=1,2,3,4 *b*=8,9,10,11 *c*=15,16,17,18 *d*=22,23,24,25 | 411-430-7 | — | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 607-301-00-1 | reaction mass of: dodecanoic acid; poly(1-7)lactate esters of dodecanoic acid | 411-860-5 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-302-00-7 | reaction mass of: tetradecanoic acid; poly(1-7)lactate esters of tetradecanoic acid | 411-910-6 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-303-00-2 | 1-cyclopropyl-6,7-difluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid | 413-760-7 | 93107-30-3 | Repr. 2<br>Aquatic Chronic 3 | H361f (***)<br>H412 | GHS08<br>Wng | H361f (***)<br>H412 | | | |
| 607-304-00-8 | fluazifop-butyl (ISO);<br>butyl (*RS*)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate | 274-125-6 | 69806-50-4 | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-D (***)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360D (***)<br>H410 | | | |
| 607-305-00-3 | fluazifop-P-butyl (ISO);<br>butyl (*R*)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate | — | 79241-46-6 | Repr. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H361d (***)<br>H410 | | | |
| 607-306-00-9 | chlozolinate (ISO);<br>ethyl (*RS*)-3-(3,5-dichlorophenyl)-5-methyl-2,4-dioxo-oxazolidine-5-carboxylate | 282-714-4 | 84332-86-5 | Carc. 2<br>Aquatic Chronic 2 | H351<br>H411 | GHS08<br>GHS09<br>Wng | H351<br>H411 | | | |
| 607-307-00-4 | vinclozolin (ISO);<br>*N*-3,5-dichlorophenyl-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione | 256-599-6 | 50471-44-8 | Carc. 2<br>Repr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H351<br>H360-FD<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360FD<br>H317<br>H411 | | | |
| 607-308-00-X | esters of 2,4-D | — | — | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | A |
| 607-309-00-5 | carfentrazone-ethyl (ISO);<br>ethyl (*RS*)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]propionate | — | 128639-02-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-310-00-0 | kresoxim-methyl (ISO);<br>methyl (*E*)-2-methoxyimino-[2-(*o*-tolyloxymethyl)phenyl]acetate | — | 143390-89-0 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |
| 607-311-00-6 | benazolin-ethyl;<br>ethyl 4-chloro-2-oxo-2*H*-benzothiazole-3-acetate | 246-591-0 | 25059-80-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-312-00-1 | methoxyacetic acid | 210-894-6 | 625-45-6 | Repr. 1B<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H360-FD<br>H302<br>H314 | GHS08<br>GHS05<br>GHS07<br>Dgr | H360FD<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 607-313-00-7 | neodecanoyl chloride | 254-875-0 | 40292-82-8 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H330<br>H302<br>H314 | GHS06<br>GHS06<br>Dgr | H330<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 607-314-00-2 | ethofumesate (ISO);<br>(±)-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-5-yl methanesulfonate | 247-525-3 | 26225-79-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-315-00-8 | glyphosate (ISO);<br>*N*-(phosphonomethyl)glycine | 213-997-4 | 1071-83-6 | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 607-316-00-3 | glyphosate-trimesium;<br>glyphosate-trimethylsulfonium | — | 81591-81-3 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07 GHS09<br>Wng | H302<br>H411 | | | |
| 607-317-00-9 | bis(2-ethylhexyl) phthalate;<br>di-(2-ethylhexyl) phthalate;<br>DEHP | 204-211-0 | 117-81-7 | Repr. 1B | H360-FD | GHS08<br>Dgr | H360FD | | | |
| 607-318-00-4 | dibutyl phthalate;<br>DBP | 201-557-4 | 84-74-2 | Repr. 1B<br>Aquatic Acute 1 | H360-Df<br>H400 | GHS08<br>GHS09<br>Dgr | H360Df<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-319-00-X | deltamethrin (ISO);<br>(*S*)-α-cyano-3-phenoxybenzyl (1*R*, 3*R*)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate | 258-256-6 | 52918-63-5 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H410 | | | |
| 607-320-00-5 | bis[4-(ethenyloxy)butyl] 1,3-benzenedicarboxylate | 413-930-0 | 130066-57-8 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 607-321-00-0 | (*S*)-methyl-2-chloropropionate | 412-470-8 | 73246-45-4 | Flam. Liq. 3<br>STOT RE 2 (*)<br>Eye Irrit. 2 | H226<br>H373 (**)<br>H319 | GHS02<br>GHS08<br>Wng | H226<br>H373 (**)<br>H319 | | | |
| 607-322-00-6 | 4-(4,4-dimethyl-3-oxo-pyrazolidin-1-yl)-benzoic acid | 413-120-7 | 107144-30-9 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 607-323-00-1 | 2-(1-(2-hydroxy-3,5-di-*tert*-pentyl-phenyl) ethyl)-4,6-di-*tert*-pentylphenyl acrylate | 413-850-6 | 123968-25-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-324-00-7 | reaction mass of: *N*,*N*-di(hydrogenated alkyl $C_{14}$-$C_{18}$)phtalamic acid;<br>dihydrogenated alkyl ($C_{14}$-$C_{18}$)amine | 413-800-3 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-325-00-2 | (*S*)-2-chloropropionic acid | 411-150-5 | 29617-66-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314 | | | |
| 607-326-00-8 | reaction mass of: isobutyl hydrogen 2-(α-2,4,6-trimethylnon-2-enyl)succinate;<br>isobutyl hydrogen 2-(ß-2,4,6-trimetyhyl-non-2-enyl)succinate | 410-720-0 | 141847-13-4 | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 607-327-00-3 | 2-(2-iodoethyl)-1,3-propanediol diacetate | 411-780-0 | 127047-77-2 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-328-00-9 | methyl 4-bromomethyl-3-methoxybenzoate | 410-310-1 | 70264-94-7 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 | | | |
| 607-329-00-4 | reaction mass of: sodium 2-($C_{12-18}$-*n*-alkyl) amino-1,4-butandioate;<br>sodium 2-octadecenyl-amino-1,4-butandioate | 411-250-9 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-330-00-X | (*S*)-2,3-dihydro-1*H*-indole-2-carboxylic acid | 410-860-2 | 79815-20-6 | Repr. 2<br>STOT RE 2 (*)<br>Skin Sens. 1 | H361f (***)<br>H373 (**)<br>H317 | GHS08<br>GHS07<br>Wng | H361f (***)<br>H373 (**)<br>H317 | | | |
| 607-331-00-5 | reaction mass of: bis(2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-1,10-decanedioate;<br>1,8-bis[(2,2,6,6-tetramethyl-4-((2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-decan-1,10-dioyl)piperidin-1-yl)oxy]octane | 406-750-9 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-332-00-0 | cyclopentyl chloroformate | 411-460-0 | 50715-28-1 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H226<br>H331<br>H302<br>H373 (**)<br>H318<br>H317 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H226<br>H331<br>H302<br>H373 (**)<br>H318<br>H317 | | | |
| 607-333-00-6 | reaction mass of: dodecyl *N*-(2,2,6,6-tetramethylpiperidin-4-yl)-*β*-alaninate;<br>tetradecyl *N*-(2,2,6,6-tetramethylpiperidin-4-yl)-*β*-alaninate | 405-670-1 | — | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 (**)<br>H314<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-334-00-1 | ethyl 1-ethyl-6,7,8-trifluoro-1,4-dihydro-4-oxoquinoline-3-carboxylate | 405-880-3 | 100501-62-0 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 607-335-00-7 | methyl (*R*)-2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate | 406-250-0 | 72619-32-0 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 607-336-00-2 | 4-methyl-8-methylenetricyclo[3.3.1.1$^{3,7}$]dec-2-yl acetate | 406-560-6 | 122760-85-4 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H411 | | | |
| 607-337-00-8 | di-*tert*-($C_{12-14}$)-alkylammonium 2-benzothiazolylthiosuccinate | 406-052-4 | 125078-60-6 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H226<br>H302<br>H315<br>H318<br>H411 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H302<br>H315<br>H318<br>H411 | | | |
| 607-338-00-3 | 2-methylpropyl 2-hydroxy-2-methylbut-3-enoate | 406-235-9 | 72531-53-4 | Eye Irrit. 2<br>Skin Irrit. 2 | H319<br>H315 | GHS07<br>Wng | H319<br>H315 | | | |
| 607-339-00-9 | 2,3,4,5-tetrachlorobenzoylchloride | 406-760-3 | 42221-52-3 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H302<br>H314<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H317 | | | |
| 607-340-00-4 | 1,3-bis(4-benzoyl-3-hydroxyphenoxy)prop-2-yl acetate | 406-990-4 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-341-00-X | (9*S*)-9-amino-9-deoxyerythromycin | 406-790-7 | 26116-56-3 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 607-342-00-5 | 4-chlorobutyl veratrate | 410-950-1 | 69788-75-6 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-343-00-0 | 4,7-methanooctahydro-1*H*-indene-diyldimethyl bis(2-carboxybenzoate) | 407-410-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-344-00-6 | reaction mass of: 3-(*N*-(3-dimethylaminopropyl)-($C_{4-8}$)perfluoroalkylsulfonamido) propionic acid; *N*-[dimethyl-3-($C_{4-8}$-perfluoroalkylsulfonamido)propylammonium propionate; 3-(*N*-(3-dimethyl-propylammonium)-($C_{4-8}$) perfluoroalkylsulfonamido)propionic acid propionate | 407-810-7 | — | STOT RE 2 (*) | H373 (**) | GHS08<br>Wng | H373 (**) | | | |
| 607-345-00-1 | potassium 2-(2,4-dichlorophenoxy)-(*R*)-propionate | 413-580-9 | 113963-87-4 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318<br>H317 | | | |
| 607-346-00-7 | 3-icosyl-4-henicosylidene-2-oxetanone | 401-210-9 | 83708-14-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-347-00-2 | sodium (*R*)-2-(2,4-dichlorophenoxy)propionate | 413-340-3 | 119299-10-4 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318<br>H317 | | | |
| 607-348-00-8 | magnesium bis((*R*)-2-(2,4-dichlorophenoxy) propionate) | 413-360-2 | — | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318<br>H317 | | | |
| 607-349-00-3 | mono-(tetrapropylammonium) hydrogen 2,2'-dithiobisbenzoate | 411-270-8 | — | Aquatic Chronic 3 | H412 | | H412 | | | |
| 607-350-00-9 | bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane | 412-060-9 | 136210-32-7 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 607-351-00-4 | methyl *O*-(4-amino-3,5-dichloro-6-fluoropyridin-2-yloxy)acetate | 407-550-4 | 69184-17-4 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-352-00-X | 4,4'-oxydiphthalic anhydride | 412-830-4 | 1823-59-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-353-00-5 | reaction mass of: ethyl *exo*-tricyclo [5.2.1.$0^{2,6}$]decane-*endo*-2-carboxylate; ethyl *endo*-tricyclo[5.2.1.02,6]decane-*exo*-2-carboxylate | 407-520-0 | 80657-64-3 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 607-354-00-0 | ethyl 2-cyclohexylpropionate | 412-280-5 | 2511-00-4 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-355-00-6 | *p*-tolyl 4-chlorobenzoate | 411-530-0 | 15024-10-9 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 607-356-00-1 | ethyl *trans*-2,2,6-trimethylcyclohexanecarboxylate | 412-540-8 | — | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 607-357-00-7 | reaction mass of: *trans*-4-acetoxy-4-methyl-2-propyl-tetrahydro-2*H*-pyran; *cis*-4-acetoxy-4-methyl-2-propyl-tetrahydro-2*H*-pyran | 412-450-9 | 131766-73-9 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-358-00-2 | (1*S*,3*S*,5*R*,6*R*)-(4-nitrophenylmethyl)-1-dioxo-6-phenylacetamido-penam-3-carboxylate | 412-670-5 | 54275-93-3 | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | |
| 607-359-00-8 | (1*S*,4*R*,6*R*,7*R*)-(4-nitrophenylmethyl)3-methylene-1-oxo-7-phenylacetamido-cepham-4-carboxylateido-penam-3-carboxylate | 412-800-0 | 76109-32-5 | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | |
| 607-360-00-3 | sodium 3-acetoacetylamino-4-methoxytolyl-6-sulfonate | 411-680-7 | 133167-77-8 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-361-00-9 | methyl (*R*)-2-(4-hydroxyphenoxy)propionate | 411-950-4 | 96562-58-2 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-362-00-4 | reaction mass of: (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)hexadec-4-enoate;<br>(3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)tetradec-4-enoate;<br>(3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)hexadec-4-enoate;<br>(3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)tetradec-4-enoate | 413-500-2 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H315<br>H318<br>H411 | GHS05<br>GHS09<br>Dgr | H315<br>H318<br>H411 | | | |
| 607-363-00-X | methyl-3-methoxyacrylate | 412-900-4 | 5788-17-0 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-364-00-5 | 3-phenyl-7-[4-(tetrahydrofurfuryloxy)phenyl]-1,5-dioxa-s-indacen-2,6-dione | 413-330-9 | 134724-55-3 | Aquatic Chronic 4 | H413 | | H413 | | | |
| 607-365-00-0 | 2-(2-amino-1,3-thiazol-4-yl)-(*Z*)-2-methoxyiminoacetyl chloride hydrochloride | 410-620-7 | 119154-86-8 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H302<br>H314<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H317 | | | |
| 607-366-00-6 | 3,5-dimethylbenzoyl chloride | 413-010-9 | 6613-44-1 | Skin Corr. 1B<br>Skin Sens. 1 | H314<br>H317 | GHS05<br>GHS07<br>Dgr | H314<br>H317 | | | |
| 607-367-00-1 | potassium bis(*N*-carboxymethyl)-*N*-methylglycinato-(2-)*N*,*O*,*O*,*N*)-ferrate-(1-) monohydrate | 411-640-9 | 153352-59-1 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-368-00-7 | 1-(*N*,*N*-dimethylcarbamoyl)-3-*tert*-butyl-5-carbethoxymethylthio-1*H*-1,2,4-triazole | 411-650-3 | 110895-43-7 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-369-00-2 | reaction mass of: *trans*-(2*R*)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid; *cis*-(2*R*)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid | 411-660-8 | 147027-04-1 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318<br>H317 | | | |
| 607-370-00-8 | 2-[[2-(acetyloxy)-3-(1,1-dimethyl-ethyl)-5-methylphenyl]methyl]-6-(1,1-dímethyle-thyl)-4-methylphenol | 412-210-3 | 41620-33-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-371-00-3 | 3-ethyl 5-methyl 4-(2-chlorophenyl)-1,4-dihydro-2-[2-(1,3-dihydro-1,3-dioxo-(2*H*) isoindol-2-yl)-ethoxymethyl]-6-methyl-3,5-pyridinedicarboxylate | 413-410-3 | 88150-62-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-372-00-9 | ethoxylated bis phenol A di-(norbornene carboxylate) | 412-410-0 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-373-00-4 | (±) tetrahydrofurfuryl (*R*)-2-[4-(6-chloroquinoxalin-2-yloxy)phenyloxy]propionate | 414-200-4 | 119738-06-6 | Muta. 2<br>Repr. 1B<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H360-Df<br>H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H341<br>H360Df<br>H302<br>H373 (**)<br>H410 | | | |
| 607-374-00-X | 5-amino-2,4,6-triiodo-1,3-benzenedicarbonyldichloride | 417-220-1 | 37441-29-5 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-375-00-5 | reaction mass of: *cis*-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin; trans-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin | 421-960-0 | 90035-08-8 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H372 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H372 (**)<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-376-00-0 | benzyl 2,4-dibromobutanoate | 420-710-8 | 23085-60-1 | Repr. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f (***)<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361f (***)<br>H315<br>H317<br>H410 | | | |
| 607-377-00-6 | *trans*-4-cyclohexyl-L-proline monohydrochloride | 419-160-1 | 90657-55-9 | Repr. 2<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H361f (***)<br>H302<br>H315<br>H318<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H361f (***)<br>H302<br>H315<br>H318<br>H317 | | | |
| 607-378-00-1 | ammonium (*Z*)-α-methoxyimino-2-furylacetate | 405-990-1 | 97148-39-5 | Flam. Sol. 2 | H228 | GHS02<br>Dgr | H228 | | | T |
| 607-379-00-7 | reaction mass of: 2-[*N*-(2-hydroxyethyl) stearamido]ethyl stearate;<br>sodium [bis[2-(stearoyloxy)ethyl]amino] methylsulfonate;<br>sodium [bis(2-hydroxyethyl)amino]methylsulfonate;<br>*N*,*N*-bis(2-hydroxyethyl)stearamide | 401-230-8 | | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-380-00-2 | reaction mass of: ammonium-1,2-bis(hexyloxycarbonyl)ethanesulfonate;<br>ammonium-1-hexyloxycarbonyl-2-octyloxycarbonylethanesulfonate;<br>ammonium-2-hexyloxycarbonyl-1-octyloxycarbonylethanesulfonate | 407-320-3 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H315<br>H318<br>H412 | GHS05<br>Dgr | H315<br>H318<br>H412 | | | |
| 607-381-00-8 | reaction mass of triesters of 2,2-bis(hydroxymethyl)butanol with $C_7$-alkanoic acids and 2-ethylhexanoic acid | 413-710-4 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-382-00-3 | 2-((4-amino-2-nitrophenyl)amino)benzoic acid | 411-260-3 | 117907-43-4 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-383-00-9 | reaction mass of: 2,2,6,6-tetramethylpiperidin-4-yl-hexadecanoate;<br>2,2,6,6-tetramethylpiperidin-4-yl-octadecanoate | 415-430-8 | 86403-32-9 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H410 | | | |
| 607-384-00-4 | reaction mass of: esters of $C_{14}$-$C_{15}$ branched alcohols with 3,5-di-t-butyl-4-hydroxyphenyl propionic acid;<br>$C_{15}$ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate;<br>$C_{13}$ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate | 413-750-2 | 171090-93-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-385-00-X | Copolymer of vinyl-alcohol and vinyl acetate partially acetilized with 4-(2-(4-formylphenyl)ethenyl)-1-methylpyridinium methylsulfate | 414-590-6 | 125229-74-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-386-00-5 | reaction mass of: tetradecanoic acid (42,5-47,5 %);<br>poly(1-7)lactate esters of tetradecanoic acid (52,5- 57,5 %) | 412-580-6 | 174591-51-6 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 | | | |
| 607-387-00-0 | reaction mass of: dodecanoic acid (35-40 %);<br>poly(1-7)lactate esters of dodecanoic acid (60-65 %) | 412-590-0 | 58856-63-6 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 | | | |
| 607-388-00-6 | 4-ethylamino-3-nitrobenzoic acid | 412-090-2 | 2788-74-1 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H317<br>H412 | GHS07<br>Wng | H302<br>H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-389-00-1 | trisodium *N*,*N*-bis(carboxymethyl)-3-amino-2-hydroxypropionate | 414-130-4 | 119710-96-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 607-390-00-7 | 1,2,3,4-tetrahydro-6-nitro-quinoxaline | 414-270-6 | 41959-35-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 607-391-00-2 | dimethylcyclopropane-1,1-dicarboxylate | 414-240-2 | 6914-71-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-392-00-8 | 2-phenoxyethyl 4-((5-cyano-1,6-dihydro-2-hydroxy-1,4-dimethyl-6-oxo-3-pyridinyl) azo)benzoate | 414-260-1 | 88938-37-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-393-00-3 | 3-(*cis*-1-propenyl)-7-amino-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid | 415-750-8 | 106447-44-3 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-394-00-9 | 5-methylpyrazine-2-carboxylic acid | 413-260-9 | 5521-55-1 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-395-00-4 | reaction mass of: sodium 1-tridecyl-4-allyl-(2 or 3)-sulfobutanedioate;<br>sodium 1-dodecyl-4-allyl-(2 or 3)-sulfobutanedioate | 410-230-7 | — | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411 | | | |
| 607-396-00-X | bis(1,2,2,6,6-pentamethyl-4-piperidinyl) 2-(4-methoxybenzylidene)malonate | 414-840-4 | 147783-69-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-397-00-5 | reaction mass of: Ca salicylates (branched $C_{10-14}$ and $C_{18-30}$ alkylated);<br>Ca phenates (branched $C_{10-14}$ and $C_{18-30}$ alkylated);<br>Ca sulfurized phenates (branched $C_{10-14}$ and $C_{18-30}$ alkylated) | 415-930-6 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-398-00-0 | ethyl *N*-(5-chloro-3-(4-(diethylamino)-2-methylphenylimino)-4-methyl-6-oxo-1,4-cyclohexadienyl)carbamate | 414-820-5 | 125630-94-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-399-00-6 | 2,2-dimethyl 3-methyl-3-butenyl propanoate | 415-610-6 | 104468-21-5 | Skin Irrit. 2<br>Aquatic Chronic 3 | H315<br>H412 | GHS07<br>Wng | H315<br>H412 | | | |
| 607-400-00-X | methyl 3-[[(dibutylamino)thioxomethyl] thio]propanoate | 414-400-1 | 32750-89-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-401-00-5 | ethyl 3-hydroxy-5-oxo-3-cyclohexene-1-carboxylate | 414-450-4 | 88805-65-6 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H315<br>H318<br>H317 | | | |
| 607-402-00-0 | methyl *N*-(phenoxycarbonyl)-L-valinate | 414-500-5 | 153441-77-1 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-403-00-6 | reaction mass of: bis(1*S*,2*S*,4*S*)-(1-benzyl-4-*tert*-butoxycarboxamido-2-hydroxy-5-phenyl)pentylammonium succinate;<br>isopropyl alcohol | 414-810-0 | — | STOT RE 2 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS09<br>Dgr | H373 (**)<br>H318<br>H410 | | | |
| 607-404-00-1 | reaction mass of: ((*Z*)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid;<br>di-((*E*)-3,7-dimethyl-2,6-octadienyl) butandioate;<br>di-((*Z*)-3,7-dimethyl-2,6-octadienyl) butandioate;<br>(*Z*)-3,7-dimethyl-2,6-octadienyl butandioate;<br>((*E*)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid | 415-190-4 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-405-00-7 | 2-hexyldecyl-*p*-hydroxybenzoate | 415-380-7 | 148348-12-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-406-00-2 | potassium 2,5-dichlorobenzoate | 415-700-5 | 184637-62-5 | Acute Tox. 4 (*)<br>Eye Dam. 1 | H302<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-407-00-8 | ethyl 2-carboxy-3-(2-thienyl)propionate | 415-680-8 | 143468-96-6 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H315<br>H318<br>H317 | | | |
| 607-408-00-3 | potassium *N*-(4-fluorophenyl)glycinate | 415-710-1 | 184637-63-6 | STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H373 (**)<br>H318<br>H317<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H373 (**)<br>H318<br>H317<br>H412 | | | |
| 607-409-00-9 | reaction mass of: (3*R*)-[1*S*-(1α, 2α, 6β-((2*S*)-2-methyl-1-oxo-butoxy)-8aγ)hexahydro-2,6-dimethyl-1-naphthalene]-3,5-dihydroxyheptanoic acid;<br>inert biomass from *Aspergillus terreus* | 415-840-7 | — | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 607-410-00-4 | mono[2-(dimethylamino)ethyl]monohydrogen-2-(hexadec-2-enyl)butanedioate and/or mono[2-(dimethylamino)ethyl]monohydrogen-3-(hexadec-2-enyl)butanedioate | 415-880-5 | 779343-34-9 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 | | | |
| 607-411-00-X | oxiranemethanol, 4-methylbenzene-sulfonate, (*S*)- | 417-210-7 | 70987-78-9 | Carc. 1B<br>Muta. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H341<br>H318<br>H317<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H318<br>H317<br>H411 | | | |
| 607-412-00-5 | ethyl 2-(1-cyanocyclohexyl)acetate | 415-970-4 | 133481-10-4 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H302<br>H373 (**)<br>H412 | GHS08<br>GHS07<br>Wng | H302<br>H373 (**)<br>H412 | | | |
| 607-413-00-0 | trans-4-phenyl-L-proline | 416-020-1 | 96314-26-0 | Repr. 2<br>Skin Sens. 1 | H361f (***)<br>H317 | GHS08<br>GHS07<br>Wng | H361f (***)<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-414-00-6 | tris(2-ethylhexyl)-4,4',4"-(1,3,5-triazine-2,4,6-triyltriimino)tribenzoate | 402-070-1 | 88122-99-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-415-00-1 | poly-(methyl methacrylate)-co-(butylmethacrylate)-co-(4-acryloxybutyl-isopropenyl-α,α-dimethylbenzyl carbamate)-co-(maleicanhydride) | 419-590-1 | — | Flam. Sol. 1<br>Skin Sens. 1 | H228<br>H317 | GHS02<br>GHS07<br>Dgr | H228<br>H317 | | | T |
| 607-416-00-7 | 4-(2-carboxymethylthio)ethoxy-1-hydroxy-5-isobutyloxycarbonylamino-*N*-(3-dodecyloxypropyl)-2-naphthamide | 420-730-7 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-418-00-8 | 2-ethylhexyl 4-aminobenzoate | 420-170-3 | 26218-04-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-419-00-3 | (3'-carboxymethyl-5-(2-(3-ethyl-3*H*-benzothiazol-2-ylidene)-1-methyl-ethylidene)-4,4'-dioxo-2'-thioxo-(2,5')bithiazolidinyliden-3-yl)-acetic acid | 422-240-9 | 166596-68-5 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 607-420-00-9 | 2,2-bis(hydroxymethyl)butanoic acid | 424-090-1 | 10097-02-6 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 607-421-00-4 | cypermethrin *cis*/*trans* +/- 40/60; (*RS*)-α-cyano-3-phenoxybenzyl (1*RS*,3*RS*;1*RS*,3*SR*)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 257-842-9 | 52315-07-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H335<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H335<br>H410 | | | |
| 607-422-00-X | α-cypermethrin | 257-842-9 | 67375-30-8 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H373 (**)<br>H335<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 (**)<br>H335<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-423-00-5 | esters of mecoprop and of mecoprop-P | — | — | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | A |
| 607-424-00-0 | trifloxystrobin (ISO);<br>(*E*,*E*)-α-methoxyimino-{2-[[[[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid methyl ester | — | 141517-21-7 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 607-425-00-6 | metalaxyl (ISO);<br>methyl-*N*-(2,6-dimethylphenyl)-*N*-(methoxyacetyl)-DL-alaninate | 260-979-7 | 57837-19-1 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H317<br>H412 | GHS07<br>Wng | H302<br>H317<br>H412 | | | |
| 607-426-00-1 | 1,2-benzenedicarboxylic acid, dipentylester, branched and linear; [1]<br>n-pentyl-isopentylphthalate; [2]<br>di-n-pentyl phthalate; [3]<br>diisopentylphthalate [4] | 284-032-2 [1]<br>- [2]<br>205-017-9 [3]<br>210-088-4 [4] | 84777-06-0 [1]<br>- [2]<br>131-18-0 [3]<br>605-50-5 [4] | Repr. 1B<br>Aquatic Acute 1 | H360-FD<br>H400 | GHS08<br>GHS09<br>Dgr | H360FD<br>H400 | | | |
| 607-427-00-7 | bromoxynil heptanoate (ISO);<br>2,6-dibromo-4-cyanophenyl heptanoate | 260-300-4 | 56634-95-8 | Repr. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H332<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d (***)<br>H332<br>H302<br>H317<br>H410 | | | |
| 607-430-00-3 | BBP;<br>benzyl butyl phthalate e | 201-622-7 | 85-68-7 | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-Df<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360Df<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-431-00-9 | prallethrin (ISO);<br>ETOC;<br>2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 245-387-9 | 23031-36-9 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H302<br>H410 | | | |
| 607-432-00-4 | *S*-metolachlor;<br>reaction mass of (*S*)-2-chloro-*N*-(2-ethyl-6-methyl-phenyl)-*N*-(2-methoxy-1-methyl-ethyl)-acetamide (80-100 %); [1] (*R*)-2-chloro-*N*-(2-ethyl-6-methyl-phenyl)-*N*-(2-methoxy-1-methyl-ethyl)-acetamide (0-20 %) [2] | - [1]<br>- [2] | 87392-12-9 [1]<br>178961-20-1 [2] | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 607-433-00-X | cypermethrin *cis*/*trans* +/- 80/20;<br>(*RS*)-α-cyano-3-phenoxybenzyl (1*RS*; 3*RS*; 1*RS*, 3*SR*)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 257-842-9 | 52315-07-8 | Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H335<br>H315<br>H317<br>H410 | | | |
| 607-434-00-5 | mecoprop-P [1] and its salts;<br>(*R*)-2-(4-chloro-2-methylphenoxy)propionic acid | 240-539-0 | 16484-77-8 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | |
| 607-435-00-0 | 2*S*-isopropyl-5*R*-methyl-1*R*-cyclohexyl 2,2-dihydroxyacetate | 416-810-6 | 111969-64-3 | STOT RE 2 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H373 (**)<br>H318<br>H411 | GHS08<br>GHS05<br>GHS09<br>Dgr | H373 (**)<br>H318<br>H411 | | | |
| 607-436-00-6 | 2-hydroxy-3-(2-ethyl-4-methylimidazoyl) propyl neodecanoate | 417-350-9 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H315<br>H318<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-437-00-1 | 3-(4-aminophenyl)-2-cyano-2-propenoic acid | 417-480-6 | 252977-62-1 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-438-00-7 | methyl-2-[(aminosulfonyl)methyl]benzoate | 419-010-5 | 112941-26-1 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |
| 607-439-00-2 | methyl tetrahydro-2-furancarboxylate | 420-670-1 | 37443-42-8 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-440-00-8 | methyl 2-aminosulfonyl-6-(trifluoromethyl) pyridine-3-c arboxylate | 421-220-7 | 144740-59-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 607-441-00-3 | 3-[3-(2-dodecyloxy-5-methylphenylcarbamoyl)-4-hydroxy-1-naphthylthio]propionic acid | 421-490-6 | 167684-63-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-442-00-9 | benzyl [hydroxy-(4-phenylbutyl)phosphinyl] acetate | 416-050-5 | 87460-09-1 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-443-00-4 | bis(2,4-di-*tert*-butyl-6-methylphenyl)ethyl phosphate | 416-140-4 | 145650-60-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-444-00-X | reaction mass of: *cis*-1,4-dimethylcyclohexyl dibenzoate;<br>*trans*-1,4-dimethylcyclohexyl dibenzoate | 416-230-3 | 35541-81-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-445-00-5 | Iron (III) tris(4-methylbenzenesulfonate) | 420-960-8 | 77214-82-5 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-446-00-0 | methyl 2-[4-(2-chloro-4-nitrophenylazo)-3-(1-oxopropyl)amino]phenylaminopropionate | 416-240-8 | 155522-12-6 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 607-447-00-6 | sodium 4-[4-(4-hydroxyphenylazo)phenylamino]-3-nitrobenzenesulfonate | 416-370-5 | 156738-27-1 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-448-00-1 | 2,3,5,6-tetrafluorobenzoic acid | 416-800-1 | 652-18-6 | Skin Irrit. 2<br>Eye Dam. 1 | H315<br>H318 | GHS05<br>Dgr | H315<br>H318 | | | |
| 607-449-00-7 | reaction mass of: 4,4',4''-[(2,4,6-trioxo-1,3,5(2*H*,4*H*,6*H*)-triazine-1,3,5-triyl)tris[methylene(3,5,5-trimethyl-3,1-cyclohexanediyl) iminocarbonyloxy-2,1-ethanediyl(ethyl) amino]]trisbenzenediazoniumtri[bis(2-methylpropyl)naphthalenesulfonate];<br>4,4',4'',4'''-[[5,5'-[carbonylbis[imino(1,5,5-trimethyl-3,1-cyclohexanediyl)methylene]]-2,4,6-trioxo-1,3,5(2*H*,4*H*,6*H*)-triazine-1,1',3,3'-tetrayl]tetrakis[methylene(3,5,5-trimethyl-3,1-cyclohexanediyl)iminocarbonyloxy-2,1-ethanediyl(ethyl)amino]]tetrakisbenzenediazoniumtetra[bis(2-methylpropyl) naphthalenesulfonate] | 417-080-1 | — | Self-react. D (****)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H317<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Dgr | H242<br>H317<br>H410 | | | |
| 607-450-00-2 | 2-mercaptobenzothiazolyl-(*Z*)-(2-aminothiazol-4-yl)-2-(*tert*-butoxycarbonyl) isopropoxyiminoacetate | 419-040-9 | 89604-92-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-451-00-8 | 4-[4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonapht-6-ylazo]-6-[3-(4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonapht-6-ylazo]phenylcarbonylamino]benzenesulfonic acid, sodium salt | 417-640-5 | 161935-19-9 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 607-453-00-9 | 4-benzyl-2,6-dihydroxy-4-aza-heptylene bis (2,2-dimethyloctanoate) | 418-100-1 | 172964-15-7 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 607-454-00-4 | reaction mass of: *trans*-2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid;<br>*cis*-2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid | 418-170-3 | 116193-72-7 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 607-455-00-X | 1-amino-4-(3-[4-chloro-6-(2,5-di-sulfophenylamino)-1,3,5-triazin-2-ylamino]-2,2-dimethyl-propylamino)-anthraquinone-2-sulfonic acid, sodium/lithium salt | 419-520-8 | 172890-93-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-456-00-5 | 3-amino-4-chlorobenzoic acid, hexadecyl ester | 419-700-6 | 143269-74-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-457-00-0 | tetrasodium dihydrogen 1,1''-dihydroxy-8,8''-[p-phenylbis(imino-{6-[4-(2-aminoethyl)piperazin-1-yl]}-1,3,5-triazine-4,2-diylimino)]bis(2,2'-azonaphthalene-1',3,6-trisulfonate) | 420-350-1 | 172277-97-3 | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 607-458-00-6 | reaction mass of: 2-ethyl-[2,6-dibromo-4-[1-[3,5-dibromo-4-(2-hydroxyethoxy)phenyl]-1-methylethyl]phenoxy]propenoate;<br>2,2'-diethyl-[4,4'-bis(2,6-dibromophenoxy)-1-methylethylidene] dipropenoate;<br>2,2'-[(1-methylethylidene)bis[[2,6-dibromo-4,1-phenylene)oxy]ethanol]] | 420-850-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-459-00-1 | isopentyl 4-{2-[5-cyano-1,2,3,6-tetrahydro-1-(2-isopropoxyethoxy-carbonylmethyl)-4-methyl-2,6-dioxo-3-pyridylidene]hydrazino} benzoate | 418-930-4 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-460-00-7 | 3-tridecyloxy-propyl-ammonium 9-octadecenoate | 418-990-1 | 778577-53-0 | STOT RE 2 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H319<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 (**)<br>H319<br>H315<br>H410 | | | |
| 607-461-00-2 | reaction mass of: pentasodium 2-{4-{3-methyl-4-[6-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate;<br>pentasodium 2-{4-{3-methyl-4-[7-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate | 421-160-1 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-462-00-8 | reaction mass of: 1-hexyl acetate; 2-methyl-1-pentyl acetate; 3-methyl-1-pentyl acetate; 4-methyl-1-pentyl acetate; other mixed linear and branched $C_6$-alkyl acetates | 421-230-1 | 88230-35-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-463-00-3 | 3-(phenothiazin-10-yl)propionic acid | 421-260-5 | 362-03-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-464-00-9 | reaction mass of: 7-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid; 5-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid | 421-280-4 | | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-465-00-4 | tris(2-hydroxyethyl)ammonium 7-{4-[4-(2-cyanoamino-4-hydroxy-6-oxidopyrimidin-5-ylazo)benzamido]-2-ethoxy-phenylazo} naphthalene-1,3-disulfonate | 421-440-3 | 778583-04-3 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-466-00-X | reaction mass of: phenyl 1-(1-[2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl]-3,3-dimethyl-2-oxobutyl)-1*H*-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 2-(1-(2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1*H*-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 3-(1-(2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1*H*-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate | 421-480-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-467-00-5 | 1,1,3,3-tetrabutyl-1,3-ditinoxydicaprylate | 419-430-9 | 56533-00-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373 (**)<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 (**)<br>H314<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-468-00-0 | reaction mass of: monosodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate;<br>disodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl) amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl) azo)benzenesulfonate;<br>trisodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl) amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl) azo)benzenesulfonate;<br>tetrasodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl) amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl) azo)benzenesulfonate | 419-450-8 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-469-00-6 | disodium 7-((4,6-bis(3-diethylaminopropylamino)-1,3,5-triazine-2-yl)amino)-4-hydroxy-3-(4-(4-sulfonatophenylazo)phenylazo)-2-naphthalene sulfonate | 419-460-2 | 120029-06-3 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-470-00-1 | potassium sodium 6,13-dichloro-3,10-bis {2-[4-[3-(2-hydroxysulphonyloxyethanesulfonyl)phenylamino]-6-(2,5-disulfonatophenylamino)-1,3,5-triazin-2-ylamino]ethylamino}benzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 414-100-0 | 154336-20-6 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 607-472-00-2 | ammonium iron(III) trimethylenediaminetetraacetate hemihydrate | 400-660-3 | 111687-36-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-474-00-3 | (4-(4-(4-dimethylaminobenzyliden-1-yl)-3-methyl-5-oxo-2-pyrazolin-1-yl)benzoic acid | 410-430-4 | 117573-89-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-475-00-9 | reaction mass of: tetrasodium 7-(4-[4-chloro-6-[methyl-(3-sulfonatophenyl) amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate; tetrasodium 7-(4-[4-chloro-6-[methyl-(4-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate (1:1) | 412-940-2 | 148878-18-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-476-00-4 | trisodium *N*,*N*-bis(carboxymethyl)-β-alanine | 414-070-9 | 129050-62-0 | Skin Corr. 1B<br>Aquatic Chronic 3 | H314<br>H412 | GHS05<br>Dgr | H314<br>H412 | | | |
| 607-478-00-5 | tetramethylammonium hydrogen phthalate | 416-900-5 | 79723-02-7 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1 | H301<br>H373 (**)<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 (**)<br>H400 | | | |
| 607-479-00-0 | hexadecyl 4-chloro-3-[2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-4,4-dimethyl-3-oxopentamido]benzoate | 418-550-9 | 168689-49-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-480-00-6 | 1,2-benzenedicarboxylic acid; di-$C_{7-11}$-branched and linear alkylesters | 271-084-6 | 68515-42-4 | Repr. 1B | H360-Df | GHS08<br>Dgr | H360Df | | | |
| 607-487-00-4 | reaction mass of: disodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-hydroxy-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl) benzenesulfonate; trisodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-oxido-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate | 402-660-9 | — | Repr. 1B<br>Aquatic Chronic 3 | H360-D (***)<br>H412 | GHS08<br>Dgr | H360D (***)<br>H412 | | | |
| 607-488-00-X | ethyl (2-acetylamino-5-fluoro-4-isothiocyanatophenoxy)acetate | 414-210-9 | 147379-38-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-489-00-5 | reaction mass of: 2-ethylhexyl linolenate, linoleate and oleate;<br>2-ethylhexyl epoxyoleate;<br>2-ethylhexyl diepoxylinoleate;<br>2-ethylhexyl triepoxylinolenate | 414-890-7 | 71302-79-9 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-490-00-0 | N-[2-hydroxy-3-($C_{12-16}$-alkyloxy)propyl]-N-methyl glycinate | 415-060-7 | — | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 607-492-00-1 | 2-(1-(3',3'-dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate | 415-490-5 | 141773-73-1 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-493-00-7 | methyl (3a*R*,4*R*,7a*R*)-2-methyl-4-(1*S*,2*R*,3-triacetoxypropyl)-3a,7a-dihydro-4*H*-pyrano[3,4-d]oxazole-6-carboxylate | 415-670-3 | 78850-37-0 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-494-00-2 | bis(2-ethylhexyl)octylphosphonate | 417-170-0 | 52894-02-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 607-495-00-8 | sodium 4-sulfophenyl-6-((1-oxononyl) amino)hexanoate | 417-550-6 | 168151-92-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 607-496-00-3 | 2,2'-methylenebis(4,6-di-*tert*-butyl-phenyl)-2-ethylhexyl phosphite | 418-310-3 | 126050-54-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-497-00-9 | cerium oxide isostearate | 419-760-3 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-498-00-4 | (*E*)-3,7-dimethyl-2,6-octadienylhexadecanoate | 421-370-3 | 3681-73-0 | Skin Irrit. 2<br>Aquatic Chronic 4 | H315<br>H413 | GHS07<br>Wng | H315<br>H413 | | | |
| 607-499-00-X | bis(dimethyl-(2-hydroxyethyl)ammonium) 1,2-ethanediyl-bis(2-hexadecenylsuccinate) | 421-660-1 | — | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-500-00-3 | calcium 2,2,bis[(5-tetrapropylene-2-hydroxy)phenyl]ethanoate | 421-670-4 | — | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H410 | | | |
| 607-501-00-9 | reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives | 421-820-9 | 192268-65-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-502-00-4 | (*N*-benzyl-*N*,*N*,*N*-tributyl)ammonium 4-dodecylbenzenesulfonate | 422-200-0 | 178277-55-9 | Skin Corr. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H314<br>H302<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H302<br>H411 | | | |
| 607-503-00-X | 2,4,6-tri-*n*-propyl-2,4,6-trioxo-1,3,5,2,4,6-trioxatriphosphorinane | 422-210-5 | 68957-94-8 | Skin Corr. 1B | H314 | GHS05<br>Dgr | H314 | | | |
| 607-505-00-0 | pentasodium 7-(4-(4-(5-amino-4-sulfonato-2-(4-((2-(sulfonato-ethoxy)sulfonyl)phenylazo)phenylamino)-6-chloro-1,3,5-triazin-2-yl)amino-2-ureidophenylazo)naphtalene-1,3,6-trisulfonate | 422-930-1 | | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-506-00-6 | reaction mass of: strontium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1*H*-pyrazol-4-yl)azo)-5-methyl) benzenesulfonate;<br>disodium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1*H*-pyrazol-4-yl)azo)-5-methyl)benzenesulfonate | 422-970-8 | | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-507-00-1 | potassium,sodium 2,4-diamino-3-[4-(2-sulfonatoethoxysulfonyl)phenylazo]-5-[4-(2-sulfonatoethoxysulfonyl)-2-sulfonatophenylazo]-benzenesulfonate | 422-980-2 | 187026-95-5 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-508-00-7 | disodium 3,3'-[iminobis[sulfonyl-4,1-phenylene-(5-hydroxy-3-methylpyrazole-1,4-diyl)azo-4,1-phenylenesulfonylimino-(4-amino-6-hydroxypyrimidine-2,5-diyl)azo-4,1-phenylenesulfonylimino(4-amino-6-hydroxypyrimidine-2,5-diyl)azo]bis(benzenesulfonate)] | 423-110-4 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 607-512-00-9 | trisodium 2,4-diamino-3,5-bis-[4-(2-sulfonatoethoxy)sulfonyl)phenylazo]benzenesulfonate | 423-970-0 | 182926-43-8 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-513-00-4 | reaction mass of: trisodium 4-benzoylamino-6-(6-ethenesulfonyl-1-sulfato-naphthalen-2-ylazo)-5-hydroxynaphthalene-2,7-disulfonate;<br>5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo) naphthalene-2,7-disulfonic acid sodium salt;<br>5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo) naphthalene-2,7-disulfonic acid | 423-200-3 | — | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |
| 607-515-00-5 | reaction mass of: disodium hexyldiphenyl ether disulphonate;<br>disodium dihexyldiphenyl ether disulphonate | 429-650-7 | 147732-60-3 | Eye Irrit. 2<br>Aquatic Chronic 2 | H319<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H411 | | | |
| 607-516-00-0 | *N*,*N*'-bis(trifluoroacetyl)-*S*,*S*'-bis-L-homocysteine | 429-670-6 | 105996-54-1 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 607-517-00-6 | (*S*)-α-(acetylthio)benzenepropanoic acid | 430-300-0 | 76932-17-7 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H317 | | | |
| 607-526-00-5 | cartap (ISO);<br>1,3-bis(carbamoylthio)-2-(dimethylamino) propane | — | 15263-53-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 607-527-00-0 | reaction mass of: 1-(1'*H*,1'*H*,2'*H*,2'*H*-tridecafluorooctyl)-12-(1"*H*,1"*H*,2"*H*,2"*H*-tridecafluorooctyl)dodecanedioate;<br>1-(1'*H*,1'*H*,2'*H*,2'*H*-tridecafluorooctyl)-12-(1"*H*,1"*H*,2"*H*,2"*H*-heptdecafluorodecyl) dodecanedioate;<br>1-(1'*H*,1'*H*,2'*H*,2'*H*-tridecafluorooctyl)-12-(1"*H*,1"*H*,2"*H*,2"*H*-heneicosafluorododecyl) dodecanedioate;<br>1-(1'*H*,1'*H*,2'*H*,2'*H*-tridecafluorooctyl)-12-(1"*H*,1"*H*,2"*H*,2"*H*-pentacosafluorotetradecyl)dodecanedioate;<br>1-(1'*H*,1'*H*,2'*H*,2'*H*-heptadecafluorodecyl)-12-(1"*H*,1"*H*,2"*H*,2"*H*-heptadecafluorodecyl)dodecanedioate;<br>1-(1'*H*,1'*H*,2'*H*,2'*H*-heptadecafluorodecyl)-12-(1"*H*,1"*H*,2"*H*,2"*H*-heneicosafluorododecyl)dodecanedioate | 423-180-6 | — | STOT RE 2 (*) | H373 (**) | GHS08<br>Wng | H373 (**) | | | |
| 607-696-00-0 | pentyl formate | 211-340-6 | 638-49-3 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3 | H226<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H226<br>H319<br>H335 | | | C |
| 607-697-00-6 | *tert*-butyl propionate | — | 20487-40-5 | Flam. Liq. 2 | H225 | GHS02<br>Dgr | H225 | | | C |
| 608-001-00-3 | acetonitrile;<br>cyanomethane | 200-835-2 | 75-05-8 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H225<br>H332<br>H312<br>H302<br>H319 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H319 | | | |
| 608-002-00-9 | trichloroacetonitrile | 208-885-7 | 545-06-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H411 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 608-003-00-4 | acrylonitrile | 203-466-5 | 107-13-1 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H225<br>H350<br>H331<br>H311<br>H301<br>H335<br>H315<br>H318<br>H317<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H331<br>H311<br>H301<br>H335<br>H315<br>H318<br>H317<br>H411 | | * | D |
| 608-004-00-X | 2-hydroxy-2-methylpropionitrile;<br>2-cyanopropan-2-ol;<br>acetone cyanohydrin | 200-909-4 | 75-86-5 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H410 | | | |
| 608-005-00-5 | *n*-butyronitrile | 203-700-6 | 109-74-0 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H225<br>H331<br>H311<br>H301 | GHS02<br>GHS06<br>Dgr | H225<br>H331<br>H311<br>H301 | | | |
| 608-006-00-0 | bromoxynil (ISO)<br>3,5-dibromo-4-hydroxybenzonitrile;<br>bromoxynil phenol | 216-882-7 | 1689-84-5 | Repr. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H330<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d (***)<br>H330<br>H301<br>H317<br>H410 | | M=10 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 608-007-00-6 | ioxynil (ISO)<br>4-hydroxy-3,5-diiodobenzonitrile | 216-881-1 | 1689-83-4 | Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H331<br>H301<br>H312<br>H373 (**)<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d (***)<br>H331<br>H301<br>H312<br>H373 (**)<br>H319<br>H410 | | M=10 | |
| 608-008-00-1 | chloroacetonitrile | 203-467-0 | 107-14-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H411 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H411 | | | |
| 608-009-00-7 | malononitrile | 203-703-2 | 109-77-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | | |
| 608-010-00-2 | methacrylonitrile;<br>2-methyl-2-propene nitrile | 204-817-5 | 126-98-7 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1 | H225<br>H331<br>H311<br>H301<br>H317 | GHS02<br>GHS06<br>Dgr | H225<br>H331<br>H311<br>H301<br>H317 | | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2 % | D |
| 608-011-00-8 | oxalonitrile;<br>cyanogen | 207-306-5 | 460-19-5 | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H220<br>H331<br>H400<br>H410 | GHS02<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H220<br>H331<br>H410 | | | U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 608-012-00-3 | benzonitrile | 202-855-7 | 100-47-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H312<br>H302 | GHS07<br>Wng | H312<br>H302 | | | |
| 608-013-00-9 | 2-chlorobenzonitrile | 212-836-5 | 873-32-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H312<br>H302<br>H319 | GHS07<br>Wng | H312<br>H302<br>H319 | | | |
| 608-014-00-4 | chlorothalonil (ISO);<br>tetrachloroisophthalonitrile | 217-588-1 | 1897-45-6 | Carc. 2<br>Acute Tox. 2 (*)<br>Eye Dam. 1<br>STOT SE 3<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H330<br>H318<br>H335<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H330<br>H318<br>H335<br>H317<br>H410 | | M=10 | |
| 608-015-00-X | dichlobenil (ISO);<br>2,6-dichlorobenzonitrile | 214-787-5 | 1194-65-6 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H312<br>H411 | GHS07<br>GHS09<br>Wng | H312<br>H411 | | | |
| 608-016-00-5 | 1,4-Dicyano-2,3,5,6-tetra-chloro-benzene | 401-550-8 | 1897-41-2 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 608-017-00-0 | bromoxynil octanoate (ISO);<br>2,6-dibromo-4-cyanophenyl octanoate | 216-885-3 | 1689-99-2 | Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H331<br>H302<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d (***)<br>H331<br>H302<br>H317<br>H410 | | M=10 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 608-018-00-6 | ioxynil octanoate (ISO);<br>4-cyano-2,6-diiodophenyl octanoate | 223-375-4 | 3861-47-0 | Repr. 2<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d (***)<br>H301<br>H319<br>H317<br>H410 | | M=10 | |
| 608-019-00-1 | 2,2'-dimethyl-2,2'-azodipropiononitrile;<br>ADZN | 201-132-3 | 78-67-1 | Self-react. C<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H242<br>H332<br>H302<br>H412 | GHS02<br>GHS07<br>Dgr | H242<br>H332<br>H302<br>H412 | | | T |
| 608-021-00-2 | 3-(2-(diaminomethyleneamino)thiazol-4-ylmethylthio)propionitrile | 403-710-2 | 76823-93-3 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |
| 608-022-00-8 | 3,7-dimethyloctanenitrile | 403-620-3 | 40188-41-8 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H411 | | | |
| 608-023-00-3 | fenbuconazole (ISO);<br>4-(4-chlorophenyl)-2-phenyl-2-[(1*H*-1,2,4-triazol-1-yl)methyl]butanenitrile | 406-140-2 | 114369-43-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 608-024-00-9 | 2-(4-(*N*-butyl-*N*-phenethylamino)phenyl) ethylene-1,1,2-tricarbonitrile | 407-650-8 | 97460-76-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 608-025-00-4 | 2-nitro-4,5-bis(benzyloxy)phenylacetonitrile | 410-970-0 | 117568-27-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 608-026-00-X | 3-cyano-3,5,5-trimethylcyclohexanone | 411-490-4 | 7027-11-4 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H373 (**)<br>H317<br>H412 | GHS08<br>GHS07<br>Wng | H302<br>H373 (**)<br>H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 608-027-00-5 | reaction mass of: 3-(4-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(2-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(3-ethylphenyl)-2,2-dimethylpropanenitrile | 412-660-0 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 608-028-00-0 | 4-(2-cyano-3-phenylamino acryloyloxymethyl)-cyclohexyl-methyl 2-cyano-3-phenylamino)-acrylate | 413-510-7 | 147374-67-2 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H373 (**)<br>H317<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H317<br>H411 | | | |
| 608-029-00-6 | 1,2-dihydro-6-hydroxy-4-methyl-1-[3-(1-methylethoxy)propyl]-2-oxo-3-pyridinecarbonitrile | 411-990-2 | 68612-94-2 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 608-030-00-1 | *N*-acetyl-N-[5-cyano-3-(2-dibutylamino-4-phenylthyazol-5-yl-methylene)-4-methyl-2,6-dioxo-1,2,3,6-tetrahydropyridin-1-yl] benzamide | 412-340-0 | 147741-93-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 608-031-00-7 | 2-benzyl-2-methyl-3-butenitrile | 407-870-4 | 97384-48-0 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 608-033-00-8 | *N*-butyl-3-(2-chloro-4-nitrophenylhydrazono)-1-cyano-2-methylprop-1-ene-1,3-dicarboximide | 407-970-8 | 75511-91-0 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 608-034-00-3 | chlorfenapyr; 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile | — | 122453-73-0 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H302<br>H410 | | | |
| 608-035-00-9 | (±)-α-[(2-acetyl-5-methylphenyl)-amino]-2,6-dichlorobenzene-aceto-nitrile | 419-290-9 | — | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 608-036-00-4 | 3-(2-{4-[2-(4-cyanophenyl)vinyl]phenyl} vinyl)benzonitrile | 419-060-8 | 79026-02-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 608-037-00-X | reaction mass of: (*E*)-2,12-tridecadiennitrile; (*E*)-3,12-tridecadiennitrile; (*Z*)-3,12-tridecadiennitrile | 422-190-8 | | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 608-038-00-5 | 2,2,4-trimethyl-4-phenyl-butane-nitrile | 422-580-8 | 75490-39-0 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 608-039-00-0 | 2-phenylhexanenitrile | 423-460-8 | 3508-98-3 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 608-040-00-6 | 4,4'-dithiobis(5-amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-1*H*-pyrazole-3-carbonitrile) | 423-490-1 | 130755-46-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 608-041-00-1 | 4'-((2-butyl-4-oxo-1,3-diazaspiro[4.4]non-1-ene-3-yl)methyl)(1,1'-biphenyl)-2-carbonitrile | 423-500-4 | 138401-24-8 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 608-043-00-2 | 3-(*cis*-3-hexenyloxy)propanenitril | 415-220-6 | 142653-61-0 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H302<br>H410 | | | |
| 608-065-00-2 | salts of bromoxynil with the exception of those specified elsewhere in this Annex | — | — | Repr. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H330<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d (***)<br>H330<br>H301<br>H317<br>H410 | | M=10 | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 608-066-00-8 | salts of ioxynil with the exception of those specified elsewhere in this Annex | — | — | Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H331<br>H301<br>H312<br>H373 (**)<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d (***)<br>H331<br>H301<br>H312<br>H373 (**)<br>H319<br>H410 | | M=10 | A |
| 609-001-00-6 | 1-nitropropane | 203-544-9 | 108-03-2 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H312<br>H302 | | (*) | |
| 609-002-00-1 | 2-nitropropane | 201-209-1 | 79-46-9 | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H350<br>H332<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H350<br>H332<br>H302 | | | |
| 609-003-00-7 | nitrobenzene | 202-716-0 | 98-95-3 | Carc. 2<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Chronic 2 | H351<br>H361f (***)<br>H331<br>H311<br>H301<br>H372 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H361f (***)<br>H331<br>H311<br>H301<br>H372 (**)<br>H411 | | | |
| 609-004-00-2 | dinitrobenzene; [1]<br>1,4-dinitrobenzene; [2]<br>1,3-dinitrobenzene; [3]<br>1,2-dinitrobenzene [4] | 246-673-6 [1]<br>202-833-7 [2]<br>202-776-8 [3]<br>208-431-8 [4] | 25154-54-5 [1]<br>100-25-4 [2]<br>99-65-0 [3]<br>528-29-0 [4] | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-005-00-8 | 1,3,5-trinitrobenzene | 202-752-7 | 99-35-4 | Expl. 1.1<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H410 | | | |
| 609-006-00-3 | 4-nitrotoluene | 202-808-0 | 99-99-0 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |
| 609-007-00-9 | 2,4-dinitrotoluene;<br>dinitrotoluene, technical grade; [1]<br>dinitrotoluene [2] | 204-450-0 [1]<br>246-836-1 [2] | 121-14-2 [1]<br>25321-14-6 [2] | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |
| 609-008-00-4 | 2,4,6-trinitrotoluene;<br>TNT | 204-289-6 | 118-96-7 | Expl. 1.1<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H201<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-009-00-X | 2,4,6-trinitrophenol;<br>picric acid | 201-865-9 | 88-89-1 | Expl. 1.1<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H201<br>H331<br>H311<br>H301 | GHS01<br>GHS06<br>Dgr | H201<br>H331<br>H311<br>H301 | | | |
| 609-010-00-5 | salts of picric acid | — | — | Unst. Expl<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H201<br>H331<br>H311<br>H301 | GHS01<br>GHS06<br>Dgr | H201<br>H331<br>H311<br>H301 | | | T |
| 609-011-00-0 | 2,4,6-trinitroanisole | — | 606-35-9 | Expl. 1.1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H201<br>H332<br>H312<br>H302<br>H411 | GHS01<br>GHS07<br>GHS09<br>Wng | H201<br>H332<br>H312<br>H302<br>H411 | | | |
| 609-012-00-6 | 2,4,6-trinitro-*m*-cresol | 210-027-1 | 602-99-3 | Expl. 1.1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H201<br>H332<br>H312<br>H302 | GHS01<br>GHS07<br>Wng | H201<br>H332<br>H312<br>H302 | | | |
| 609-013-00-1 | 2,4,6-trinitro-*m*-xylene | 211-187-5 | 632-92-8 | Expl. 1.1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*) | H201<br>H332<br>H312<br>H302<br>H373 (**) | GHS01<br>GHS08<br>GHS07<br>Wng | H201<br>H332<br>H312<br>H302<br>H373 (**) | | | |
| 609-015-00-2 | 4-nitrophenol;<br>*p*-nitrophenol | 202-811-7 | 100-02-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*) | H332<br>H312<br>H302<br>H373 (**) | GHS08<br>GHS07<br>Wng | H332<br>H312<br>H302<br>H373 (**) | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-016-00-8 | dinitrophenol (reaction mass of isomers); [1]<br>2,4(or 2,6)-dinitrophenol [2] | 247-096-2 [1]<br>275-732-9 [2] | 25550-58-7 [1]<br>71629-74-8 [2] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | |
| 609-018-00-9 | 2,4,6-trinitroresorcinol;<br>styphnic acid | 201-436-6 | 82-71-3 | Expl. 1.1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H201<br>H332<br>H312<br>H302 | GHS01<br>GHS07<br>Wng | H201<br>H332<br>H312<br>H302 | | | T |
| 609-019-00-4 | lead 2,4,6-trinitro-*m*-phenylene dioxide;<br>lead 2,4,6-trinitroresorcinoxide;<br>lead styphnate | 239-290-0 | 15245-44-0 | Unst. Expl<br>Repr. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H200<br>H360-Df<br>H332<br>H302<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H200<br>H360Df<br>H332<br>H302<br>H373 (**)<br>H410 | | | 1 |
| 609-019-01-1 | lead 2,4,6-trinitro-*m*-phenylene dioxide;<br>lead 2,4,6-trinitroresorcinoxide;<br>lead styphnate (≥ 20 % phlegmatiser) | 239-290-0 | 15245-44-0 | Expl. 1.1<br>Repr. 1A<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H360-Df<br>H332<br>H302<br>H373 (**)<br>H400<br>H410 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H201<br>H360Df<br>H332<br>H302<br>H373 (**)<br>H410 | | | 1 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-020-00-X | DNOC (ISO);<br>4,6-dinitro-*o*-cresol | 208-601-1 | 534-52-1 | Muta. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H330<br>H310<br>H300<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H341<br>H330<br>H310<br>H300<br>H315<br>H318<br>H317<br>H410 | EUH044 | | |
| 609-021-00-5 | sodium salt of DNOC;<br>sodium 4,6-dinitro-*o*-cresolate; [1]<br>potassium salt of DNOC;<br>potassium 4,6-dinitro-*o*-cresolate [2] | 219-007-7 [1]<br>- [2] | 2312-76-7 [1]<br>5787-96-2 [2] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | |
| 609-022-00-0 | ammonium salt of DNOC;<br>ammonium 4,6-dinitro-*o*-tolyl oxide | 221-037-0 | 2980-64-5 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H410 | | | |
| 609-023-00-6 | dinocap (ISO) | 254-408-0 | 39300-45-3 | Repr. 1B<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-D (***)<br>H332<br>H373 (**)<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360D (***)<br>H332<br>H373 (**)<br>H315<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-024-00-1 | binapacryl (ISO);<br>2-*sec*-butyl-4,6-dinitrophenyl-3-methylcrotonate | 207-612-9 | 485-31-4 | Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-D (***)<br>H312<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360D (***)<br>H312<br>H302<br>H410 | | | |
| 609-025-00-7 | dinoseb(ISO);<br>6-*sec*-butyl-2,4-dinitrophenol | 201-861-7 | 88-85-7 | Repr. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-Df<br>H311<br>H301<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360Df<br>H311<br>H301<br>H319<br>H410 | EUH044 | | |
| 609-026-00-2 | salts and esters of dinoseb, with the exception of those specified elsewhere in this Annex | — | — | Repr. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-Df<br>H311<br>H301<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360Df<br>H311<br>H301<br>H319<br>H410 | EUH044 | | A |
| 609-027-00-8 | dinocton;<br>reaction mass of isomers: methyl 2-octyl-4,6-dinitrophenyl carbonate, methyl 4-octyl-2,6-dinitrophenyl carbonate | — | 63919-26-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 609-028-00-3 | dinex (ISO);<br>2-cyclohexyl-4,6-dinitrophenol | 205-042-5 | 131-89-5 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-029-00-9 | salts and esters of dinex | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | | A |
| 609-030-00-4 | dinoterb (ISO);<br>2-*tert*-butyl-4,6-dinitrophenol | 215-813-8 | 1420-07-1 | Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-D (***)<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360D (***)<br>H300<br>H311<br>H410 | EUH044 | | |
| 609-031-00-X | salts and esters of dinoterb | — | — | Repr. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-D (***)<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360D (***)<br>H300<br>H311<br>H410 | | | A |
| 609-032-00-5 | bromofenoxim (ISO);<br>3,5-dibromo-4-hydroxybenzaldehyde-O-(2,4-dinitrophenyl)-oxime | 236-129-6 | 13181-17-4 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 609-033-00-0 | dinosam (ISO);<br>2-(1-methylbutyl)-4,6-dinitrophenol | — | 4097-36-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-034-00-6 | salts and esters of dinosam | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H410 | | | A |
| 609-035-00-1 | nitroethane | 201-188-9 | 79-24-3 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H332<br>H302 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H302 | | * | |
| 609-036-00-7 | nitromethane | 200-876-6 | 75-52-5 | Flam. Liq. 3<br>Acute Tox. 4 (*) | H226<br>H302 | GHS02<br>GHS07<br>Wng | H226<br>H302 | | * | |
| 609-037-00-2 | 5-nitroacenaphthene | 210-025-0 | 602-87-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | |
| 609-038-00-8 | 2-nitronaphthalene | 209-474-5 | 581-89-5 | Carc. 1B<br>Aquatic Chronic 2 | H350<br>H411 | GHS08<br>GHS09<br>Dgr | H350<br>H411 | | | |
| 609-039-00-3 | 4-nitrobiphenyl | 202-204-7 | 92-93-3 | Carc. 1B<br>Aquatic Chronic 2 | H350<br>H411 | GHS08<br>GHS09<br>Dgr | H350<br>H411 | | | |
| 609-040-00-9 | nitrofen (ISO);<br>2,4-dichlorophenyl 4-nitrophenyl ether | 217-406-0 | 1836-75-5 | Carc. 1B<br>Repr. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H360-D (***)<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H360D (***)<br>H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-041-00-4 | 2,4-dinitrophenol | 200-087-7 | 51-28-5 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H400 | | | |
| 609-042-00-X | pendimethalin (ISO);<br>*N*-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine | 254-938-2 | 40487-42-1 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 609-043-00-5 | quintozene (ISO);<br>pentachloronitrobenzene | 201-435-0 | 82-68-8 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 609-044-00-0 | tecnazene (ISO);<br>1,2,4,5-tetrachloro-3-nitrobenzene | 204-178-2 | 117-18-0 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 609-045-00-6 | reaction mass of: 4,6-dinitro-2-(3-octyl) phenyl methyl carbonate and 4,6-dinitro-2-(4-octyl)phenyl methyl carbonate;<br>dinocton-6 | — | 8069-76-9 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 609-046-00-1 | trifluralin (ISO) (containing < 0.5 ppm NPDA);<br>α,α,α-trifluoro-2,6-dinitro-*N*,*N*-dipropyl-*p*-toluidine (containing < 0.5 ppm NPDA);<br>2,6-dinitro-*N*,*N*-dipropyl-4-trifluoromethylaniline (containing < 0.5 ppm NPDA);<br>*N*,*N*-dipropyl-2,6-dinitro-4-trifluoromethylaniline (containing < 0.5 ppm NPDA) | 216-428-8 | 1582-09-8 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-047-00-7 | 2-nitroanisole | 202-052-1 | 91-23-6 | Carc. 1B<br>Acute Tox. 4 (*) | H350<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H302 | | | |
| 609-048-00-2 | sodium 3-nitrobenzenesulphonate | 204-857-3 | 127-68-4 | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | |
| 609-049-00-8 | 2,6-dinitrotoluene | 210-106-0 | 606-20-2 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H412 | | | |
| 609-050-00-3 | 2,3-dinitrotoluene | 210-013-5 | 602-01-7 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-051-00-9 | 3,4-dinitrotoluene | 210-222-1 | 610-39-9 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |
| 609-052-00-4 | 3,5-dinitrotoluene | 210-566-2 | 618-85-9 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H412 | | | |
| 609-053-00-X | hydrazine-trinitromethane | 414-850-9 | — | Expl. 1.1 (****)<br>Self-react. A<br>Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1 | H201<br>H240<br>H350<br>H331<br>H301<br>H317 | GHS01<br>GHS06<br>GHS08<br>Dgr | H201<br>H240<br>H350<br>H331<br>H301<br>H317 | | | |
| 609-054-00-5 | 2,3-dinitrophenol; [1]<br>2,5-dinitrophenol; [2]<br>2,6-dinitrophenol; [3]<br>3,4-dinitrophenol; [4]<br>salts of dinitrophenol [5] | 200-628-7 [1]<br>206-348-1 [2]<br>209-357-9 [3]<br>209-415-3 [4]<br>- [5] | 66-56-8 [1]<br>329-71-5 [2]<br>573-56-8 [3]<br>577-71-9 [4]<br>- [5] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-055-00-0 | 2,5-dinitrotoluene | 210-581-4 | 619-15-8 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f (***)<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |
| 609-056-00-6 | 2,2-dibromo-2-nitroethanol | 412-380-9 | 69094-18-4 | Expl. 1.1<br>Carc. 2<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H351<br>H302<br>H373 (**)<br>H314<br>H317<br>H400<br>H410 | GHS01<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H201<br>H351<br>H302<br>H373 (**)<br>H314<br>H317<br>H410 | | *<br>STOT SE 3; H335: C ≥ 1 % | T |
| 609-057-00-1 | 3-chloro-2,4-difluoronitrobenzene | 411-980-8 | 3847-58-3 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H317<br>H410 | | | |
| 609-058-00-7 | 2-nitro-2-phenyl-1,3-propanediol | 410-360-4 | 5428-02-4 | STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H372 (**)<br>H312<br>H302<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H372 (**)<br>H312<br>H302<br>H317<br>H411 | EUH070 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-059-00-2 | 2-chloro-6-(ethylamino)-4-nitrophenol | 411-440-1 | 131657-78-8 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H411 | | | |
| 609-060-00-8 | 4-[(3-hydroxypropyl)amino]-3-nitrophenol | 406-305-9 | 92952-81-3 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 609-061-00-3 | (*E*,*Z*)-4-chlorophenyl(cyclopropyl)ketone *O*-(4-nitrophenylmethyl)oxime | 406-100-4 | 94097-88-8 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 609-062-00-9 | 2-bromo-2-nitropropanol | 407-030-7 | 24403-04-1 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H302<br>H373 (**)<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H311<br>H302<br>H373 (**)<br>H314<br>H317<br>H410 | | | |
| 609-063-00-4 | 2-[(4-chloro-2-nitrophenyl)amino]ethanol | 413-280-8 | 59320-13-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 609-064-00-X | mesotrione(ISO);<br>2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione | — | 104206-82-8 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 609-065-00-5 | 2-nitrotoluene | 201-853-3 | 88-72-2 | Carc. 1B<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H340<br>H361f (***)<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H340<br>H361f (***)<br>H302<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 609-066-00-0 | lithium sodium 3-amino-10-{4-(10-amino-6,13-dichloro-4,11-disulfonatobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-3-ylamino)-6-[methyl(2-sulfonato-ethyl)amino]-1,3,5-triazin-2-ylamino}-6,13-dichlorobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 418-870-9 | 154212-58-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 2 (*)<br>(*) | H332<br>H312<br>H302<br>H371<br>(**) | GHS08<br>GHS07<br>Dgr | H332<br>H312<br>H302<br>H371 (**) | | | |
| 609-067-00-6 | sodium and potassium 4-(3-aminopropylamino)-2,6-bis[3-(4-methoxy-2-sulfophenylazo)-4-hydroxy-2-sulfo-7-naphthylamino]-1,3,5-triazine | 416-280-6 | 156769-97-0 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 609-068-00-1 | musk xylene;<br>5-*tert*-butyl-2,4,6-trinitro-*m*-xylene | 201-329-4 | 81-15-2 | Expl. 1.1<br>Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H351<br>H400<br>H410 | GHS01<br>GHS08<br>GHS09<br>Wng | H201<br>H351<br>H410 | | | T |
| 609-070-00-2 | 1,4-dichloro-2-(1,1,2,3,3,3-hexafluoropropoxy)-5-nitrobenzene | 415-580-4 | 130841-23-5 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 609-071-00-8 | reaction mass of: 2-methylsulfanyl-4,6-bis-(2-hydroxy-4-methoxy-phenyl)-1,3,5-triazine;<br>2-(4,6-bis-methylsulfanyl-1,3,5-triazin-2-yl)-5-methoxy-phenol | 423-520-3 | 156137-33-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 610-001-00-3 | trichloronitromethane;<br>chloropicrin | 200-930-9 | 76-06-2 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H330<br>H302<br>H319<br>H335<br>H315 | GHS06<br>Dgr | H330<br>H302<br>H319<br>H335<br>H315 | | | |
| 610-002-00-9 | 1,1-dichloro-1-nitroethane | 209-854-0 | 594-72-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 610-003-00-4 | chlorodinitrobenzene | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | C |
| 610-004-00-X | 2-chloro-1,3,5-trinitrobenzene | 201-864-3 | 88-88-0 | Expl. 1.1<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H330<br>H310<br>H300<br>H400<br>H410 | GHS01<br>GHS06<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H410 | | | |
| 610-005-00-5 | 1-chloro-4-nitrobenzene | 202-809-6 | 100-00-5 | Carc. 2<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H351<br>H341<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H341<br>H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |
| 610-006-00-0 | chloronitroanilines with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H330<br>H310<br>H300<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H411 | | | A C |
| 610-007-00-6 | 1-chloro-1-nitropropane | 209-990-0 | 600-25-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | * | |
| 610-008-00-1 | 2,6-dichloro-4-nitroanisole | 403-350-6 | 17742-69-7 | Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H301<br>H411 | GHS06<br>GHS09<br>Dgr | H301<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 610-009-00-7 | 2-chloro-4-nitroaniline | 204-502-2 | 121-87-9 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 610-010-00-2 | 2-bromo-1-(2-furyl)-2-nitroethylene | 406-110-9 | 35950-52-8 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H314<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 (**)<br>H314<br>H317<br>H410 | | | |
| 611-001-00-6 | azobenzene | 203-102-5 | 103-33-3 | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H332<br>H302<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H332<br>H302<br>H373 (**)<br>H410 | | | |
| 611-002-00-1 | azoxybenzene | 207-802-1 | 495-48-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H302 | GHS07<br>Wng | H332<br>H302 | | | |
| 611-003-00-7 | fenaminosulf (ISO);<br>sodium 4-dimethylaminobenzenediazosulphonate | 205-419-4 | 140-56-7 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H301<br>H312<br>H412 | GHS06<br>Dgr | H301<br>H312<br>H412 | | | |
| 611-004-00-2 | methyl-ONN-azoxymethyl acetate;<br>methyl azoxy methyl acetate | 209-765-7 | 592-62-1 | Carc. 1B<br>Repr. 1B | H350<br>H360-D (***) | GHS08<br>Dgr | H350<br>H360D (***) | | | |
| 611-005-00-8 | disodium {5-[(4'-((2,6-hydroxy-3-((2-hydroxy-5-sulphophenyl)azo)phenyl)azo)(1,1'-biphenyl)-4-yl)azo]salicylato(4-)}cuprate(2-);<br>CI Direct Brown 95 | 240-221-1 | 16071-86-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-006-00-3 | 4-*o*-tolylazo-*o*-toluidine;<br>4-amino-2',3-dimethylazobenzene;<br>fast garnet GBC base;<br>AAT;<br>*o*-aminoazotoluene | 202-591-2 | 97-56-3 | Carc. 1B<br>Skin Sens. 1 | H350<br>H317 | GHS08<br>Dgr | H350<br>H317 | | | |
| 611-007-00-9 | tricyclazole (ISO);<br>5-methyl-1,2,4-triazolo(3,4-b)benzo-1,3-thiazole; | 255-559-5 | 41814-78-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 611-008-00-4 | 4-aminoazobenzene;<br>4-phenylazoaniline | 200-453-6 | 60-09-3 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | | |
| 611-009-00-X | sodium (1-(5-(4-(4-anilino-3-sulphophenylazo)-2-methyl-5-methylsulphonamidophenylazo)-4-hydroxy-2-oxido-3-(phenylazo)phenylazo)-5-nitro-4-sulphonato-2-naphtholato)iron(II) | 401-220-3 | — | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H332<br>H412 | GHS07<br>Wng | H332<br>H412 | | | |
| 611-010-00-5 | 2'-(2-cyano-4,6-dinitrophenylazo)-5'-(*N*,*N*-dipropylamino)propionanilide | 403-010-7 | 106359-94-8 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 611-011-00-0 | *N*,*N*,*N*',*N*'-tetramethyl-3,3'-(propylenebis(iminocarbonyl-4,1-phenylenazo(1,6-dihydro-2-hydroxy-4-methyl-6-oxopyridine-3,1-diyl)))di(propylammonium) dilactate | 403-340-1 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dg | H318<br>H411 | | | |
| 611-012-00-6 | reaction mass of 2,2-iminodiethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and 2-methylaminoethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl) benzothiazole-7-sulfonate and *N*,*N*-diethylpropane-1,3-diamine 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate | 403-410-1 | 114565-65-0 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-013-00-1 | trilithium-1-hydroxy-7-(3-sulfonatoanilino)-2-(3-methyl-4-(2-methoxy-4-(3-sulfonatophenylazo)phenylazo)phenylazo)naphthalene-3-sulfonate | 403-650-7 | 117409-78-6 | Expl. 1.3 (****)<br>Aquatic Chronic 2 | H203<br>H411 | GHS01<br>GHS09<br>Dgr | H203<br>H411 | | | |
| 611-014-00-7 | (tetrasodium 1-(4-(3-acetamido-4-(4'-nitro-2,2'-disulfonatostilben-4-ylazo)anilino)-6-(2,5-disulfonatoanilino)-1,3,5-triazin-2-yl)-3-carboxypyridinium) hydroxide | 404-250-5 | 115099-55-3 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-015-00-2 | tetrasodium 4-amino-5-hydroxy-6-(4-(2-(2-(sulfonatooxy)ethylsulfonyl)ethylcarbamoyl)phenylazo)-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate | 404-320-5 | 116889-78-2 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-016-00-8 | reaction mass of 1,1'-((dihydroxyphenylene)bis(azo-3,1-phenylenazo(1-(3-dimethylaminopropyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diyl)))dipyridinium dichloride dihydrochloride, mixed isomers and 1-(1-(3-dimethylaminopropyl)-5-(3-((4-(1-(3-dimethylaminopropyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-5-pyridinio-3-pyridylazo)phenylazo)-2,4(or2,6 or3,5)-dihydroxyphenylazo)phenylazo)-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-3-pyridyl)pyridinium dichloride | 404-540-1 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-017-00-3 | 2-(4-(diethylaminopropylcarbamoyl)phenylazo)-3-oxo-*N*-(2,3-dihydro-2-oxobenzimidazol-5-yl)butyramide | 404-910-2 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 611-018-00-9 | tetraammonium 5-(4-(7-amino-1-hydroxy-3-sulfonato-2-naphthylazo)-6-sulfonato-1-naphthylazo)isophthalate | 405-130-5 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-019-00-4 | tetralithium 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate | 405-150-4 | 106028-58-4 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-020-00-X | tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate | 405-170-3 | 116340-05-7 | Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H301<br>H317<br>H412 | GHS06<br>Dgr | H301<br>H317<br>H412 | | | |
| 611-021-00-5 | 2-(4-(4-cyano-3-methylisothiazol-5-ylazo)-*N*-ethyl-3-methylanilino)ethyl acetate | 405-480-9 | — | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Aquatic Chronic 4 | H302<br>H373 (**)<br>H315<br>H413 | GHS08<br>GHS07<br>Wng | H302<br>H373 (**)<br>H315<br>H413 | | | |
| 611-022-00-0 | 4-dimethylaminobenzenediazonium 3-carboxy-4-hydroxybenzenesulfonate | 404-980-4 | — | Self-react. C<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H331<br>H301<br>H312<br>H373 (**)<br>H318<br>H317<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H242<br>H331<br>H301<br>H312<br>H373 (**)<br>H318<br>H317<br>H410 | | | T |
| 611-023-00-6 | disodium 7-(4,6-dichloro-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(4-(2-(sulfonatooxy) ethylsulfonyl)phenylazo) naphthalene-2-sulfonate | 404-600-7 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-024-00-1 | Benzidine based azo dyes;<br>4,4'-diarylazobiphenyl dyes, with the exception of those specified elsewhere in this Annex | — | — | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | A |
| 611-025-00-7 | disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphtalene-2,7-disulphonate;<br>C.I. Direct Black 38 | 217-710-3 | 1937-37-7 | Carc. 1B<br>Repr. 2 | H350<br>H361d (***) | GHS08<br>Dgr | H350<br>H361d (***) | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-026-00-2 | tetrasodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis (azo)]bis[5-amino-4-hydroxynaphthalene-2,7-disulphonate];<br>C.I. Direct Blue 6 | 220-012-1 | 2602-46-2 | Carc. 1B<br>Repr. 2 | H350<br>H361d (***) | GHS08<br>Dgr | H350<br>H361d (***) | | | |
| 611-027-00-8 | disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis (azo)]bis(4-aminonaphthalene-1-sulphonate);<br>C.I. Direct Red 28 | 209-358-4 | 573-58-0 | Carc. 1B<br>Repr. 2 | H350<br>H361d (***) | GHS08<br>Dgr | H350<br>H361d (***) | | | |
| 611-028-00-3 | *C,C'*-azodi(formamide) | 204-650-8 | 123-77-3 | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | G |
| 611-029-00-9 | *o*-dianisidine based azo dyes;<br>4,4'-diarylazo-3,3'-dimethoxybiphenyl dyes with the exception of those mentioned elsewhere in this Annex | — | — | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | A H |
| 611-030-00-4 | *o*-tolidine based dyes;<br>4,4'-diarylazo-3,3'-dimethylbiphenyl dyes, with the exception of those mentioned elsewhere in this Annex | — | — | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | A H |
| 611-031-00-X | 4,4'-(4-iminocyclohexa-2,5-dienylidenemethylene)dianiline hydrochloride;<br>C.I. Basic Red 9 | 209-321-2 | 569-61-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | |
| 611-032-00-5 | 1,4,5,8-tetraaminoanthraquinone;<br>C.I. Disperse Blue 1 | 219-603-7 | 2475-45-8 | Carc. 1B<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H350<br>H315<br>H318<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H350<br>H315<br>H318<br>H317 | | | |
| 611-033-00-0 | hexasodium [4,4"-azoxybis(2,2'-disulfonatostilbene-4,4'-diylazo)]-bis[5'-sulfonatobenzene-2,2'- diolato-O(2),O(2),N(1)]-copper(II) | 400-020-3 | 82027-60-9 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-034-00-6 | *N*-(5-(bis(2-methoxyethyl)amino)-2-((5-nitro-2,1-benzisothiazol-3-yl)azo)phenylacetamide | 402-430-8 | 105076-77-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-035-00-1 | tetralithium 6-amino-4-hydroxy-3-[7-sulfonato-4-(5-sulfonato-2-naphthylazo)-1-naphthylazo]naphthalene-2,7-disulfonate | 403-660-1 | 107246-80-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 611-036-00-7 | 2-(4-(5,6(or 6,7)-dichloro-1,3-benzothiazol-2-ylazo)-*N*-methyl-*m*-toluidino)ethyl acetate | 405-440-0 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-037-00-2 | 3(or 5)-(4-(*N*-benzyl-*N*-ethylamino)-2-methylphenylazo)-1,4-dimethyl-1,2,4-triazolium methylsulphate | 406-055-0 | 124584-00-5 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 | | | |
| 611-038-00-8 | trisodium 1-hydroxynaphthalene-2-azo-4'(5',5"-dimethylbiphenyl)-4"-azo(4"-phenylsulfonyloxybenzene)- 2',2",4-trisulfonate | 406-820-9 | — | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 611-039-00-3 | 7-[((4,6-dichloro-1,3,5-triazin-2-yl)amino)-4-hydroxy-3-(4-((2-sulfoxy)ethyl)sulfonyl)phenylazo]naphthalene-2-sulfonic acid | 407-050-6 | 117715-57-8 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-040-00-9 | 3-(5-acetylamino-4-(4-[4,6-bis(3-diethylaminopropylamino)-1,3,5-triazin-2-ylamino]phenylazo)-2-(2-methoxyethoxy)phenylazo)-6-amino-4-hydroxy-2-naphthalenesulfonic acid | 407-670-7 | 115099-58-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 611-041-00-4 | 2-[[4[[4,6-bis[[3-(diethylamino)propyl]amino]-1,3,5-triazine-2-yl]amino]phenyl]azo]-*N*-(2,3-dihydro-2-oxo-1*H*-benzimidazol-5-yl)-3-oxobutanamide | 407-680-1 | 98809-11-1 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |
| 611-042-00-X | trisodium 5-amino-3-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-4-hydroxy-6-(4-vinylsulfonylphenylazo)naphthalene-2,7-disulfonate | 411-770-6 | 136213-71-3 | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-043-00-5 | reaction mass of: trisodium *N*(1')-*N*(2):*N*(1''')-*N*(2'')-η-6-[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]-6''-(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonatobis (naphthalene-2,1'-azobenzene-1,2'-diolato-*O*(1),*O*(2'))-chromate;<br>trisodium *N*(1')-*N*(2):*N*(1''')-*N*(2'')-η-6,6''-bis (1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonatobis (naphthalene-2,1'azobenzene-1,2'-diolato-*O*(1),*O*(2'))-chromate;<br>trisodium *N*(1')-*N*(2):*N*(1''')-*N*(2'')-η-6,6''-bis [2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]5',5'''-disulfamoyl-3,3''-disulfonatobis(naphthalene-2,1'azobenzene-1,2'-diolato-*O*(1),*O*(2'))-chromate (2:1:1) | 402-850-1 | — | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 611-044-00-0 | reaction mass of: *tert*-alkyl($C_{12}$-$C_{14}$)ammonium bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-);<br>*tert*-alkyl($C_{12}$-$C_{14}$)ammonium bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato (2-)]-chromate(1-);<br>*tert*-alkyl($C_{12}$-$C_{14}$)ammonium bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl] azo]-2-naphthalenolato(2-)]-chromate(1-);<br>*tert*-alkyl($C_{12}$-$C_{14}$)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato (2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);<br>*tert*-alkyl($C_{12}$-$C_{14}$)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl] azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);<br>*tert*-alkyl($C_{12}$-$C_{14}$)ammonium ((1-(4(or 5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato))chromate(1-) | 403-720-7 | 117527-94-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-045-00-6 | 2-[4-[*N*-(4-acetoxybutyl)-*N*-ethyl]amino-2-methylphenylazo]-3-acetyl-5-nitrothiophene | 404-830-8 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-046-00-1 | 4,4'-diamino-2-methylazobenzene | 407-590-2 | 43151-99-1 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H373 (**)<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 (**)<br>H317<br>H410 | | | |
| 611-047-00-7 | reaction mass of: 2-[[4-[*N*-ethyl-*N*-(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole;<br>2-[[4-[*N*-ethyl-*N*-(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1) | 407-890-3 | 111381-11-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-048-00-2 | reaction mass of: 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole;<br>2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1) | 407-900-6 | 111381-12-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-049-00-8 | reaction mass of 7-[4-(3-diethylaminopropylamino)-6-(3-diethylammoniopropylamino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-phenylazophenylazo)-naphthalene-2-sulfonate, acetic acid, lactic acid (2:1:1) | 408-000-6 | 118658-98-3 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H373 (**)<br>H317<br>H412 | GHS08<br>Wng | H373 (**)<br>H317<br>H412 | | | |
| 611-051-00-9 | 2-(4-(*N*-ethyl-*N*-(2-hydroxy)ethyl)amino-2-methylphenyl)azo-6-methoxy-3-methylbenzothiazolium chloride | 411-110-7 | 136213-74-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 611-052-00-4 | monosodium aqua-[5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalensulfonate], iron complex | 400-720-9 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 611-053-00-X | 2,2'-azobis[2-methylpropionamidine] dihydrochloride | 221-070-0 | 2997-92-4 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |
| 611-055-00-0 | C.I. Disperse Yellow 3;<br>N-[4-[(2-hydroxy-5-methylphenyl)azo]phenyl]acetamide | 220-600-8 | 2832-40-8 | Carc. 2<br>Skin Sens. 1 | H351<br>H317 | GHS08<br>GHS07<br>Wng | H351<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-056-00-6 | C.I. Solvent Yellow 14;<br>1-phenylazo-2-naphthol | 212-668-2 | 842-07-9 | Carc. 2<br>Muta. 2<br>Skin Sens. 1<br>Aquatic Chronic 4 | H351<br>H341<br>H317<br>H413 | GHS08<br>GHS07<br>Wng | H351<br>H341<br>H317<br>H413 | | | |
| 611-057-00-1 | 6-hydroxy-1-(3-isopropoxypropyl)-4-methyl-2-oxo-5-[4-(phenylazo)phenylazo]-1,2-dihydro-3-pyridinecarbonitrile | 400-340-3 | 85136-74-9 | Carc. 1B<br>Aquatic Chronic 4 | H350<br>H413 | GHS08<br>Wng | H350<br>H413 | | | |
| 611-058-00-7 | (6-(4-hydroxy-3-(2-methoxyphenylazo)-2-sulfonato-7-naphthylamino)-1,3,5-triazin-2,4-diyl)bis[(amino-1-methylethyl)ammonium] formate | 402-060-7 | 108225-03-2 | Carc. 1B<br>Eye Dam. 1<br>Aquatic Chronic 2 | H350<br>H318<br>H411 | GHS08<br>GHS05<br>GHS09<br>Dgr | H350<br>H318<br>H411 | | | |
| 611-059-00-2 | octasodium 2-(6-(4-chloro-6-(3-(*N*-methyl-*N*-(4-chloro-6-(3,5-disulfonato-2-naphthylazo)-1-hydroxy-6-naphthylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,5-disulfonato-1-hydroxy-2-naphthylazo)naphthalene-1,5-disulfonate | 412-960-1 | 148878-21-1 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |
| 611-060-00-8 | reaction mass of: sodium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate;<br>ammonium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate;<br>5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonaphthalen-2-ylazo]-isophthalic acid | 413-180-4 | 187285-15-0 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-061-00-3 | disodium 5-[5-[4-(5-chloro-2,6-difluoropyrimidin-4-ylamino)benzamido]-2-sulfonatophenylazo]-1-ethyl-6-hydroxy-4-methyl-2-oxo-3-pyridylmethylsulfonate | 412-530-3 | — | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 611-062-00-9 | octasodium 2-(8-(4-chloro-6-(3-((4-chloro-6-(3,6-disulfonato-2-(1,5-disulfonatonaphthalen-2-ylazo)-1-hydroxynaphthalen-8-ylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,6-disulfonato-1-hydroxynaphthalen-2-ylazo) naphthalene-1,5-disulfonate | 413-550-5 | — | Skin Irrit. 2<br>Eye Dam. 1 | H315<br>H318 | GHS05<br>Dgr | H315<br>H318 | | | |
| 611-063-00-4 | trisodium [4'-(8-acetylamino-3,6-disulfonato-2-naphthylazo)-4"-(6-benzoylamino-3-sulfonato-2-naphthylazo)-biphenyl-1,3',3",1"'-tetraolato-O,O',O",O"']copper(II) | 413-590-3 | 164058-22-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | |
| 611-064-00-X | 4-(3,4-dichlorophenylazo)-2,6-di-*sec*-butylphenol | 410-600-8 | 124719-26-2 | STOT RE 2 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 (**)<br>H315<br>H410 | | | |
| 611-065-00-5 | 4-(4-nitrophenylazo)-2,6-di-*sec*-butyl-phenol | 410-610-2 | 111850-24-9 | STOT RE 2 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 (**)<br>H319<br>H315<br>H317<br>H410 | | | |
| 611-066-00-0 | tetrasodium 5-[4-chloro-6-(*N*-ethyl-anilino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(1,5-disulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate | 411-540-5 | 130201-57-9 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-067-00-6 | reaction mass of: bis(tris(2-(2-hydroxy(1-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate;<br>bis(tris(2-(2-hydroxy(2-methyl)ethoxy)ethyl) ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate | 406-910-8 | — | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H412 | | | |
| 611-068-00-1 | tetrasodium 4-amino-3,6-bis(5-[4-chloro-6-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino]-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-disulfonate | 400-690-7 | 85665-98-1 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-069-00-7 | *N*,*N*-di-[poly(oxyethylene)-co-poly(oxypropylene)]-4-[(3,5-dicyano-4-methyl-2-thienyl) azo)]-3-methylaniline | 413-380-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-070-00-2 | reaction mass of: disodium (6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-);<br>trisodium bis(5-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)chromate(1-) | 405-665-4 | — | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 611-071-00-8 | tris(tetramethylammonium) 5-hydroxy-1-(4-sulphonatophenyl)-4-(4-sulphonatophenylazo)pyrazole-3-carboxylate | 406-073-9 | 131013-81-5 | Acute Tox. 3 (*)<br>Aquatic Chronic 3 | H301<br>H412 | GHS06<br>Dgr | H301<br>H412 | | | |
| 611-072-00-3 | 2,4-bis[2,2'-[2-(*N*,*N*-dimethylamino)ethyloxycarbonyl]phenylazo]-1,3-dihydroxybenzene, dihydrochloride | 407-010-8 | 118208-02-9 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411 | | | |
| 611-073-00-9 | dimethyl 3,3'-(*N*-(4-(4-bromo-2,6-dicyanophenylazo)-3-hydroxyphenyl)imino) dipropionate | 407-310-9 | 122630-55-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-074-00-4 | reaction mass of: sodium/potassium (3-(4-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II); sodium/potassium (3-(4-(5-(5-chloro-4,6-difluoropyrimidin-2-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II) | 407-100-7 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-075-00-X | reaction mass of: tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(2-amino-4-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate; tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(4-amino-2-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate (2:1) | 406-000-0 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 611-076-00-5 | 3-(2,6-dichloro-4-nitrophenylazo)-1-methyl-2-phenylindole | 406-280-4 | 117584-16-4 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 611-077-00-0 | dilithium disodium (5,5'-diamino-(μ-4,4'-dihydroxy-1:2-κ-2,O4,O4',-3,3'-[3,3'-dihydroxy-1:2-κ-2-O3,O3'-biphenyl-4,4'-ylenebisazo-1:2-(N3,N4-η:N3',N4'-η)]-dinaphthalene-2,7-disulfonato(8)))dicuprate(2-) | 407-230-4 | 126637-70-5 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |
| 611-078-00-6 | (2,2'-(3,3'-dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato))dicopper(II) acetate lactate | 407-240-9 | 159604-94-1 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 611-079-00-1 | disodium 7-[4-chloro-6-(*N*-ethyl-*o*-toluidino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)-2-naphthalenesulfonate | 410-390-8 | 147703-64-8 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 611-080-00-7 | sodium 3-(2-acetamido-4-(4-(2-hydroxybutoxy)phenylazo)phenylazo)benzenesulfonate | 410-150-2 | 147703-65-9 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-081-00-2 | tetrasodium [7-(2,5-dihydroxy-KO2-7-sulfonato-6-[4-(2,5,6-trichloro-pyrimidin-4-ylamino)phenylazo]-(*N*1,*N*7-*N*)-1-naphthylazo)-8-hydroxy-KO8-naphthalene-1,3,5-trisulfonato(6-)]cuprate(II) | 411-470-5 | 141048-13-7 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 611-082-00-8 | reaction mass of: pentasodium bis(1-(3(or 5)-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)ferrate(1-);<br>pentasodium [(1-(3-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)-(5-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato]ferrate(1-) | 407-570-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-083-00-3 | reaction mass of: 2-[*N*-ethyl-4-[(5,6-dichlorobenzothiazol-2-yl)azo]-*m*-toludino]ethyl acetate;<br>2-[*N*-ethyl-4-[(6,7-dichlorobenzothiazol-2-yl)azo]-*m*-toludino]ethyl acetate (1:1) | 411-560-4 | — | STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H372 (**)<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H372 (**)<br>H317<br>H411 | | | |
| 611-084-00-9 | reaction mass of: *N*-(4-chlorophenyl)-4-(2,5-dichloro-4-(dimethylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide;<br>*N*-(4-chlorophenyl)-4-(2,5-dichloro-4-(methylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide | 412-550-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-085-00-4 | reaction mass of: 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-(2-hydroxy-ethylamino)-4-methyl-6-[3-(2-phenoxyethoxy)propylamino]pyridine;<br>3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-(2-hydroxy-ethylamino)-4-methyl-2-[3-(2-phenoxyethoxy)propylamino]pyridine;<br>3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-amino-4-methyl-6-[3-(3-hydroxypropoxy)propylamino]pyridine;<br>3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-amino-4-methyl-2-[3-(3-methoxypropoxy)propylamino]pyridine | 411-880-4 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-086-00-X | monolithium 5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalenesulfonate], iron complex, monohydrate | 411-360-7 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 611-087-00-5 | reaction mass of: 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxyl-6-oxo-3-pyridinyl) azo)-benzoyloxy-2-phenoxyethane; 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxy-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-ethyloxy-2-(ethylphenol) | 411-710-9 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-088-00-0 | reaction mass of: trilithium 4-amino-3-((4-((4-((2-amino-4-hydroxyphenyl)azo)phenyl) amino)-3-sulfophenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate; trilithium 4-amino-3-((4-((4-((4-amino-2-hydroxyphenyl)azo)phenyl)amino)-3-sulfophenyl)azo)-5-hydroxy-6-(phenylazo) naphthalene-2,7-disulfonate | 411-890-9 | — | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H412 | | | |
| 611-089-00-6 | 2-((4-(ethyl-(2-hydroxyethyl)amino)-2-methylphenyl)azo)-6-methoxy-3-methyl-benzothiazolium methylsulfate | 411-100-2 | 136213-73-5 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 (**)<br>H317<br>H410 | | | |
| 611-090-00-1 | 2,5-dibutoxy-4-(morpholin-4-yl)benzenediazonium 4-methylbenzenesulfonate | 413-290-2 | 93672-52-7 | Self-react. C<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H242<br>H302<br>H318<br>H317<br>H412 | GHS02<br>GHS05<br>GHS07<br>Dgr | H242<br>H302<br>H318<br>H317<br>H412 | | | T |
| 611-091-00-7 | sodium (1,0-1,95)/lithium (0,05-1) 5-((5-((5-chloro-6-fluoro-pyrimidin-4-yl)amino)-2-sulfonatophenyl)azo)-1,2-dihydro-6-hydroxy-1,4-dimethyl-2-oxo-3-pyridinemethyl-sulfonate | 413-470-0 | 134595-59-8 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-092-00-2 | *tert*-(dodecyl/tetradecyl)-ammonium bis(3-(4-((5-(1,1-dimethyl-propyl)-2-hydroxy-3-nitrophenyl)azo)-3-methyl-5-hydroxy-(1*H*)pyrazol-1-yl)benzenesulfonamidato)chromate | 413-210-6 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-093-00-8 | sodium 2-(4-(4-fluoro-6-(2-sulfo-ethylamino)-[1,3,5]triazin-2-ylamino)-2-ureido-phenylazo)-5-(4-sulfophenylazo)benzene-1-sulfonate | 410-770-3 | 146177-84-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-094-00-3 | reaction mass of: 2-[2-acetylamino-4-[*N*,*N*-bis[2-ethoxy-carbonyloxy)ethyl]amino]phenylazo]-5,6-dichloro-1,3-benzothiazole;<br>2-[2-acetylamino-4-[*N*,*N*-bis[2-ethoxy-carbonyloxy)ethyl]amino]phenylazo]-6,7-dichloro-1,3-benzotriazole (1:1) | 411-600-0 | 143145-93-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-095-00-9 | hexasodium 1,1'-[(1-amino-8-hydroxy-3,6-disulfonate-2,7-naphthalenediyl)bis(azo(4-sulfonate-1,3-phenyl)imino[6-[(4-chloro-3-sulfonatophenyl)amino]-1,3,5-triazin-2,4-diyl]]]bis[3-carboxypyridinium] dihydroxide | 412-240-7 | 89797-03-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-096-00-4 | methyl *N*-[3-acetylamino)-4-(2-cyano-4-nitrophenylazo)phenyl]-*N*-[(1-methoxy)acetyl]glycinate | 413-040-2 | 149850-30-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-097-00-X | reaction mass of iron complexes of: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]-*n*-(5-amino-sulfonyl-2-hydroxyphenylazo)benzene and: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]-*n*-[4-(4-nitro-2-sulfophenylamino)phenylazo]benzene (*n*=2,5,6) | 414-150-3 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 611-098-00-5 | tetrakis(tetramethylammonium)3,3'-(6-(2-hydroxyethylamino)1,3,5-triazine-2,4-diyl-bisimino(2-methyl-4,1-phenyleneazo))bis-naphthalene-1,5-disulfonate | 405-950-3 | 131013-83-7 | Acute Tox. 3 (*)<br>Aquatic Chronic 3 | H301<br>H412 | GHS06<br>Dgr | H301<br>H412 | | | |
| 611-099-00-0 | (methylenebis(4,1-phenylenazo(1-(3-(dimethylamino)propyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diyl)))-1,1'-dipyridinium dichloride dihydrochloride | 401-500-5 | 118658-99-4 | Carc. 1B<br>Aquatic Chronic 2 | H350<br>H411 | GHS08<br>GHS09<br>Dgr | H350<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-100-00-4 | potassium sodium 3,3'-(3(or4)-methyl-1,2-phenylenebis(imino(6-chloro)-1,3,5-triazine-4,2-diylimino(2-acetamido-5-methoxy)-4,1-phenylenazo)dinaphthalene-1,5-disulfonate | 403-810-6 | 140876-13-7 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 611-101-00-X | 2'-(4-chloro-3-cyano-5-formyl-2-thienyl) azo-5'-diethylaminoacetanilide | 405-200-5 | 104366-25-8 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-103-00-0 | trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonato-naphthalen-2-amido)nickel(II) | 407-110-1 | — | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |
| 611-104-00-6 | reaction mass of: trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2or 6)-(4-(4-nitro-2-sulfonatoanilino)phenylazo) phenolato)ferrate(1-);<br>trisodium bis(2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)ferrate(1-);<br>trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2 (or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(4-nitro-2-sulfonatophenylazo)phenolato)ferrate(1-);<br>trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2 (or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(3-sulfonatophenylazo)phenolato)ferrate(1-);<br>disodium 3,3'-(2,4-dihydroxy-1,3(or 1,5 or 3,5)-phenylenediazo)dibenzenesulfonate | 406-870-1 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 611-105-00-1 | sodium 4-(4-chloro-6-(*N*-ethylanilino)-1,3,5-triazin-2-ylamino)-2-(1-(2-chlorophenyl)-5-hydroxy-3-methyl-1*H*-pyrazol-4-ylazo)benzenesulfonate | 407-800-2 | 136213-75-7 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-106-00-7 | hexasodium 4,4'-dihydroxy-3,3'-bis[2-sulfonato-4-(4-sulfonatophenylazo)phenylazo]-7,7'[*p*-phenylenebis[imino(6-chloro-1,3,5-triazine-4,2-diyl)imino]]dinaphthalene-2-sulfonate | 410-180-6 | 157627-99-1 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 611-107-00-2 | potassium sodium 4-(4-chloro-6-(3,6-disulfonato-7-(5,8-disulfonato-naphthalen-2-ylazo)-8-hydroxy-naphthalen-1-ylamino)-1,3,5-triazin-2-ylamino)-5-hydroxy-6-(4-(2-sulfatoethanesulfonyl)-phenylazo)-naphthalene-1,7-disulfonate | 412-490-7 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-108-00-8 | disodium 5-((4-((4-chloro-3-sulfonatophenyl)azo)-1-naphthyl)azo)-8-(phenylamino)-1-naphthalenesulfonate | 413-600-6 | 6527-62-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 611-109-00-3 | reaction products of: copper(II) sulfate and tetrasodium 2,4-bis[6-(2-methoxy-5-sulfonatophenylazo)-5-hydroxy-7-sulfonato-2-naphthylamino]-6-(2-hydroxyethylamino)-1,3,5-triazine (2:1) | 407-710-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-110-00-9 | tetra-sodium/lithium 4,4'-bis-(8-amino-3,6-disulfonato-1-naphthol-2-ylazo)-3-methylazobenzene | 408-210-8 | 124605-82-9 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 611-111-00-4 | disodium 2-[[4-(2-chloroethylsulfonyl)phenyl]-[(2-hydroxy-5-sulfo-3-[3-[2-(2-(sulfooxy)ethylsulfonyl)ethylazo]-4-sulfobenzoato(3-)cuprate(1-) | 414-230-8 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-112-00-X | tetrasodium 4-hydroxy-5-[4-[3-(2-sulfatoethanesulfonyl)phenylamino]-6-morpholin-4-yl-1,3,5-triazin-2-ylamino]-3-(1-sulfonatonaphthalen-2-ylazo)naphthalene-2,7-disulfonate | 413-070-6 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-113-00-5 | lithium sodium (2-(((5-((2,5-dichlorophenyl)azo)-2-hydroxyphenyl)methylene)amino) benzoato(2-))(2-((4,5-dihydro-3-methyl-5-oxo-1-phenyl-1*H*-pyrazol-4-yl)azo)-5-sulfobenzoato(3-)) chromate(2-) | 414-280-0 | 149626-00-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-114-00-0 | lithium sodium (4-((5-chloro-2-hydroxyphenyl)azo)-2,4-dihydro-5-methyl-3*H*-pyrazol-3-onato(2-))(3-((4,5-dihydro-3-methyl-1-(4-methylphenyl)-5-oxo-1*H*-pyrazol-4-yl) azo)-4-hydroxy-5-nitrobenzenesulfonato(3-)) chromate(2-) | 414-250-7 | 149564-66-9 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H412 | | | |
| 611-115-00-6 | trilithium bis(4-((4-(diethylamino)-2-hydroxyphenyl)azo)-3-hydroxy-1-naphthalenesulfonato(3-))chromate(3-) | 414-290-5 | 149564-65-8 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 611-116-00-1 | reaction mass of: trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate;<br>trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate;<br>trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate;<br>trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate | 414-620-8 | — | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 611-117-00-7 | 1,3-bis{6-fluoro-4-[1,5-disulfo-4-(3-aminocarbonyl-1-ethyl-6-hydroxy-4-methyl-pyrid-2-on-5-ylazo)-phenyl-2-ylamino]-1,3,5-triazin-2-ylamino}propane lithium-, sodium salt | 415-100-3 | 149850-29-3 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 611-118-00-2 | sodium 1,2-bis[4-[4-{4-(4-sulfophenylazo)-2-sulfophenylazo}-2-ureido-phenyl-amino]-6-fluoro-1,3,5-triazin-2-ylamino]-propane, sodium salt | 413-990-8 | | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-119-00-8 | tetrasodium 4-[4-chloro-6-(4-methyl-2-sulfophenylamino)-1,3,5-triazin-2-ylamino]-6-(4,5-dimethyl-2-sulfophenylazo)-5-hydroxy-naphthalene-2,7-disulfonate | 415-400-4 | 148878-22-2 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 611-120-00-3 | 5-{4-[5-amino-2-[4-(2-sulfoxyethylsulfonyl) phenylazo]-4-sulfo-phenylamino]-6-chloro-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfo-naphthalen-2-ylazo)-naphthalene-2,7-disulfonicacid sodium salt | 418-340-7 | 157707-94-3 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 611-121-00-9 | main component 6 (isomer): asym. 1:2 Cr (III)-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)phenylazo]naphthalene-2-ol;<br>main component 8 (isomer): asym. 1:2 Cr-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)-naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)-phenylazo]-naphthalene-2-ol | 417-280-9 | 30785-74-1 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 611-122-00-4 | hexasodium (di[*N*-(3-(4-[5-(5-amino-3-methyl-1-phenylpyrazol-4-yl-azo)-2,4-disulfo-anilino]-6-chloro-1,3,5-triazin-2-ylamino)phenyl)-sulfamoyl](di-sulfo)-phthalocyaninato)nickel | 417-250-5 | 151436-99-6 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 611-123-00-X | 3-(2,4-bis(4-((5-(4,6-bis(2-aminopropylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-disulfonaphthalen-3-yl)azo)phenylamino)-1,3,5-triazin-6-ylamino)propyldiethylammonium lactate | 424-310-4 | 178452-66-9 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-124-00-5 | reaction mass of: pentasodium 5-amino-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate;<br>pentasodium 5-amino-6-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-4-hydroxynaphthalene-2,7-disulfonate;<br>tetrasodium 5-amino-3-[5-{4-chloro-6-[4-(vinylsulfonyl)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo]-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate | 424-320-9 | | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 611-125-00-0 | reaction mass of: Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl)pyrazolin-4-yl-azo]-3-[2-oxido-4-(ethensulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex;<br>Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl)pyrazolin-4-yl-azo]-3-[2-oxido-4-(2-hydroxyethylsulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex | 423-940-7 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 611-126-00-6 | 2,6-bis-(2-(4-(4-amino-phenylamino)-phenylazo)-1,3-dimethyl-3*H*-imidazolium)-4-dimethylamino-1,3,5-triazine, dichloride | 424-120-1 | 174514-06-8 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 611-127-00-1 | pentasodium 4-amino-6-(5-(4-(2-ethyl-phenylamino)-6-(2-sulfatoethanesulfonyl)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxy-3-(4-(2-sulfatoethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate | 423-790-2 | — | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | G |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-128-00-7 | *N,N'*-bis{6-chloro-4-[6-(4-vinylsulfonylphenylazo)-2,7-disulfonicacid-5-hydroxynapht-4-ylamino]-1,3,5-triazin-2-yl}-*N*-(2-hydroxyethyl)ethane-1,2-diamine, sodium salt | 419-500-9 | 171599-85-2 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |
| 611-129-00-2 | reaction mass of: 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-phosphonophenyl)azo] benzoic acid;<br>5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-3-[(3-phosphonophenyl)azo]benzoic acid | 418-230-9 | 163879-69-4 | Expl. 1.3 (****)<br>Repr. 2<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H203<br>H361f (***)<br>H373 (**)<br>H317<br>H411 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H203<br>H361f (***)<br>H373 (**)<br>H317<br>H411 | | | |
| 611-130-00-8 | tetra-ammonium 2-[6-[7-(2-carboxylatophenylazo)-8-hydroxy-3,6-disulfonato-1-naphthylamino]-4-hydroxy-1,3,5-triazin-2-ylamino]benzoate | 418-520-5 | 183130-96-3 | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H410 | | | |
| 611-131-00-3 | 2-[2-hydroxy-3-(2-chlorophenyl)carbamoyl-1-naphthylazo]-7-[2-hydroxy-3-(3-methylphenyl)carbamoyl-1-naphthylazo]fluoren-9-one | 420-580-2 | 151798-26-4 | Repr. 1B<br>Aquatic Chronic 4 | H360-D (***)<br>H413 | GHS08<br>Dgr | H360D (***)<br>H413 | | | |
| 611-132-00-9 | pentasodium bis{7-[4-(1-butyl-5-cyano-1,2-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)phenylsulfonylamino]-5'-nitro-3,3'-disulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III) | 419-210-2 | 178452-71-6 | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 611-133-00-4 | Product by process iron complex of azo dyestuffs obtained by coupling a mixture of diazotized 2-amino-1-hydroxybenzene-4-sulfanilide and 2-amino-1-hydroxybenzene-4-sulfonamide with resorcin, the obtained mixture being subsequently submitted to a second coupling reaction with a mixture of diazotized 3-aminobenzene-1-sulfonic acid (metanilic acid) and 4'-amino-4-nitro-1,1'-diphenylamine-2-sulfonic acid and metallization with ferric chloride, sodium salt | 419-260-5 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 611-134-00-X | trisodium 2-{α[2-hydroxy-3-[4-chloro-6-[4-(2,3-dibromopropionylamino)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino]-5-sulfonatophenylazo]-benzylidenehydrazino}-4-sulfonatobenzoate, copper complex | 423-770-3 | — | Eye Dam. 1<br>Aquatic Chronic 2 | H318<br>H411 | GHS05<br>GHS09<br>Dgr | H318<br>H411 | | | |
| 611-135-00-5 | reaction product of: 2-[[4-amino-2-ureidophenylazo]-5-[(2-(sulfooxy)ethyl)sulfonyl]]benzenesulfonic acid with 2,4,6-trifluoropyrimidine and partial hydrolysis to the corresponding vinylsulfonyl derivative, mixed potassium/sodium salt | 424-250-9 | — | Eye Dam. 1<br>Aquatic Chronic 3 | H318<br>H412 | GHS05<br>Dgr | H318<br>H412 | | | |
| 611-136-00-0 | 2-{4-(2-ammoniopropylamino)-6-[4-hydroxy-3-(5-methyl-2-methoxy-4-sulfamoylphenylazo)-2-sulfonatonaphth-7-ylamino]-1,3,5-triazin-2-ylamino}-2-aminopropyl formate | 424-260-3 | — | Repr. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H361f (***)<br>H318<br>H411 | GHS05<br>GHS08<br>GHS09<br>Dgr | H361f (***)<br>H318<br>H411 | | | |
| 611-137-00-6 | 6-*tert*-butyl-7-chloro-3-tridecyl-7,7a-dihydro-1*H*-pyrazolo[5,1-c]-1,2,4-triazole | 419-870-1 | 159038-16-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-138-00-1 | 2-(4-aminophenyl)-6-*tert*-butyl-1*H*-pyrazolo[1,5-b][1,2,4]triazole | 415-910-7 | 152828-25-6 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 611-140-00-2 | azafenidin (ISO);<br>2-(2,4-dichloro-5-prop-2-ynyloxyphenyl)-5,6,7,8-tetrahydro-1,2,4-triazolo[4,3-a]pyridin-3(2*H*)-one | — | 68049-83-2 | Repr. 1B<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360Df<br>H373 (**)<br>H410 | | M=1000 | |
| 612-001-00-9 | mono-methylamine; [1]<br>di-methylamine; [2]<br>tri-methylamine [3] | 200-820-0 [1]<br>204-697-4 [2]<br>200-875-0 [3] | 74-89-5 [1]<br>124-40-3 [2]<br>75-50-3 [3] | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H220<br>H332<br>H335<br>H315<br>H318 | GHS02<br>GHS04<br>GHS05<br>GHS07<br>Dgr | H220<br>H332<br>H335<br>H315<br>H318 | | *<br>Skin Irrit. 2; H315: C ≥ 5 %<br>Eye Dam. 1; H318: C ≥ 5 %<br>Eye Irrit. 2; H319: 0,5 % ≤ C < 5 %<br>STOT SE 3; H335: C ≥ 5 % | U<br>5 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-001-01-6 | mono-methylamine ... %; [1]<br>di-methylamine ... %; [2]<br>tri-methylamine ... % [3] | 200-820-0 [1]<br>204-697-4 [2]<br>200-875-0 [3] | 74-89-5 [1]<br>124-40-3 [2]<br>75-50-3 [3] | Flam. Liq. 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H224<br>H332<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H224<br>H332<br>H302<br>H314 | | *<br>STOT SE 3;<br>H335: C ≥ 5 % | B |
| 612-002-00-4 | ethylamine | 200-834-7 | 75-04-7 | Flam. Gas 1<br>Press. Gas<br>Eye Irrit. 2<br>STOT SE 3 | H220<br>H319<br>H335 | GHS02<br>GHS04<br>GHS07<br>Dgr | H220<br>H319<br>H335 | | | U |
| 612-003-00-X | diethylamine | 203-716-3 | 109-89-7 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H225<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 1 % | |
| 612-004-00-5 | triethylamine | 204-469-4 | 121-44-8 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H225<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 1 % | |
| 612-005-00-0 | butylamine | 203-699-2 | 109-73-9 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H225<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 1 % | |
| 612-006-00-6 | ethylenediamine;<br>1,2-diaminoethane | 203-468-6 | 107-15-3 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1 | H226<br>H312<br>H302<br>H314<br>H334<br>H317 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H314<br>H334<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-007-00-1 | 2-aminopropane; isopropylamine | 200-860-9 | 75-31-0 | Flam. Liq. 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H224<br>H319<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr | H224<br>H319<br>H335<br>H315 | | | |
| 612-008-00-7 | aniline | 200-539-3 | 62-53-3 | Carc. 2<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H341<br>H331<br>H311<br>H301<br>H372 (**)<br>H318<br>H317<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H341<br>H331<br>H311<br>H301<br>H372 (**)<br>H318<br>H317<br>H400 | | *<br>STOT RE 1; H372: C ≥ 1 %<br>STOT RE 2; H373: 0,2 % ≤ C < 1 % | |
| 612-009-00-2 | salts of aniline | — | — | Carc. 2<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H341<br>H331<br>H311<br>H301<br>H372 (**)<br>H318<br>H317<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H341<br>H331<br>H311<br>H301<br>H372 (**)<br>H318<br>H317<br>H400 | | *<br>STOT RE 1; H372: C ≥ 1 %<br>STOT RE 2; H373: 0,2 % ≤ C < 1 % | A |
| 612-010-00-8 | chloroanilines (with exception of those specified elsewhere in this Annex) | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-011-00-3 | 4-nitrosoaniline | 211-535-6 | 659-49-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | |
| 612-012-00-9 | *o*-nitroaniline; [1]<br>*m*-nitroaniline; [2]<br>*p*-nitroaniline [3] | 201-855-4 [1]<br>202-729-1 [2]<br>202-810-1 [3] | 88-74-4 [1]<br>99-09-2 [2]<br>100-01-6 [3] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H331<br>H311<br>H301<br>H373 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H412 | | | C |
| 612-013-00-4 | 3-aminobenzene sulphonic acid;<br>metanilic acid | 204-473-6 | 121-47-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | |
| 612-014-00-X | sulphanilic acid;<br>4-aminobenzenesulphonic acid | 204-482-5 | 121-57-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317 | GHS07<br>Wng | H319<br>H315<br>H317 | | | |
| 612-015-00-5 | *N*-methylaniline | 202-870-9 | 100-61-8 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | |
| 612-016-00-0 | *N*,*N*-dimethylaniline | 204-493-5 | 121-69-7 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H351<br>H331<br>H311<br>H301<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H331<br>H311<br>H301<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-017-00-6 | *N*-methyl-*N*,2,4,6-tetranitroaniline; tetryl | 207-531-9 | 479-45-8 | Expl. 1.1<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*) | H201<br>H331<br>H311<br>H301<br>H373 (**) | GHS01<br>GHS06<br>GHS08<br>Dgr | H201<br>H331<br>H311<br>H301<br>H373 (**) | | | |
| 612-018-00-1 | bis(2,4,6-trinitrophenyl)amine; hexyl | 205-037-8 | 131-73-7 | Expl. 1.1<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | | | |
| 612-019-00-7 | dipicrylamine, ammonium salt | 220-639-0 | 2844-92-0 | Expl. 1.1<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373 (**)<br>H411 | EUH001 | | |
| 612-020-00-2 | 1-naphthylamine | 205-138-7 | 134-32-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 612-022-00-3 | 2-naphthylamine | 202-080-4 | 91-59-8 | Carc. 1A<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411 | | Carc. 1A; H350: C ≥ 0,01 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-023-00-9 | phenylhydrazine; [1]<br>phenylhydrazinium chloride; [2]<br>phenylhydrazine hydrochloride; [3]<br>phenylhydrazinium sulphate (2:1) [4] | 202-873-5 [1]<br>200-444-7 [2]<br>248-259-0 [3]<br>257-622-2 [4] | 100-63-0 [1]<br>59-88-1 [2]<br>27140-08-5 [3]<br>52033-74-6 [4] | Carc. 1B<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H350<br>H341<br>H331<br>H311<br>H301<br>H372 (**)<br>H319<br>H315<br>H317<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H331<br>H311<br>H301<br>H372 (**)<br>H319<br>H315<br>H317<br>H400 | | | |
| 612-024-00-4 | *m*-toluidine;<br>3-aminotoluene | 203-583-1 | 108-44-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H400 | | | |
| 612-025-00-X | nitrotoluidines, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | C |
| 612-026-00-5 | diphenylamine | 204-539-4 | 122-39-4 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 (**)<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-027-00-0 | xylidines with the exception of those specified elsewhere in this Annex;<br>dimethyl anilines with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | C |
| 612-028-00-6 | *p*-phenylenediamine | 203-404-7 | 106-50-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H319<br>H317<br>H410 | | | |
| 612-029-00-1 | benzene-1,4-diamine dihydrochloride;<br>*p*-phenylenediamine dihydrochloride | 210-834-9 | 624-18-0 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H319<br>H317<br>H410 | | | |
| 612-030-00-7 | 2-methyl-*p*-phenylenediamine sulphate [1] | 210-431-8 [1]<br>228-871-4 [2] | 615-50-9 [1]<br>6369-59-1 [2] | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H301<br>H332<br>H312<br>H317<br>H411 | GHS06<br>GHS09<br>Dgr | H301<br>H332<br>H312<br>H317<br>H411 | | | |
| 612-031-00-2 | *N*,*N*-dimethylbenzene-1,3-diamine; [1]<br>4-amino-*N*,*N*-dimethylaniline;<br>3-amino-*N*,*N*'-dimethylaniline [2] | 220-623-3 [1]<br>202-807-5 [2] | 2836-04-6 [1]<br>99-98-9 [2] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H331<br>H311<br>H301 | GHS06<br>Dgr | H331<br>H311<br>H301 | | | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-032-00-8 | *N,N*,** TYPE="ITALIC">N',*N*'-tetramethyl-*p*-phenylenediamine | 202-831-6 | 100-22-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | |
| 612-033-00-3 | 2-aminophenol | 202-431-1 | 95-55-6 | Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H341<br>H332<br>H302 | GHS08<br>GHS07<br>Wng | H341<br>H332<br>H302 | | | |
| 612-034-00-9 | 2-amino-4,6-dinitrophenol;<br>picramic acid (< 20 % water) | 202-544-6 | 96-91-3 | Expl. 1.1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H201<br>H332<br>H312<br>H302<br>H412 | GHS01<br>GHS07<br>Wng | H201<br>H332<br>H312<br>H302<br>H412 | | | T |
| 612-034-01-6 | 2-amino-4,6-dinitrophenol;<br>picramic acid;<br>[≥ 20 % water] | 202-544-6 | 96-91-3 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H332<br>H312<br>H302<br>H412 | GHS07<br>Wng | H332<br>H312<br>H302<br>H412 | | | G |
| 612-035-00-4 | 2-methoxyaniline;<br>*o*-anisidine | 201-963-1 | 90-04-0 | Carc. 1B<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H350<br>H341<br>H331<br>H311<br>H301 | GHS06<br>GHS08<br>Dgr | H350<br>H341<br>H331<br>H311<br>H301 | | | |
| 612-036-00-X | 3,3'-dimethoxybenzidine;<br>*o*-dianisidine | 204-355-4 | 119-90-4 | Carc. 1B<br>Acute Tox. 4 (*) | H350<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H302 | | | |
| 612-037-00-5 | salts of 3,3'-dimethoxybenzidine;<br>salts of *o*-dianisidine | — | — | Carc. 1B<br>Acute Tox. 4 (*) | H350<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H302 | | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-038-00-0 | 2-nitro-*p*-anisidine;<br>4-methoxy-2-nitroaniline | 202-547-2 | 96-96-8 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H330<br>H310<br>H300<br>H373 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H412 | | | |
| 612-039-00-6 | 2-ethoxyaniline;<br>*o*-phenetidine | 202-356-4 | 94-70-2 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*) | H331<br>H311<br>H301<br>H373 (**) | GHS06<br>GHS08<br>Dgr | H331<br>H311<br>H301<br>H373 (**) | | | |
| 612-040-00-1 | 2,4-dinitroaniline | 202-553-5 | 97-02-9 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H330<br>H310<br>H300<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H411 | | | |
| 612-041-00-7 | 4,4'-bi-*o*-toluidine | 204-358-0 | 119-93-7 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411 | | | |
| 612-042-00-2 | benzidine;<br>1,1'-biphenyl-4,4'-diamine;<br>4,4'-diaminobiphenyl;<br>biphenyl-4,4'-ylenediamine | 202-199-1 | 92-87-5 | Carc. 1A<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410 | | Carc. 1A; H350:<br>C ≥ 0,01 % | |
| 612-043-00-8 | *N,N'*-dimethylbenzidine | — | 2810-74-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | |
| 612-044-00-3 | *N,N'*-diacetylbenzidine | 210-338-2 | 613-35-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H332<br>H312<br>H302 | GHS07<br>Wng | H332<br>H312<br>H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-046-00-4 | allylamine | 203-463-9 | 107-11-9 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H225<br>H331<br>H311<br>H301<br>H411 | GHS02<br>GHS06<br>GHS09<br>Dgr | H225<br>H331<br>H311<br>H301<br>H411 | | | |
| 612-047-00-X | benzylamine | 202-854-1 | 100-46-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314 | | | |
| 612-048-00-5 | dipropylamine | 205-565-9 | 142-84-7 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H225<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 1 % | |
| 612-049-00-0 | di-*n*-butylamine; [1]<br>di-*sec*-butylamine [2] | 203-921-8 [1]<br>210-937-9 [2] | 111-92-2 [1]<br>626-23-3 [2] | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H226<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H312<br>H302 | | | |
| 612-050-00-6 | cyclohexylamine | 203-629-0 | 108-91-8 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H226<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H314 | | | |
| 612-051-00-1 | 4,4'-diaminodiphenylmethane;<br>4,4'-methylenedianiline | 202-974-4 | 101-77-9 | Carc. 1B<br>Muta. 2<br>STOT SE 1<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H341<br>H370 (**)<br>H373 (**)<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H370 (**)<br>H373 (**)<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-052-00-7 | (*S*)-*sec*-butylamine;<br>(*S*)-2-aminobutane; [1]<br>(*R*)-*sec*-butylamine;<br>(*R*)-2-aminobutane; [2]<br>*sec*-butylamine;<br>2-aminobutane [3] | 208-164-7 [1]<br>236-232-6 [2]<br>237-732-7 [3] | 513-49-5 [1]<br>13250-12-9 [2]<br>13952-84-6 [3] | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1 | H225<br>H332<br>H302<br>H314<br>H400 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H302<br>H314<br>H400 | | | C |
| 612-053-00-2 | *N*-ethylaniline | 203-135-5 | 103-69-5 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*) | H331<br>H311<br>H301<br>H373 (**) | GHS06<br>GHS08<br>Dgr | H331<br>H311<br>H301<br>H373 (**) | | | |
| 612-054-00-8 | *N*,*N*-diethylaniline | 202-088-8 | 91-66-7 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H411 | | * | |
| 612-055-00-3 | *N*-methyl-*o*-toluidine; [1]<br>*N*-methyl-*m*-toluidine; [2]<br>*N*-methyl-*p*-toluidine [3] | 210-260-9 [1]<br>211-795-0 [2]<br>210-769-6 [3] | 611-21-2 [1]<br>696-44-6 [2]<br>623-08-5 [3] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H331<br>H311<br>H301<br>H373 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H412 | | | C |
| 612-056-00-9 | *N*,*N*-dimethyl-*p*-toluidine; [1]<br>*N*,*N*-dimethyl-*m*-toluidine; [2]<br>*N*,*N*-dimethyl-*o*-toluidine [3] | 202-805-4 [1]<br>204-495-6 [2]<br>210-199-8 [3] | 99-97-8 [1]<br>121-72-2 [2]<br>609-72-3 [3] | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 3 | H331<br>H311<br>H301<br>H373 (**)<br>H412 | GHS06<br>GHS08<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H412 | | * | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-057-00-4 | piperazine | 203-808-3 | 110-85-0 | Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H314<br>H334<br>H317<br>H412 | GHS08<br>GHS05<br>Dgr | H314<br>H334<br>H317<br>H412 | | | |
| 612-058-00-X | 2,2'-iminodiethylamine; diethylenetriamine | 203-865-4 | 111-40-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H312<br>H302<br>H314<br>H317 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314<br>H317 | | | |
| 612-059-00-5 | 3,6-diazaoctanethylenediamin; triethylenetetramine | 203-950-6 | 112-24-3 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H312<br>H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H312<br>H314<br>H317<br>H412 | | | |
| 612-060-00-0 | 3,6,9-triazaundecamethylenediamine; tetraethylenepentamine | 203-986-2 | 112-57-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H317<br>H411 | | | |
| 612-061-00-6 | 3-aminopropyldimethylamine; *N*,*N*-dimethyl-1,3-diaminopropane | 203-680-9 | 109-55-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H226<br>H302<br>H314<br>H317 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H302<br>H314<br>H317 | | | |
| 612-062-00-1 | 3-aminopropyldiethylamine; *N*,*N*-diethyl-1,3-diaminopropane | 203-236-4 | 104-78-9 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H226<br>H312<br>H302<br>H314<br>H317 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H314<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-063-00-7 | 3,3'-iminodi(propylamine);<br>dipropylenetriamine | 200-261-2 | 56-18-8 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Skin Sens. 1 | H330<br>H311<br>H302<br>H314<br>H317 | GHS06<br>GHS05<br>Dgr | H330<br>H311<br>H302<br>H314<br>H317 | | | |
| 612-064-00-2 | 3,6,9,12-tetra-azatetradecamethylenediamine;<br>pentacthylenehexamine | 223-775-9 | 4067-16-7 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410 | | | |
| 612-065-00-8 | polyethlyenepolyamines with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H317<br>H410 | | | |
| 612-066-00-3 | dicyclohexylamine | 202-980-7 | 101-83-7 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H410 | | | |
| 612-067-00-9 | 3-aminomethyl-3,5,5-trimethylcyclohexylamine | 220-666-8 | 2855-13-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H312<br>H302<br>H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314<br>H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-068-00-4 | 3,3'-dichlorobenzidine;<br>3,3'-dichlorobiphenyl-4,4'-ylenediamine | 202-109-0 | 91-94-1 | Carc. 1B<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H312<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H312<br>H317<br>H410 | | | |
| 612-069-00-X | salts of 3,3'-dichlorobenzidine;<br>salts of 3,3'-dichlorobiphenyl-4,4'-ylenediamine | — | — | Carc. 1B<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H312<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H312<br>H317<br>H410 | | | A |
| 612-070-00-5 | salts of benzidine | 208-519-6<br>208-520-1<br>244-236-4<br>252-984-8 | 531-85-1<br>531-86-2<br>21136-70-9<br>36341-27-2 | Carc. 1A<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410 | | | A |
| 612-071-00-0 | salts of 2-naphthylamine | 209-030-0<br>210-313-6 | 553-00-4<br>612-52-2 | Carc. 1A<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411 | | | A |
| 612-072-00-6 | biphenyl-4-ylamine;<br>xenylamine;<br>4-aminobiphenyl | 202-177-1 | 92-67-1 | Carc. 1A<br>Acute Tox. 4 (*) | H350<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H302 | | | |
| 612-073-00-1 | salts of biphenyl-4-ylamine;<br>salts of xenylamine;<br>salts of 4-aminobiphenyl | — | — | Carc. 1A<br>Acute Tox. 4 (*) | H350<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H302 | | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-074-00-7 | benzyldimethylamine | 203-149-1 | 103-83-3 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H226<br>H332<br>H312<br>H302<br>H314<br>H412 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314<br>H412 | | | |
| 612-075-00-2 | 2-aminoethyldimethylamine;<br>2-dimethylaminoethylamine | 203-541-2 | 108-00-9 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H225<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H312<br>H302<br>H314 | | | |
| 612-076-00-8 | ethyldimethylamine | 209-940-8 | 598-56-1 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H225<br>H332<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H302<br>H314 | | | |
| 612-077-00-3 | dimethylnitrosoamine;<br>*N*-nitrosodimethylamine | 200-549-8 | 62-75-9 | Carc. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Aquatic Chronic 2 | H350<br>H330<br>H301<br>H372 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H330<br>H301<br>H372 (**)<br>H411 | | Carc. 1B; H350: C ≥ 0,001 % | |
| 612-078-00-9 | 2,2'-dichloro-4,4'-methylenedianiline;<br>4,4'-methylene bis(2-chloroaniline) | 202-918-9 | 101-14-4 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410 | | | |
| 612-079-00-4 | salts of 2,2'-dichloro-4,4'-methylenedianiline;<br>salts of 4,4'-methylenebis(2-chloroaniline) | — | — | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410 | | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-080-00-X | 4-amino-*N*,*N*-diethylaniline;<br>*N*,*N*-diethyl-p-phenylendiamine | 202-214-1 | 93-05-0 | Acute Tox. 3 (*)<br>Skin Corr. 1B | H301<br>H314 | GHS06<br>GHS05<br>Dgr | H301<br>H314 | | | |
| 612-081-00-5 | salts of 4,4'-bi-*o*-toluidine;<br>salts of 3,3'-dimethylbenzidine;<br>salts of *o*-tolidine | 210-322-5<br>265-294-7<br>277-985-0 | 612-82-8<br>64969-36-4<br>74753-18-7 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411 | | | A |
| 612-082-00-0 | thiourea;<br>thiocarbamide | 200-543-5 | 62-56-6 | Carc. 2<br>Repr. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H351<br>H361d (***)<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H361d (***)<br>H302<br>H411 | | | |
| 612-083-00-6 | 1-methyl-3-nitro-1-nitrosoguanidine | 200-730-1 | 70-25-7 | Carc. 1B<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H350<br>H332<br>H319<br>H315<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H332<br>H319<br>H315<br>H411 | | Carc. 1B; H350: C ≥ 0,01 % | |
| 612-084-00-1 | dapsone;<br>4,4'-diamino diphenyl sulfone | 201-248-4 | 80-08-0 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 612-085-00-7 | 4,4'-methylenedi-*o*-toluidine | 212-658-8 | 838-88-0 | Carc. 1B<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H317<br>H410 | | | |
| 612-086-00-2 | amitraz (ISO);<br>*N*,*N*-bis(2,4-xylyliminomethyl) methylamine | 251-375-4 | 33089-61-1 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H317<br>H410 | | M=10 | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-087-00-8 | guazatine (ISO) | | 108173-90-6 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H312<br>H302<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H312<br>H302<br>H335<br>H315<br>H318<br>H410 | | | |
| 612-088-00-3 | simazine (ISO);<br>6-chloro-*N*,*N'*-diethyl-1,3,5-triazine-2,4-diamine | 204-535-2 | 122-34-9 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |
| 612-089-00-9 | 1,5-naphthylenediamine | 218-817-8 | 2243-62-1 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |
| 612-090-00-4 | 2,2'-(nitrosoimino)bisethanol | 214-237-4 | 1116-54-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | |
| 612-091-00-X | *o*-toluidine;<br>2-aminotoluene | 202-429-0 | 95-53-4 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1 | H350<br>H331<br>H301<br>H319<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H301<br>H319<br>H400 | | | |
| 612-092-00-5 | *N*,*N'*-(2,2-dimethylpropylidene)hexamethylenediamine | 401-660-6 | 1000-78-8 | Skin Irrit. 2<br>Skin Sens. 1 | H315<br>H317 | GHS07<br>Wng | H315<br>H317 | | | |
| 612-093-00-0 | 3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy) aniline | 401-790-3 | 104147-32-2 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-094-00-6 | 4-(2-chloro-4-trifluoromethyl)phenoxy-2-fluoroaniline hydrochloride | 402-190-4 | — | STOT RE 1<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H372 (**)<br>H302<br>H318<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H372 (**)<br>H302<br>H318<br>H317<br>H410 | | | |
| 612-095-00-1 | benzyl-2-hydroxydodecyldimethylammonium benzoate | 402-610-6 | 113694-52-3 | Skin Corr. 1B<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H302<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H302<br>H410 | | | |
| 612-096-00-7 | 4,4'-carbonimidoylbis[*N*,*N*-dimethylaniline] | 207-762-5 | 492-80-8 | Carc. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Chronic 2 | H351<br>H302<br>H319<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H319<br>H411 | | | |
| 612-097-00-2 | salts of 4,4'-carbonimidoylbis[*N*,*N*-dimethylaniline] | — | — | Carc. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Chronic 2 | H351<br>H302<br>H319<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H319<br>H411 | | | A |
| 612-098-00-8 | nitrosodipropylamine | 210-698-0 | 621-64-7 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411 | | Carc. 1B; H350: C ≥ 0,001 % | |
| 612-099-00-3 | 4-methyl-*m*-phenylenediamine; 2,4-toluenediamine | 202-453-1 | 95-80-7 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H301<br>H312<br>H319<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H301<br>H312<br>H319<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-100-00-7 | propylenediamine | 201-155-9 | 78-90-0 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A | H226<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H314 | | | |
| 612-101-00-2 | methenamine;<br>hexamethylenetetramine | 202-905-8 | 100-97-0 | Flam. Sol. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H228<br>H334<br>H317 | GHS02<br>GHS08<br>Dgr | H228<br>H334<br>H317 | | | |
| 612-102-00-8 | *N*,*N*-bis(3-aminopropyl)methylamine | 203-336-8 | 105-83-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H331<br>H311<br>H302<br>H314 | GHS06<br>GHS05<br>Dgr | H331<br>H311<br>H302<br>H314 | | | |
| 612-103-00-3 | *N*,*N*,*N*',*N*'-tetramethylethylenediamine | 203-744-6 | 110-18-9 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H225<br>H332<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H302<br>H314 | | | |
| 612-104-00-9 | hexamethylenediamine | 204-679-6 | 124-09-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Corr. 1B | H312<br>H302<br>H335<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H335<br>H314 | | | |
| 612-105-00-4 | 2-piperazin-1-ylethylamine | 205-411-0 | 140-31-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H312<br>H302<br>H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314<br>H317<br>H412 | | | |
| 612-106-00-X | 2,6-diethylaniline | 209-445-7 | 579-66-8 | Acute Tox. 4 (*) | H302 | — | H302 | | | |
| 612-107-00-5 | 1-phenylethylamine; [1]<br>DL-α-methylbenzylamine [2] | 202-706-6 [1]<br>210-545-8 [2] | 98-84-0 [1]<br>618-36-0 [2] | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-108-00-0 | 3-aminopropyltriethoxysilane | 213-048-4 | 919-30-2 | Acute Tox. 4 (*)<br>Skin Corr. 1B | H302<br>H314 | GHS05<br>GHS07<br>Dgr | H302<br>H314 | | | |
| 612-109-00-6 | bis(2-dimethylaminoethyl)(methyl)amine | 221-201-1 | 3030-47-5 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H311<br>H302<br>H314 | GHS06<br>GHS05<br>Dgr | H311<br>H302<br>H314 | | | |
| 612-110-00-1 | 2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine) | 229-962-1 | 6864-37-5 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Aquatic Chronic 2 | H331<br>H311<br>H302<br>H314<br>H411 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H302<br>H314<br>H411 | | | |
| 612-111-00-7 | 2-methyl-*m*-phenylenediamine;<br>2,6-toluenediamine | 212-513-9 | 823-40-5 | Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H341<br>H312<br>H302<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H312<br>H302<br>H317<br>H411 | | | |
| 612-112-00-2 | *p*-anisidine;<br>4-methoxyaniline | 203-254-2 | 104-94-9 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>STOT RE 2 (*)<br>Aquatic Acute 1 | H330<br>H310<br>H300<br>H373 (**)<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 (**)<br>H400 | | | |
| 612-113-00-8 | 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine | 403-240-8 | 106264-79-3 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-114-00-3 | *R*,*R*-2-hydroxy-5-(1-hydroxy-2-(4-phenylbut-2-ylamino)ethyl)benzamide hydrogen 2,3-bis(benzoyloxy)succinate | 404-390-7 | — | Flam. Sol. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H228<br>H317<br>H412 | GHS02<br>GHS07<br>Wng | H228<br>H317<br>H412 | | | |
| 612-115-00-9 | dimethyldioctadecylammonium hydrogen sulfate | 404-050-8 | 123312-54-9 | Eye Irrit. 2<br>Aquatic Chronic 4 | H319<br>H413 | GHS07<br>Wng | H319<br>H413 | | | |
| 612-116-00-4 | $C_{8-18}$alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate | 404-690-8 | 68132-19-4 | Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H314<br>H317<br>H410 | | | |
| 612-117-00-X | $C_{12-14}$-*tert*-alkylamine, methylphosphonic acid salt | 404-750-3 | 119415-07-5 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H302<br>H314<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H411 | | | |
| 612-118-00-5 | A reaction mass of: (1,3-dioxo-2*H*-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium 4-toluenesulfonate; (1,3-dioxo-2*H*-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium bromide | 405-080-4 | — | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 612-119-00-0 | benzyldimethyloctadecylammonium 3-nitrobenzenesulfonate | 405-330-2 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H315<br>H318<br>H410 | | | |
| 612-120-00-6 | aclonifen (ISO);<br>2-chloro-6-nitro-3-phenoxyaniline | 277-704-1 | 74070-46-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-121-00-1 | amines, polyethylenepoly-; HEPA | 268-626-9 | 68131-73-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H317<br>H410 | | | |
| 612-122-00-7 | hydroxylamine | 232-259-2 | 7803-49-8 | Unst. Expl.<br>Met. Corr. 1<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H200<br>H290<br>H302<br>H373 (**)<br>H335<br>H315<br>H318<br>H317<br>H400 | GHS01<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H200<br>H290<br>H302<br>H373 (**)<br>H335<br>H315<br>H318<br>H317<br>H400 | | | T |
| 612-123-00-2 | hydroxylammonium chloride; hydroxylamine hydrochloride; [1]<br>bis(hydroxylammonium) sulphate; hydroxylamine sulphate (2:1); [2]<br>hydroxylammonium hydrogensulphate; hydroxylamine sulphate (1:1) [3] | 226-798-2 [1]<br>233-118-8 [2]<br>233-154-4 [3] | 5470-11-1 [1]<br>10039-54-0 [2]<br>10046-00-1 [3] | Met. Corr. 1<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H290<br>H302<br>H373 (**)<br>H319<br>H315<br>H317<br>H400 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Wng | H290<br>H302<br>H373 (**)<br>H319<br>H315<br>H317<br>H400 | | | G T |
| 612-124-00-8 | *N*,*N*,*N*-trimethylanilinium chloride | 205-319-0 | 138-24-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H311<br>H301 | GHS06<br>Dgr | H311<br>H301 | | | |
| 612-125-00-3 | 2-methyl-*p*-phenylenediamine; 2,5-toluenediamine | 202-442-1 | 95-70-5 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H301<br>H332<br>H312<br>H317<br>H411 | GHS06<br>GHS09<br>Dgr | H301<br>H332<br>H312<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-126-00-9 | toluene-2,4-diammonium sulphate;<br>4-methyl-m-phenylenediamine sulfate | 265-697-8 | 65321-67-7 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H301<br>H312<br>H319<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H301<br>H312<br>H319<br>H317<br>H411 | | | |
| 612-127-00-4 | 3-aminophenol | 209-711-2 | 591-27-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H302<br>H411 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H411 | | | |
| 612-128-00-X | 4-aminophenol | 204-616-2 | 123-30-8 | Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H332<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H332<br>H302<br>H410 | | | |
| 612-129-00-5 | diisopropylamine | 203-558-5 | 108-18-9 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H225<br>H332<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 612-130-00-0 | 2,6-diamino-3,5-diethyltoluene;<br>4,6-diethyl-2-methyl-1,3-benzenediamine; [1]<br>2,4-diamino-3,5-diethyltoluene;<br>2,4-diethyl-6-methyl-1,3-benzenediamine; [2]<br>diethylmethylbenzenediamine [3] | 218-255-3 [1]<br>218-256-9 [2]<br>270-877-4 [3] | 2095-01-4 [1]<br>2095-02-5 [2]<br>68479-98-1 [3] | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373 (**)<br>H319<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H312<br>H302<br>H373 (**)<br>H319<br>H410 | | | C |
| 612-131-00-6 | didecyldimethylammonium chloride | 230-525-2 | 7173-51-5 | Acute Tox. 4 (*)<br>Skin Corr. 1B | H302<br>H314 | GHS05<br>GHS07<br>Dgr | H302<br>H314 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-132-00-1 | *N*,*N*'-diphenyl-*p*-phenylenediamine;<br>*N*,*N*'-diphenyl-1,4-benzenediamine | 200-806-4 | 74-31-7 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 612-133-00-7 | (4-ammonio-*m*-tolyl)ethyl(2-hydroxyethyl) ammonium sulphate;<br>4-(*N*-ethyl-*N*-2-hydroxyethyl)-2-methylphenylenediamine sulphate | 247-162-0 | 25646-77-9 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H373 (**)<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 (**)<br>H317<br>H410 | | | |
| 612-134-00-2 | *N*-(2-(4-amino-*N*-ethyl-*m*-toluidino)ethyl) methanesulphonamide sesquisulphate;<br>4-(*N*-ethyl-*N*-2-methanesulphonylaminoethyl)-2-methylphenylenediamine sesquisulphate monohydrate | 247-161-5 | 25646-71-3 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 612-135-00-8 | *N*-2-naphthylaniline;<br>*N*-phenyl-2-naphthylamine | 205-223-9 | 135-88-6 | Carc. 2<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H351<br>H319<br>H315<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H319<br>H315<br>H317<br>H411 | | | |
| 612-136-00-3 | *N*-isopropyl-*N*'-phenyl-*p*-phenylenediamine | 202-969-7 | 101-72-4 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | Skin Sens. 1;<br>H317: C ≥ 0,1 % | |
| 612-137-00-9 | 4-chloroaniline | 203-401-0 | 106-47-8 | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H311<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-138-00-4 | furalaxyl (ISO);<br>methyl *N*-(2,6-dimethylphenyl)-*N*-(2-furylcarbonyl)-DL-alaninate | 260-875-1 | 57646-30-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 612-139-00-X | mefenacet (ISO);<br>2-(benzothiazol-2-yloxy)-*N*-methyl-*N*-phenylacetamide | 277-328-8 | 73250-68-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 612-140-00-5 | quaternary ammonium compounds, benzyl-$C_{8-18}$-alkyldimethyl, chlorides | 264-151-6 | 63449-41-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1 | H312<br>H302<br>H314<br>H400 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H400 | | | |
| 612-141-00-0 | 4,4'-methylenebis(2-ethylaniline);<br>4,4'-methylenebis(2-ethylbenzeneamine) | 243-420-1 | 19900-65-3 | Carc. 2<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410 | | | |
| 612-142-00-6 | biphenyl-2-ylamine | 201-990-9 | 90-41-5 | Carc. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H351<br>H302<br>H412 | GHS08<br>GHS07<br>Wng | H351<br>H302<br>H412 | | | |
| 612-143-00-1 | $N^5$,$N^5$-diethyltoluene-2,5-diamine monohydrochloride;<br>4-diethylamino-2-methylaniline monohydrochloride | 218-130-3 | 2051-79-8 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H319<br>H317<br>H410 | | | |
| 612-144-00-7 | flumetralin (ISO);<br>*N*-(2-chloro-6-fluorobenzyl)-*N*-ethyl-α,α,α-trifluoro-2,6-dinitro-*p*-toluidine | — | 62924-70-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-145-00-2 | *o*-phenylenediamine | 202-430-6 | 95-54-5 | Carc. 2<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H410 | | | |
| 612-146-00-8 | *o*-phenylenediamine dihydrochloride | 210-418-7 | 615-28-1 | Carc. 2<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H410 | | | |
| 612-147-00-3 | *m*-phenylenediamine | 203-584-7 | 108-45-2 | Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-148-00-9 | *m*-phenylenediamine dihydrochloride | 208-790-0 | 541-69-5 | Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H410 | | | |
| 612-149-00-4 | 1,3-diphenylguanidine | 203-002-1 | 102-06-7 | Repr. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H361f (***)<br>H302<br>H319<br>H335<br>H315<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H361f (***)<br>H302<br>H319<br>H335<br>H315<br>H411 | | | |
| 612-150-00-X | spiroxamine (ISO);<br>8-*tert*-butyl-1,4-dioxaspiro[4.5]decan-2-ylmethyl(ethyl)(propyl)amine | — | 118134-30-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H315<br>H317<br>H410 | | | |
| 612-151-00-5 | diaminotoluene, technical product - reaction mass of [2] and [3];<br>methyl-phenylenediamine; [1]<br>4-methyl-*m*-phenylene diamine; [2]<br>2-methyl-*m*-phenylene diamine [3] | 246-910-3 [1]<br>202-453-1 [2]<br>212-513-9 [3] | 25376-45-8 [1]<br>95-80-7 [2]<br>823-40-5 [3] | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H301<br>H332<br>H312<br>H319<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H301<br>H332<br>H312<br>H319<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-152-00-0 | *N*,*N*-diethyl-*N*',*N*'-dimethylpropan-1,3-diyldiamine | 406-610-7 | 62478-82-4 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1A<br>Aquatic Chronic 3 | H226<br>H332<br>H302<br>H373 (**)<br>H314<br>H412 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H302<br>H373 (**)<br>H314<br>H412 | | | |
| 612-153-00-6 | 4-[*N*-ethyl-*N*-(2-hydroxyethyl)amino]-1-(2-hydroxyethyl)amino-2-nitrobenzene, monohydrochloride | 407-020-2 | 132885-85-9 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H317<br>H412 | GHS07<br>Wng | H302<br>H317<br>H412 | | | |
| 612-154-00-1 | 6'-(isobutylethylamino)-3'-methyl-2'-phenylamino-spiro[isobenzo-2-oxofuran-7,9'-[9*H*]-xanthene] | 410-890-6 | 95235-29-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 612-155-00-7 | 2'-anilino-6'-((3-ethoxypropyl)ethylamino)-3'-methylspiro(isobenzo-3-oxofuran)-1-(1*H*)-9'-xanthene | 411-730-8 | 93071-94-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 612-156-00-2 | reaction mass of: trihexadecylmethylammonium chloride;<br>dihexadecyldimethylammonium chloride | 405-620-9 | — | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 612-157-00-8 | (*Z*)-1-benzo[*b*]thien-2-ylethanone oxime hydrochloride | 410-780-8 | — | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H373 (**)<br>H318<br>H317<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 (**)<br>H318<br>H317<br>H411 | | | |
| 612-158-00-3 | reaction mass of: bis(5-dodecyl-2-hydroxybenzald-oximate) copper (II) $C_{12}$-alkyl group is branched;<br>4-dodecylsalicylaldoxime | 410-820-4 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-159-00-9 | Reaction products of: trimethylhexamethylene diamine (a mixture of 2,2,4-trimethyl-1,6-hexanediamine and 2,4,4-trimethyl-1,6-hexanediamine, EINECS listed), Epoxide 8 (mono[($C_{10}$-$C_{16}$-alkyloxy)methyl]oxirane derivatives) and *p*-toluene-sulfonic acid | 410-880-1 | — | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H410 | | | |
| 612-160-00-4 | *p*-toluidine;<br>4-aminotoluene; [1]<br>toluidinium chloride; [2]<br>toluidine sulphate (1:1) [3] | 203-403-1 [1]<br>208-740-8 [2]<br>208-741-3 [3] | 106-49-0 [1]<br>540-23-8 [2]<br>540-25-0 [3] | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400 | | | |
| 612-161-00-X | 2,6-xylidine;<br>2,6-dimethylaniline | 201-758-7 | 87-62-7 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H351<br>H332<br>H312<br>H302<br>H335<br>H315<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H332<br>H312<br>H302<br>H335<br>H315<br>H411 | | | |
| 612-162-00-5 | dimethyldioctadecylammonium chloride;<br>DODMAC | 203-508-2 | 107-64-2 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 612-163-00-0 | metalaxyl-M (ISO);<br>mefenoxam;<br>(*R*)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]propionic acid methyl ester | — | 70630-17-0 | Acute Tox. 4 (*)<br>Eye Dam. 1 | H302<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H318 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-164-00-6 | 2-butyl-2-ethyl-1,5-diaminopentane | 412-700-7 | 137605-95-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H312<br>H302<br>H373 (**)<br>H314<br>H317<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H373 (**)<br>H314<br>H317<br>H412 | | | |
| 612-165-00-1 | *N,N'*-diphenyl-*N,N'*-bis(3-methylphenyl)-(1,1'-diphenyl)-4,4'-diamine | 413-810-8 | 65181-78-4 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 612-166-00-7 | reaction mass of: *cis*-(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1);<br>*trans*-(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1) | 411-830-1 | 114765-88-7 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H318<br>H317<br>H412 | | | |
| 612-167-00-2 | 5-acetyl-3-amino-10,11-dihydro-5*H*-dibenz[*b,f*]azepine-hydrochloride | 410-490-1 | — | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H373 (**)<br>H318<br>H317<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 (**)<br>H318<br>H317<br>H411 | | | |
| 612-168-00-8 | 3,5-dichloro-2,6-difluoropyrdine-4-amine | 220-630-1 | 2840-00-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H312<br>H302<br>H411 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H411 | | | |
| 612-170-00-9 | 4-chlorophenyl cyclopropyl ketone *O*-(4-aminobenzyl)oxime | 405-260-2 | — | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 612-171-00-4 | *N,N,N',N'*-tetraglycidyl-4,4'-diamino-3,3'-diethyldiphenylmethane | 410-060-3 | 130728-76-6 | Muta. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H341<br>H317<br>H411 | GHS08<br>GHS09<br>Wng | H341<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-172-00-X | 4,4'-methylenebis(*N*,*N*'-dimethylcyclohexanamine | 412-840-9 | 13474-64-1 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1A<br>Aquatic Chronic 3 | H302<br>H373 (**)<br>H314<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 (**)<br>H314<br>H412 | | | |
| 612-173-00-5 | lithium 1-amino-4-(4-*tert*-butylanilino)anthraquinone-2-sulfonate | 411-140-0 | 125328-86-1 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |
| 612-174-00-0 | 4,4-dimethoxybutylamine | 407-690-6 | 19060-15-2 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H317<br>H412 | | | |
| 612-175-00-6 | 2-(*O*-aminooxy)ethylamine dihydrochloride | 412-310-7 | 37866-45-8 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 612-176-00-1 | polymer of 1,3-dibromopropane and *N*,*N*-diethyl-*N*',*N*'-dimethyl-1,3-propanediamine | 410-570-6 | 143747-73-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 612-177-00-7 | 2-naphthylamino-6-sulfomethylamide | 412-120-4 | 104295-55-8 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H373 (**)<br>H317<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H317<br>H411 | | | |
| 612-178-00-2 | 1,4,7,10-tetraazacyclododecane disulfate | 412-080-8 | 112193-77-8 | Acute Tox. 4 (*)<br>STOT SE 3<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H335<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H335<br>H318<br>H412 | | | |
| 612-179-00-8 | 1-(2-propenyl)pyridinium chloride | 412-740-5 | 25965-81-5 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-180-00-3 | 3-aminobenzylamine | 412-230-2 | 4403-70-7 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H302<br>H314<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H411 | | | |
| 612-181-00-9 | 2-phenylthioaniline | 413-030-8 | 1134-94-7 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 612-182-00-4 | 1-ethyl-1-methylmorpholinium bromide | 418-210-1 | 65756-41-4 | Muta. 2 | H341 | GHS08<br>Wng | H341 | | | |
| 612-183-00-X | 1-ethyl-1-methylpyrrolidinium bromide | 418-200-5 | 69227-51-6 | Muta. 2 | H341 | GHS08<br>Wng | H341 | | | |
| 612-184-00-5 | 6'-(dibutylamino)-3'-methyl-2'-(phenylamino)spiro[isobenzofuran-1(3*H*),9-(9*H*)-xanthen]-3-one | 403-830-5 | 89331-94-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 612-185-00-0 | 1-[3-[4-((heptadecafluorononyl)oxy)-benzamido]propyl]-*N*,*N*,*N*-trimethylammonium iodide | 407-400-8 | 59493-72-0 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |
| 612-186-00-6 | bis(*N*-(7-hydroxy-8-methyl-5-phenylphenazin-3-ylidene)dimethylammonium) sulfate | 406-770-8 | 149057-64-7 | STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H318<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H373 (**)<br>H318<br>H317<br>H410 | | | |
| 612-187-00-1 | 2,3,4-trifluoroaniline | 407-170-9 | 3862-73-5 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H373 (**)<br>H315<br>H318<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 (**)<br>H315<br>H318<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-188-00-7 | 4,4'-(9*H*-fluoren-9-ylidene)bis(2-chloroaniline) | 407-560-9 | 107934-68-9 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 612-189-00-2 | 4-amino-2-(aminomethyl)phenol dihydrochloride | 412-510-4 | 135043-64-0 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 612-190-00-8 | 4,4'-methylenebis(2-isopropyl-6-methylaniline) | 415-150-6 | 16298-38-7 | STOT RE 2 (*)<br>Aquatic Chronic 2 | H373 (**)<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H411 | | | |
| 612-191-00-3 | polymer of allylamine hydrochloride | 415-050-2 | 71550-12-4 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |
| 612-192-00-9 | 2-isopropyl-4-(*N*-methyl)aminomethylthiazole | 414-800-6 | 154212-60-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H315<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H315<br>H318<br>H411 | | | |
| 612-193-00-4 | 3-methylaminomethylphenylamine | 414-570-7 | 18759-96-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H317<br>H410 | | | |
| 612-194-00-X | 2-hydroxy-3-[(2-hydroxyethyl)-[2-(1-oxotetradecyl)amino]ethyl]amino]-*N*,*N*,*N*-trimethyl-1-propanammonium chloride | 414-670-0 | 141890-30-4 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-195-00-5 | bis[tributyl 4-(methylbenzyl)ammonium] 1,5-naphthalenedisulfonate | 415-210-1 | 160236-81-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H302<br>H318<br>H410 | | | |
| 612-196-00-0 | 4-chloro-*o*-toluidine; [1]<br>4-chloro-*o*-toluidine hydrochloride [2] | 202-441-6 [1]<br>221-627-8 [2] | 95-69-2 [1]<br>3165-93-3 [2] | Carc. 1B<br>Muta. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H331<br>H311<br>H301<br>H410 | | | |
| 612-197-00-6 | 2,4,5-trimethylaniline; [1]<br>2,4,5-trimethylaniline hydrochloride [2] | 205-282-0 [1]<br>- [2] | 137-17-7 [1]<br>21436-97-5 [2] | Carc. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H350<br>H331<br>H311<br>H301<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H411 | | | |
| 612-198-00-1 | 4,4'-thiodianiline and its salts | 205-370-9 | 139-65-1 | Carc. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411 | | | |
| 612-199-00-7 | 4,4'-oxydianiline and its salts; *p*-aminophenyl ether | 202-977-0 | 101-80-4 | Carc. 1B<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H350<br>H340<br>H361f (***)<br>H331<br>H311<br>H301<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H361f (***)<br>H331<br>H311<br>H301<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-200-00-0 | 2,4-diaminoanisole;<br>4-methoxy-*m*-phenylenediamine; [1]<br>2,4-diaminoanisole sulphate [2] | 210-406-1 [1]<br>254-323-9 [2] | 615-05-4 [1]<br>39156-41-7 [2] | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H350<br>H341<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H302<br>H411 | | | |
| 612-201-00-6 | *N*,*N*,*N*',*N*'-tetramethyl-4,4'-methylendianiline | 202-959-2 | 101-61-1 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H410 | | | |
| 612-202-00-1 | 3,4-dichloroaniline | 202-448-4 | 95-76-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H318<br>H317<br>H410 | | | |
| 612-204-00-2 | C.I. Basic Violet 3;<br>4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride | 208-953-6 | 548-62-9 | Carc. 2<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H351<br>H302<br>H318<br>H410 | | | |
| 612-205-00-8 | C.I. Basic Violet 3 with ≥ 0,1 % of Michler's ketone (EC no. 202-027-5) | 208-953-6 | 548-62-9 | Carc. 1B<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H302<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H318<br>H410 | | | |
| 612-206-00-3 | famoxadone (ISO);<br>3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione | — | 131807-57-3 | STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-207-00-9 | 4-ethoxyaniline;<br>*p*-phenetidine | 205-855-5 | 156-43-4 | Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1 | H341<br>H332<br>H312<br>H302<br>H319<br>H317 | GHS08<br>GHS07<br>Wng | H341<br>H332<br>H312<br>H302<br>H319<br>H317 | | | |
| 612-209-00-X | 6-methoxy-*m*-toluidine;<br>*p*-cresidine | 204-419-1 | 120-71-8 | Carc. 1B<br>Acute Tox. 4 (*) | H350<br>H302 | GHS08<br>GHS07<br>Dgr | H350<br>H302 | | | |
| 612-210-00-5 | 5-nitro-*o*-toluidine; [1]<br>5-nitro-*o*-toluidine hydrochloride [2] | 202-765-8 [1]<br>256-960-8 [2] | 99-55-8 [1]<br>51085-52-0 [2] | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Chronic 3 | H351<br>H331<br>H311<br>H301<br>H412 | GHS06<br>GHS08<br>Dgr | H351<br>H331<br>H311<br>H301<br>H412 | | | |
| 612-211-00-0 | N-[(benzotriazole-1-yl)methyl)]-4-carboxybenzenesulfonamide | 416-470-9 | 170292-97-4 | Eye Irrit. 2<br>Aquatic Chronic 2 | H319<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H411 | | | |
| 612-212-00-6 | 2,6-dichloro-4-trifluoromethylaniline | 416-430-0 | 24279-39-8 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H315<br>H317<br>H410 | | | |
| 612-213-00-1 | isobutylidene-(2-(2-isopropyl-4,4-dimethyloxazolidine-3-yl)-1,1-dimethylethyl)amine | 419-850-2 | 148348-13-4 | Skin Corr. 1B<br>Aquatic Chronic 3 | H314<br>H412 | GHS05<br>Dgr | H314<br>H412 | | | |
| 612-214-00-7 | 4-(2,2-diphenylethenyl)-*N*,*N*-di-phenylbenzenamine | 421-390-2 | 89114-90-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 612-215-00-2 | 3-chloro-2-(isopropylthio)aniline | 421-700-6 | 179104-32-6 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 612-217-00-3 | 1-methoxy-2-propylamine | 422-550-4 | 37143-54-7 | Flam. Liq. 2<br>Skin Corr. 1B<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H225<br>H314<br>H302<br>H412 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H314<br>H302<br>H412 | | | |
| 613-001-00-1 | ethyleneimine;<br>aziridine | 205-793-9 | 151-56-4 | Flam. Liq. 2<br>Carc. 1B<br>Muta. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H225<br>H350<br>H340<br>H330<br>H310<br>H300<br>H314<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H340<br>H330<br>H310<br>H300<br>H314<br>H411 | | | D |
| 613-002-00-7 | pyridine | 203-809-9 | 110-86-1 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H225<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302 | | * | |
| 613-003-00-2 | 1,2,3,4-tetranitrocarbazole | — | 6202-15-9 | Expl. 1.1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H201<br>H332<br>H312<br>H302 | GHS01<br>GHS07<br>Wng | H201<br>H332<br>H312<br>H302 | | | |
| 613-004-00-8 | crimidine (ISO);<br>2-chloro-6-methylpyrimidin-4-yldimethylamine | 208-622-6 | 535-89-7 | Acute Tox. 2 (*) | H300 | GHS06<br>Dgr | H300 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-007-00-4 | desmetryne (ISO);<br>6-isopropylamino-2-methylamino-4-methylthio-1,3,5-triazine | 213-800-1 | 1014-69-3 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 613-008-00-X | dazomet (ISO);<br>tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione | 208-576-7 | 533-74-4 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H410 | | | |
| 613-009-00-5 | 2,4,6-trichloro-1,3,5-triazine;<br>cyanuric chloride | 203-614-9 | 108-77-0 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1 | H330<br>H302<br>H314<br>H317 | GHS06<br>GHS05<br>Dgr | H330<br>H302<br>H314<br>H317 | EUH014 | STOT SE 3;<br>H335: C ≥ 5 % | |
| 613-010-00-0 | ametryn (ISO);<br>2-ethylamino-4-isopropylamino-6-methylthio-1,3,5-triazine | 212-634-7 | 834-12-8 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-011-00-6 | amitrole (ISO);<br>1,2,4-triazol-3-ylamine | 200-521-5 | 61-82-5 | Repr. 2<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H361d (***)<br>H373 (**)<br>H411 | GHS08<br>GHS09<br>Wng | H361d (***)<br>H373 (**)<br>H411 | | | |
| 613-012-00-1 | bentazone (ISO);<br>3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide | 246-585-8 | 25057-89-0 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H319<br>H317<br>H412 | GHS07<br>Wng | H302<br>H319<br>H317<br>H412 | | | |
| 613-013-00-7 | cyanazine (ISO);<br>2-(4-chloro-6-ethylamino-1,3,5-triazine-2-ylamino)-2-methylpropionitrile | 244-544-9 | 21725-46-2 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-014-00-2 | ethoxyquin(ISO);<br>6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline | 202-075-7 | 91-53-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-015-00-8 | fenazaflor (ISO);<br>phenyl 5,6-dichloro-2-trifluoromethylbenzimidazole-1-carboxylate | 238-134-9 | 14255-88-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 613-016-00-3 | fuberidazole(ISO);<br>2-(2-furyl)benzimidazole | 223-404-0 | 3878-19-1 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-017-00-9 | bis (8-hydroxyquinolinium) sulphate | 205-137-1 | 134-31-6 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-018-00-4 | morfamquat (ISO);<br>1,1'-bis(3,5-dimethylmorpholinocarbonylmethyl)-4,4'-bipyridilium ion | — | 7411-47-4 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H302<br>H319<br>H335<br>H315<br>H412 | GHS07<br>Wng | H302<br>H319<br>H335<br>H315<br>H412 | | | |
| 613-019-00-X | thioquinox(ISO);<br>2-thio-1,3-dithiolo(4,5,b)quinoxaline | 202-272-8 | 93-75-4 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-020-00-5 | tridemorph (ISO);<br>2,6-dimethyl-4-tridecylmorpholine | 246-347-3 | 24602-86-6 | Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-D (***)<br>H332<br>H302<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360D (***)<br>H332<br>H302<br>H315<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-021-00-0 | dithianon (ISO);<br>5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile | 222-098-6 | 3347-22-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-022-00-6 | pyrethrins including cinerins, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | | A |
| 613-023-00-1 | 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1*R*-[1α[*S**(*Z*)],3β]]-chrysanthemate;<br>pyrethrin I | 204-455-8 | 121-21-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | | |
| 613-024-00-7 | 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl[1*R*-[1α[*S**(*Z*)](3β)]]-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate;<br>pyrethrin II | 204-462-6 | 121-29-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | | | |
| 613-025-00-2 | cinerin I;<br>3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate | 246-948-0 | 25402-06-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-026-00-8 | cinerin II;<br>3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)cyclopropanecarboxylate | 204-454-2 | 121-20-0 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-027-00-3 | piperidine | 203-813-0 | 110-89-4 | Flam. Liq. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B | H225<br>H331<br>H311<br>H314 | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H331<br>H311<br>H314 | | * | |
| 613-028-00-9 | morpholine | 203-815-1 | 110-91-8 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H226<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dg | H226<br>H332<br>H312<br>H302<br>H314 | | | |
| 613-029-00-4 | dichloro-1,3,5-triazinetrione; dichloroisocyanuric acid | 220-487-5 | 2782-57-2 | Ox. Sol. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H302<br>H319<br>H335<br>H400<br>H410 | GHS03<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H319<br>H335<br>H410 | EUH031 | | T |
| 613-030-00-X | troclosene potassium; [1]<br>troclosene sodium [2] | 218-828-8 [1]<br>220-767-7 [2] | 2244-21-5 [1]<br>2893-78-9 [2] | Ox. Sol. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H302<br>H319<br>H335<br>H400<br>H410 | GHS03<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H319<br>H335<br>H410 | EUH031 | *<br>STOT SE 3; H335: C ≥ 10 %<br>EUH031: C ≥ 10 % | |
| 613-030-01-7 | troclosene sodium, dihydrate | 220-767-7 | 51580-86-0 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H335<br>H410 | EUH031 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-031-00-5 | symclosene;<br>trichloroisocyanuric acid;<br>trichloro-1,3,5-triazinetrion | 201-782-8 | 87-90-1 | Ox. Sol. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H302<br>H319<br>H335<br>H400<br>H410 | GHS03<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H319<br>H335<br>H410 | EUH031 | | |
| 613-032-00-0 | methyl-2,3,5,6-tetrachloro-4-pyridylsulphone;<br>2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine | 236-035-5 | 13108-52-6 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1 | H312<br>H302<br>H319<br>H317 | GHS07<br>Wng | H312<br>H302<br>H319<br>H317 | | | |
| 613-033-00-6 | 2-methylaziridine;<br>propyleneimine | 200-878-7 | 75-55-8 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Eye Dam. 1<br>Aquatic Chronic 2 | H225<br>H350<br>H330<br>H310<br>H300<br>H318<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H330<br>H310<br>H300<br>H318<br>H411 | | Carc. 1B; H350: C ≥ 0,01 % | |
| 613-034-00-1 | 1,2-dimethylimidazole | 217-101-2 | 1739-84-0 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1 | H302<br>H315<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H315<br>H318 | | | |
| 613-035-00-7 | 1-methylimidazole | 210-484-7 | 616-47-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H312<br>H302<br>H314 | GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H314 | | | |
| 613-036-00-2 | 2-methylpyridine;<br>2-picoline | 203-643-7 | 109-06-8 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3 | H226<br>H332<br>H312<br>H302<br>H319<br>H335 | GHS02<br>GHS07<br>Wng | H226<br>H332<br>H312<br>H302<br>H319<br>H335 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-037-00-8 | 4-methylpyridine;<br>4-picoline | 203-626-4 | 108-89-4 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H226<br>H311<br>H332<br>H302<br>H319<br>H335<br>H315 | GHS02<br>GHS06<br>Dgr | H226<br>H311<br>H332<br>H302<br>H319<br>H335<br>H315 | | | |
| 613-038-00-3 | 6-phenyl-1,3,5-triazine-2,4-diyldiamine;<br>6-phenyl-1,3,5-triazine-2,4-diamine;<br>benzoguanamine | 202-095-6 | 91-76-9 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 613-039-00-9 | ethylene thiourea;<br>imidazolidine-2-thione;<br>2-imidazoline-2-thiol | 202-506-9 | 96-45-7 | Repr. 1B<br>Acute Tox. 4 (*) | H360-D (***)<br>H302 | GHS08<br>GHS07<br>Dgr | H360D (***)<br>H302 | | | |
| 613-040-00-4 | azaconazole (ISO);<br>1-{[2-(2,4-dichlorophenyl)-1,3-dioxolan-2-yl]methyl}-1*H*-1,2.4-triazole | 262-102-3 | 60207-31-0 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-041-00-X | morpholine-4-carbonyl chloride | 239-213-0 | 15159-40-7 | Carc. 2<br>Eye Irrit. 2<br>Skin Irrit. 2 | H351<br>H319<br>H315 | GHS08<br>Wng | H351<br>H319<br>H315 | EUH014 | | |
| 613-042-00-5 | imazalil (ISO);<br>1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1*H*-imidazole | 252-615-0 | 35554-44-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H302<br>H318<br>H410 | | | |
| 613-043-00-0 | imazalil sulphate (ISO) powder;<br>1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1*H*-imidazolium hydrogen sulphate; [1]<br>(±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate [2] | 261-351-5 [1]<br>281-291-3 [2] | 58594-72-2 [1]<br>83918-57-4 [2] | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-043-01-8 | imazalil sulphate (ISO), aqueous solution; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1*H*-imidazolium hydrogen sulphate; [1]<br>(±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1*H*-imidazolium hydrogen sulphate [2] | 261-351-5 [1]<br>281-291-3 [2] | 58594-72-2 [1]<br>83918-57-4 [2] | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Wng | H302<br>H314<br>H317<br>H410 | | Skin Corr. 1B; H314: C ≥ 50 %<br>Skin Irrit. 2; H315: 30 % ≤ C < 50 %<br>Eye Dam. 1; H318: 15 % ≤ C < 50 %<br>Eye Irrit. 2; H319: 5 % ≤ C < 15 % | |
| 613-044-00-6 | captan (ISO);<br>1,2,3,6-tetrahydro-*N*-(trichloromethylthio) phthalimide | 205-087-0 | 133-06-2 | Carc. 2<br>Acute Tox. 3 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H331<br>H318<br>H317<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H331<br>H318<br>H317<br>H400 | | | |
| 613-045-00-1 | folpet (ISO);<br>*N*-(trichloromethylthio)phthalimide | 205-088-6 | 133-07-3 | Carc. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H332<br>H319<br>H317<br>H400 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H332<br>H319<br>H317<br>H400 | | | |
| 613-046-00-7 | captafol (ISO);<br>1,2,3,6-tetrahydro-*N*-(1,1,2,2-tetrachloroethylthio)phthalimide | 219-363-3 | 2425-06-1 | Carc. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H350<br>H317<br>H410 | | | |
| 613-047-00-2 | 1-dimethylcarbamoyl-5-methylpyrazol-3-yl dimethylcarbamate;<br>dimetilan (ISO) | 211-420-0 | 644-64-4 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-048-00-8 | carbendazim (ISO);<br>methyl benzimidazol-2-ylcarbamate | 234-232-0 | 10605-21-7 | Muta. 1B<br>Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H340<br>H360FD<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H340<br>H360FD<br>H410 | | | |
| 613-049-00-3 | benomyl (ISO);<br>methyl 1-(butylcarbamoyl)benzimidazol-2-ylcarbamate | 241-775-7 | 17804-35-2 | Muta. 1B<br>Repr. 1B<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H340<br>H360FD<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H340<br>H360FD<br>H335<br>H315<br>H317<br>H410 | | M=10 | |
| 613-050-00-9 | carbadox (INN);<br>methyl 3-(quinoxalin-2-ylmethylene)carbazate 1,4-dioxide;<br>2-(methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide | 229-879-0 | 6804-07-5 | Flam. Sol. 1<br>Carc. 1B<br>Acute Tox. 4 (*) | H228<br>H350<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H228<br>H350<br>H302 | | | T |
| 613-051-00-4 | molinate (ISO);<br>*S*-ethyl 1-perhydroazepinecarbothioate;<br>*S*-ethyl perhydroazepine-1-carbothioate | 218-661-0 | 2212-67-1 | Carc. 2<br>Repr. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361f (***)<br>H332<br>H302<br>H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H361f (***)<br>H332<br>H302<br>H373 (**)<br>H317<br>H410 | | M=100 | |
| 613-052-00-X | trifenmorph (ISO);<br>4-tritylmorpholine | 215-812-2 | 1420-06-0 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-053-00-5 | anilazine (ISO);<br>2-chloro-*N*-(4,6-dichloro-1,3,5-triazin-2-yl) aniline | 202-910-5 | 101-05-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H410 | | | |
| 613-054-00-0 | thiabendazol (ISO);<br>2-(thiazole-4-yl)benzimidazole | 205-725-8 | 148-79-8 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-056-00-1 | 1,2-dimethyl-3,5-diphenylpyrazolium methylsulphate;<br>difenzoquat methyl sulfate | 256-152-5 | 43222-48-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS09<br>Wng | H302<br>H410 | | | |
| 613-057-00-7 | dodemorph (ISO);<br>4-cyclododecyl-2,6-dimethylmorpholine | 216-474-9 | 1593-77-7 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H319<br>H335<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H335<br>H315<br>H411 | | | |
| 613-058-00-2 | permethrin (ISO);<br>*m*-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 258-067-9 | 52645-53-1 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H302<br>H317<br>H410 | | M=1000 | |
| 613-059-00-8 | profluralin (ISO);<br>*N*-(cyclopropylmethyl)-α,α,α-trifluoro-2,6-dinitro-*N*-propyl-*p*-toluidine | 247-656-6 | 26399-36-0 | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H410 | | | |
| 613-060-00-3 | resmethrin (ISO);<br>5-benzyl-3-furylmethyl (±)-*cis-trans*-chrysanthemate | 233-940-7 | 10453-86-8 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-061-00-9 | 6-(1α,5aβ,8aβ,9-pentahydroxy-7β-isopropyl-2β,5β,8β-trimethylperhydro-8bα,9-epoxy-5,8-ethanocyclopenta[1,2-b]indenyl) pyrrole-2-carboxylate;<br>ryania | 239-732-2 | 15662-33-6 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 613-062-00-4 | sabadilla (ISO);<br>veratrine | — | 8051-02-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H319<br>H335<br>H315 | GHS07<br>Wng | H319<br>H335<br>H315 | | | |
| 613-063-00-X | secbumeton (ISO);<br>2-sec-butylamino-4-ethylamino-6-methoxy-1,3,5-triazine | 247-554-1 | 26259-45-0 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H410 | | | |
| 613-064-00-5 | 5-(3,6,9-trioxa-2-undecyloxy)benzo(d)-1,3-dioxolane;<br>sesamex | — | 51-14-9 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-065-00-0 | simetryn (ISO);<br>2,4-bis(ethylamino)-6-methylthio-1,3,5-triazine | 213-801-7 | 1014-70-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-066-00-6 | terbumeton (ISO);<br>2-*tert*-butylamino-4-ethylamino-6-methoxy-1,3,5-triazine | 251-637-8 | 33693-04-8 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-067-00-1 | propazine(ISO);<br>2-chloro-4,6-bis(isopropylamino)-1,3,5-triazine | 205-359-9 | 139-40-2 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-068-00-7 | atrazine (ISO); 2-chloro-4-ethylamine-6-isopropylamine-1,3,5-triazine | 217-617-8 | 1912-24-9 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H317<br>H410 | | | |
| 613-069-00-2 | ε-caprolactam | 203-313-2 | 105-60-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H332<br>H302<br>H319<br>H335<br>H315 | GHS07<br>Wng | H332<br>H302<br>H319<br>H335<br>H315 | | | |
| 613-070-00-8 | propylenethiourea | — | 2122-19-2 | Repr. 2<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H361d (***)<br>H302<br>H412 | GHS08<br>GHS07<br>Wng | H361d (***)<br>H302<br>H412 | | | |
| 613-071-00-3 | 2-fluoro-5-trifluoromethylpyridine | 400-290-2 | 69045-82-5 | Flam. Liq. 3<br>Skin Sens. 1<br>Aquatic Chronic 3 | H226<br>H317<br>H412 | GHS02<br>GHS07<br>Wng | H226<br>H317<br>H412 | | | |
| 613-072-00-9 | *N*,*N*-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl) methyl)amine | 401-280-0 | 91273-04-0 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411 | | | |
| 613-073-00-4 | *N*,*N*-dimethyl-2-(3-(4-chlorophenyl)-4,5-dihydropyrazol-1-ylphenylsulphonyl)ethylamine | 401-410-6 | 10357-99-0 | STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H373 (**)<br>H317<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H317<br>H411 | | | |
| 613-074-00-X | 3-(3-methylpent-3-yl)isoxazol-5-ylamine | 401-460-9 | 82560-06-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H331<br>H301<br>H318<br>H412 | GHS06<br>GHS05<br>Dgr | H331<br>H301<br>H318<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-075-00-5 | 1,3-dichloro-5-ethyl-5-methylimidazolidine-2,4-dione | 401-570-7 | 89415-87-2 | Ox. Sol. 1 (****)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1 | H271<br>H331<br>H314<br>H302<br>H317<br>H400 | GHS03<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H271<br>H331<br>H314<br>H302<br>H317<br>H400 | | | |
| 613-076-00-0 | 3-chloro-5-trifluoromethyl-2-pyridylamine | 401-670-0 | 79456-26-1 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 613-077-00-6 | reaction mass of 5-heptyl-1,2,4-triazol-3-ylamine and 5-nonyl-1,2,4-triazol-3-ylamine | 401-940-8 | — | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Chronic 2 | H302<br>H319<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H411 | | | |
| 613-078-00-1 | *N*,*N*,*N*,*N*-tetrakis(4,6-bis(butyl-(*N*-methyl-2,2,6,6-tetramethylpiperidin-4-yl)amino) triazin-2-yl)-4,7-diazadecane-1,10-diamine | 401-990-0 | 106990-43-6 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 613-079-00-7 | 4-(1(or 4 or 5 or 6)-methyl-8,9,10-trinorborn-5-en-2-yl)pyridine, reaction mass of isomers | 402-520-7 | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H315<br>H317<br>H410 | | | |
| 613-080-00-2 | 3-(bis(2-ethylhexyl)aminomethyl)benzothiazole-2(3*H*)-thione | 402-540-6 | 105254-85-1 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410 | | | |
| 613-081-00-8 | 1-butyl-2-methylpyridinium bromide | 402-680-8 | 26576-84-1 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-082-00-3 | 2-methyl-1-pentylpyridinium bromide | 402-690-2 | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H312<br>H302<br>H412 | GHS07<br>Wng | H312<br>H302<br>H412 | | | |
| 613-083-00-9 | 2-(4-(3-(4-chlorophenyl)-2-pyrazolin-1-yl) phenylsulfonyl)ethyldimethylammonium formate | 402-120-2 | — | Skin Corr. 1B<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H373 (**)<br>H317<br>H410 | | | |
| 613-084-00-4 | 2-(4-(3-(4-chlorophenyl)-4,5-dihydropyrazolyl)phenylsulphonyl)ethyldimethylammonium hydrogen phosphonate | 402-490-5 | 106359-93-7 | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H410 | | | |
| 613-085-00-X | reaction mass of 1,1'-(methylenebis(4,1-phenylene))dipyrrole-2,5-dione and *N*-(4-(4-(2,5-dioxopyrrol-1-yl)benzyl)phenyl)acetamide and 1-(4-(4-(5-oxo-2*H*-2-furylidenamino)benzyl)phenyl)pyrrole-2,5-dione | 401-970-1 | — | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 613-086-00-5 | caffeine | 200-362-1 | 58-08-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-087-00-0 | tetrahydrothiophene | 203-728-9 | 110-01-0 | Flam. Liq. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H225<br>H332<br>H312<br>H302<br>H319<br>H315<br>H412 | GHS02<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H319<br>H315<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-088-00-6 | 1,2-benzisothiazol-3(2*H*)-one;<br>1,2-benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H302<br>H315<br>H318<br>H317<br>H400 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H317<br>H400 | | Skin Sens. 1;<br>H317: C ≥ 0,05 % | |
| 613-089-00-1 | diquat dibromide; [1]<br>diquat dichloride; [2]<br>6,7-dihydrodipyrido[1,2-α:2',1'-c]pyrazine-diylium dihydroxide [3] | 201-579-4 [1]<br>223-714-6 [2]<br>301-467-6 [3] | 85-00-7 [1]<br>4032-26-2 [2]<br>94021-76-8 [3] | Acute Tox. 2 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H372 (**)<br>H302<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H372 (**)<br>H302<br>H319<br>H335<br>H315<br>H317<br>H410 | | | |
| 613-090-00-7 | paraquat dichloride;<br>1,1-dimethyl-4,4'-bipyridinium dichloride; [1]<br>paraquat dimethylsulfate;<br>1,1-dimethyl-4,4'-bipyridinium dimethyl sulphate [2] | 217-615-7 [1]<br>218-196-3 [2] | 1910-42-5 [1]<br>2074-50-2 [2] | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H311<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H311<br>H301<br>H372 (**)<br>H319<br>H335<br>H315<br>H410 | | | |
| 613-091-00-2 | morfamquat dichloride; [1]<br>morfamquat sulfate [2] | 225-062-8 [1]<br>- [2] | 4636-83-3 [1]<br>29873-36-7 [2] | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H302<br>H319<br>H335<br>H315<br>H412 | GHS07<br>Wng | H302<br>H319<br>H335<br>H315<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-092-00-8 | 1,10-phenanthroline | 200-629-2 | 66-71-7 | Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | | |
| 613-093-00-3 | hexasodium 6,13-dichloro-3,10-bis((4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate | 400-050-7 | 85153-92-0 | Resp. Sens. 1<br>Skin Sens. 1 | H334<br>H317 | GHS08<br>Dgr | H334<br>H317 | | | |
| 613-094-00-9 | 4-methoxy-*N*,6-dimethyl-1,3,5-triazin-2-ylamine | 401-360-5 | 5248-39-5 | Acute Tox. 4 (*)<br>STOT RE 2 (*) | H302<br>H373 (**) | GHS08<br>GHS07<br>Wng | H302<br>H373 (**) | | | |
| 613-095-00-4 | sodium 3-(2*H*-benzotriazol-2-yl)-5-*sec*-butyl-4-hydroxybenzenesulfonate | 403-080-9 | 92484-48-5 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 613-096-00-X | 2-amino-6-ethoxy-4-methylamino-1,3,5-triazine | 403-580-7 | 62096-63-3 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-097-00-5 | 7-amino-3-((5-carboxymethyl-4-methyl-1,3-thiazol-2-ylthio)methyl)-8-oxo-5-thia-1-azabicyclo(4.2.0)oct-2-ene-2-carboxylic acid | 403-690-5 | 111298-82-9 | Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H334<br>H317<br>H412 | GHS08<br>Dgr | H334<br>H317<br>H412 | | | |
| 613-098-00-0 | N-(*n*-octyl)-2-pyrrolidone | 403-700-8 | 2687-94-7 | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411 | GHS05<br>GHS09<br>Dgr | H314<br>H411 | | | |
| 613-099-00-6 | 1-dodecyl-2-pyrrolidone | 403-730-1 | 2687-96-9 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410 | | | |
| 613-100-00-X | 2,9-bis(3-(diethylamino)propylsulfamoyl) quino(2,3-b)acridine-7,14-dione | 404-230-6 | — | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-101-00-5 | *N*—*tert*-pentyl-2-benzothiazolesulfenamide | 404-380-2 | 110799-28-5 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 613-102-00-0 | dimethomorph (ISO);<br>4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine | 404-200-2 | 110488-70-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 613-103-00-6 | sodium 5-*n*-butylbenzotriazole | 404-450-2 | 118685-34-0 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H317<br>H411 | | | |
| 613-104-00-1 | 5-*tert*-butyl-3-isoxazolylamine hydrochloride | 404-840-2 | — | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H373 (**)<br>H318<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 (**)<br>H318<br>H412 | | | |
| 613-105-00-7 | hexakis(tetramethylammonium) 4,4'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-morpholino-1,3,5-triazine-4,2-diyl)imino)bis(5-hydroxy-6-phenylazonaphthalene-2,7-disulfonate) | 405-160-9 | 124537-30-0 | Acute Tox. 3 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H301<br>H317<br>H412 | GHS06<br>Dgr | H301<br>H317<br>H412 | | | |
| 613-106-00-2 | tetrapotassium 2-(4-(5-(1-(2,5-disulfonatophenyl)-3-ethoxycarbonyl-5-hydroxypyrazol-4-yl)penta-2,4-dienylidene)-3-ethoxycarbonyl-5-oxo-2-pyrazolin-1-yl)benzene-1,4-disulfonate | 405-240-3 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 613-107-00-8 | hexasodium 2,2'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-(*N*-cyanoethyl-*N*-(2-hydroxypropyl)amino)-1,3,5-triazine-4,2-diyl)imino)dibenzene-1,4-disulfonate | 405-280-1 | 76508-02-6 | Eye Irrit. 2 | H319 | GHS07<br>Wng | H319 | | | |
| 613-108-00-3 | benzothiazole-2-thiol | 205-736-8 | 149-30-4 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-109-00-9 | bis(piperidinothiocarbonyl) disulphide | 202-328-1 | 94-37-1 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H335<br>H315<br>H317 | GHS07<br>Wng | H319<br>H335<br>H315<br>H317 | | | |
| 613-110-00-4 | dimepiperate (ISO);<br>*S*-(1-methyl-1-phenylethyl) piperidine-1-carbothioate | 262-784-2 | 61432-55-1 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 613-111-00-X | 1,2,4-triazole | 206-022-9 | 288-88-0 | Repr. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H361d (***)<br>H302<br>H319 | GHS08<br>GHS07<br>Wng | H361d (***)<br>H302<br>H319 | | | |
| 613-112-00-5 | octhilinone (ISO);<br>2-octyl-2*H*-isothiazol-3-one | 247-761-7 | 26530-20-1 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H302<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H302<br>H314<br>H317<br>H410 | | Skin Sens. 1;<br>H317: C ≥ 0,05 % | |
| 613-113-00-0 | 2-(morpholinothio)benzothiazole | 203-052-4 | 102-77-2 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H319<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H315<br>H317<br>H411 | | | |
| 613-114-00-6 | 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl) triethanol;<br>1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine | 225-208-0 | 4719-04-4 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | Skin Sens. 1;<br>H317: C ≥ 0,1 % | |
| 613-115-00-1 | hymexazol (ISO);<br>3-hydroxy-5-methylisoxazole | 233-000-6 | 10004-44-1 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-116-00-7 | tolylfluanid (ISO);<br>dichloro-*N*-[(dimethylamino)sulphonyl] fluoro-*N*-(*p*-tolyl)methanesulphenamide | 211-986-9 | 731-27-1 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H373 (**)<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H373 (**)<br>H319<br>H335<br>H315<br>H317<br>H410 | | | |
| 613-117-00-2 | diniconazole (ISO);<br>(*E*)-β-[(2,4-dichlorophenyl)methylene]-α-(1,1-dimethylethyl)-1*H*—1,2,4-triazol-1-ethanol;<br>(*E*)-(*RS*)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1*H*—1,2,4-triazol-1-yl)pent-1-en-3-ol | — | 76714-88-0 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-118-00-8 | flubenzimine (ISO);<br>*N*-[3-phenyl-4,5-bis[(trifluoromethyl)imino] thiazolidin-2-ylidene]aniline | 253-703-1 | 37893-02-0 | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H319<br>H410 | | | |
| 613-119-00-3 | (benzothiazol-2-ylthio)methyl thiocyanate;<br>TCMTB | 244-445-0 | 21564-17-0 | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H302<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H302<br>H319<br>H315<br>H317<br>H410 | | | |
| 613-120-00-9 | bioresmethrin;<br>(5-bezylfur-3-yl)methyl(1R)-*trans*—2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboylate | 249-014-0 | 28434-01-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-121-00-4 | chlorsulfuron (ISO);<br>2-chloro-*N*-[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide | 265-268-5 | 64902-72-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-122-00-X | diclobutrazole (ISO);<br>(*R**, *R**)-(±)-β-[(2,4-dichlorophenyl)methyl]-α-(1,1-dimethylethyl)-1*H*—1,2,4-triazole-1-ethanol;<br>(2*RS*, 3*RS*)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1*H*—1,2,4-triazol-1yl)pentan-3-ol | — | 75736-33-3 | Eye Irrit. 2<br>Aquatic Chronic 2 | H319<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H411 | | | |
| 613-123-00-5 | 5,6-dihydro-3*H*-imidazo[2,1—*c*]-1,2,4-dithiazole-3-thione;<br>etem | 251-684-4 | 33813-20-6 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-124-00-0 | fenpropimorph (ISO);<br>*cis*-4-[3-(*p*—*tert*-butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine | 266-719-9 | 67564-91-4 | Repr. 2<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H361d (***)<br>H302<br>H315<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d (***)<br>H302<br>H315<br>H411 | | | |
| 613-125-00-6 | hexythiazox(ISO);<br>*trans*-5-(4-chlorophenyl)-*N*-cyclohexyl-4-methyl-2-oxo-3-thiazolidine-carboxamide | — | 78587-05-0 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-126-00-1 | imazapyr (ISO);<br>2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-3-pyridine carboxylate | — | 81334-34-1 | Eye Irrit. 2<br>Aquatic Chronic 3 | H319<br>H412 | GHS07<br>Wng | H319<br>H412 | | | |
| 613-127-00-7 | 1,1-dimethylpiperidinium chloride;<br>mepiquat chloride | 246-147-6 | 24307-26-4 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-128-00-2 | prochloraz (ISO);<br>*N*-propyl-*N*-[2-(2,4,6-trichlorophenoxy) ethyl]-1*H*-imidazole-1-carboxamide | 266-994-5 | 67747-09-5 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-129-00-8 | metamitron (ISO);<br>4-amino-3-methyl-6-phenyl-1,2,4-triazin-5-one | 255-349-3 | 41394-05-2 | Acute Tox. 4 (*)<br>Aquatic Acute 1 | H302<br>H400 | GHS07<br>GHS09<br>Wng | H302<br>H400 | | | |
| 613-131-00-9 | pyroquilon (ISO);<br>1,2,5,6-tetrahydropyrrolo[3,2,1-ij]quinolin-4-one | — | 57369-32-1 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 613-132-00-4 | hexazinone (ISO);<br>3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione | 257-074-4 | 51235-04-2 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H410 | | | |
| 613-133-00-X | etridiazole (ISO);<br>5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole | 219-991-8 | 2593-15-9 | Carc. 2<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H331<br>H312<br>H302<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H331<br>H312<br>H302<br>H410 | | | |
| 613-134-00-5 | myclobutanil(ISO);<br>2-(4-chlorophenyl)-2-(1*H*—1,2,4-triazol-1-ylmethyl)hexanenitrile | — | 88671-89-0 | Repr. 2<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Chronic 2 | H361d (***)<br>H302<br>H319<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d (***)<br>H302<br>H319<br>H411 | | | |
| 613-135-00-0 | di(benzothiazol-2-yl) disulphide | 204-424-9 | 120-78-5 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | EUH031 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-136-00-6 | N-cyclohexylbenzothiazole-2-sulphenamide | 202-411-2 | 95-33-0 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 613-137-00-1 | methabenzthiazuron (ISO);<br>1-(1,3-benzothiazol-2-yl)1,3-dimethylurea | 242-505-0 | 18691-97-9 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-138-00-7 | quinoxyfen (ISO);<br>5,7-dichloro-4-(4-fluorophenoxy)quinoline | — | 124495-18-7 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 613-139-00-2 | metsulfuron-methyl;<br>2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl) benzoic acid | — | 74223-64-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-140-00-8 | cycloheximide (ISO);<br>4-{(2*R*)-2-[(1*S*,3*S*,5*S*)-3,5-dimethyl-2-oxocyclohexyl]-2-hydroxyethyl}piperidine-2,6-dione | 200-636-0 | 66-81-9 | Muta. 2<br>Repr. 1B<br>Acute Tox. 2 (*)<br>Aquatic Chronic 2 | H341<br>H360-D (***)<br>H300<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H360D (***)<br>H300<br>H411 | | | |
| 613-141-00-3 | 1,4-diamino-2-(2-butyltetrazol-5-yl)-3-cyanoanthraquinone | 401-470-3 | 93686-63-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-142-00-9 | *trans*—*N*-methyl-2-styryl-[4'-aminomethine-(1-acetyl-1-(2-methoxyphenyl)acetamido)] pyridinium acetate | 405-860-4 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 613-143-00-4 | 1-(3-phenylpropyl)-2-methylpyridinium bromide | 405-930-4 | 10551-42-5 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Chronic 3 | H302<br>H319<br>H412 | GHS07<br>Wng | H302<br>H319<br>H412 | | | |
| 613-144-00-X | reaction products of: poly(vinyl acetate), partially hydrolyzed, with (*E*)-2-(4-formylstyryl)-3,4-dimethylthiazoliummethyl sulfate | 406-460-2 | 125139-08-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-145-00-5 | (*S*)-3-benzyloxycarbonyl-1,2,3,4-tetrahydroisoquinolinium 4-methylbenzenesulfonate | 406-960-0 | 77497-97-3 | Aquatic Chronic 2 | H411 | GHS09<br>Wng | H411 | | | |
| 613-146-00-0 | *N*-ethyl-*N*-methylpiperidinium iodide | 407-780-5 | 4186-71-4 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 613-147-00-6 | 4-[2-(1-methyl-2-(4-morpholinyl)ethoxy) ethyl]morpholine | 407-940-4 | 111681-72-2 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 613-148-00-1 | tetrasodium 1,2-bis(4-fluoro-6-[5-(1-amino-2-sulfonatoanthrachinon-4-ylamino)-2,4,6-trimethyl-3-sulfonatophenylamino]-1,3,5-triazin-2-ylamino)ethane | 411-240-4 | 143683-23-2 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 613-149-00-7 | pyridaben (ISO);<br>2-*tert*-butyl-5-(4-*tert*-butylbenzylthio)-4-chloropyridazin-3(2*H*)-one | 405-700-3 | 96489-71-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H410 | | | |
| 613-150-00-2 | 2,2'-[3,3'-(piperazine-1,4-diyl)dipropyl]bis (1*H*-benzimidazo[2,1—*b*]benzo[*l*,*m*,*n*][3,8] phenanthroline-1,3,6-trione | 406-295-6 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-151-00-8 | 1-(3-mesyloxy-5-trityloxymethyl-2-D-threofuryl)thymine | 406-360-9 | 104218-44-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-152-00-3 | phenyl *N*-(4,6-dimethoxypyrimidin-2-yl)carbamate | 406-600-2 | 89392-03-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 613-153-00-9 | 2,3,5-trichloropyridine | 407-270-2 | 16063-70-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 613-154-00-4 | 2-amino-4-chloro-6-methoxypyrimidine | 410-050-9 | 5734-64-5 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-155-00-X | 5-chloro-2,3-difluoropyridine | 410-090-7 | 89402-43-7 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H226<br>H302<br>H412 | GHS02<br>GHS07<br>Wng | H226<br>H302<br>H412 | | | |
| 613-156-00-5 | 2-butyl-4-chloro-5-formylimidazole | 410-260-0 | 83857-96-9 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 613-157-00-0 | 2,4-diamino-5-methoxymethylpyrimidine | 410-330-0 | 54236-98-5 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Irrit. 2 | H302<br>H373 (**)<br>H319 | GHS08<br>GHS07<br>Wng | H302<br>H373 (**)<br>H319 | | | |
| 613-158-00-6 | 2,3-dichloro-5-trifluoromethyl-pyridine | 410-340-5 | 69045-84-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H332<br>H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H302<br>H318<br>H317<br>H411 | | | |
| 613-159-00-1 | fenazaquin (ISO);<br>4-[2-[4-(1,1-dimethylethyl)phenyl]-ethoxy] quinazoline | 410-580-0 | 120928-09-8 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H332<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H332<br>H410 | | | |
| 613-160-00-7 | (1*S*)-2-methyl-2,5-diazobicyclo[2.2.1]heptane dihydrobromide | 411-000-9 | 125224-62-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 613-163-00-3 | azimsulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-yl)-3-[1-methyl-4-(2-methyl-2*H*-tetrazol-5-yl)pyrazol-5-ylsulfonyl]urea | — | 120162-55-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-164-00-9 | flufenacet (ISO);<br>*N*-(4-fluorophenyl)-*N*-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide | — | 142459-58-3 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 (**)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 (**)<br>H317<br>H410 | | | |
| 613-165-00-4 | flupyrsulfuron-methyl-sodium (ISO);<br>methyl 2-[[(4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfamoyl]-6-trifluoromethyl] nicotinate, monosodium salt | — | 144740-54-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-166-00-X | flumioxazin (ISO);<br>*N*-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2*H*—1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboxamide | — | 103361-09-7 | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360-D (***)<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360D (***)<br>H410 | | | |
| 613-167-00-5 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2*H* -isothiazol-3-one [EC no. 220-239-6] (3:1);<br>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) | — | 55965-84-9 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H314<br>H317<br>H410 | | Skin Corr. 1B; H314: C ≥ 0,6 %<br>Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 %<br>Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 %<br>Skin Sens. 1; H317: C ≥ 0,0015 % | |
| 613-168-00-0 | 1-vinyl-2-pyrrolidone | 201-800-4 | 88-12-0 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>STOT SE 3<br>Eye Dam. 1 | H351<br>H332<br>H312<br>H302<br>H373 (**)<br>H335<br>H318 | GHS06<br>GHS05<br>GHS09<br>Dgr | H351<br>H332<br>H312<br>H302<br>H373 (**)<br>H335<br>H318 | | | D |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-169-00-6 | 9-vinylcarbazole | 216-055-0 | 1484-13-5 | Muta. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H312<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H312<br>H302<br>H315<br>H317<br>H410 | | | |
| 613-170-00-1 | 2,2-ethylmethylthiazolidine | 404-500-3 | 694-64-4 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 | | | |
| 613-171-00-7 | hexaconazole (ISO);<br>(*RS*)-2-(2,4-dichlorophenyl)-1-(1*H*—1,2,4-triazol-1-yl)hexan-2-ol | 413-050-7 | 79983-71-4 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H411 | | | |
| 613-172-00-2 | 5-chloro-1,3-dihydro-2*H*-indol-2-one | 412-200-9 | 17630-75-0 | Repr. 2<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 3 | H361f (***)<br>H302<br>H317<br>H412 | GHS08<br>GHS07<br>Wng | H361f (***)<br>H302<br>H317<br>H412 | | | |
| 613-173-00-8 | fluquinconazole (ISO);<br>3-(2,4-dichlorophenyl)-6-fluoro-2-(1*H*—1,2,4-triazol-1-yl)quinazolin-4-(3*H*)-one | 411-960-9 | 136426-54-5 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H372 (**)<br>H312<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H372 (**)<br>H312<br>H315<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-174-00-3 | (±) 2-(2,4-dichlorophenyl)-3-(1*H*—1,2,4-triazol-1-yl)propyl-1,1,2,2-tetrafluoroethyle-ther | 407-760-6 | 112281-77-3 | Carc. 2<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H351<br>H332<br>H302<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H332<br>H302<br>H411 | | | |
| 613-175-00-9 | epoxiconazole(ISO);<br>(2*RS*,3*SR*)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1*H*—1,2,4-triazol-1-yl)methyl]oxirane | 406-850-2 | 133855-98-8 | Carc. 2<br>Repr. 2<br>Aquatic Chronic 2 | H351<br>H361fd<br>H411 | GHS08<br>GHS09<br>Wng | H351<br>H361fd<br>H411 | | | |
| 613-176-00-4 | 2-methyl-2-azabicyclo[2.2.1]heptane | 404-810-9 | 4524-95-2 | Flam. Liq. 3<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B | H226<br>H312<br>H302<br>H373 (**)<br>H314 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H373 (**)<br>H314 | | | |
| 613-177-00-X | 8-amino-7-methylquinoline | 412-760-4 | 5470-82-6 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H317<br>H411 | | | |
| 613-178-00-5 | 4-ethyl-2-methyl-2-isopentyl-1,3-oxazolidine | 410-470-2 | 137796-06-6 | Skin Corr. 1B<br>Skin Sens. 1 | H314<br>H317 | GHS05<br>GHS07<br>Dgr | H314<br>H317 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 613-179-00-0 | lithium 3-oxo-1,2(2*H*)-benzisothiazol-2-ide | 411-690-1 | 111337-53-2 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H314<br>H317<br>H411 | GHS05<br>GHS07<br>Dgr | H302<br>H314<br>H317<br>H411 | | | |
| 613-180-00-6 | *N*-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide | 407-430-1 | 3741-80-8 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-181-00-1 | 5,5-dimethyl-perhydro-pyrimidin-2-one α-(4-trifluoromethylstyryl)-α-(4-trifluoromethyl)cinnamylidenehydrazone | 405-090-9 | 67485-29-4 | STOT RE 1<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H372 (**)<br>H302<br>H319<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H372 (**)<br>H302<br>H319<br>H410 | | | |
| 613-182-00-7 | 1-(1-naphthylmethyl)quinolinium chloride | 406-220-7 | 65322-65-8 | Carc. 2<br>Muta. 2<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H351<br>H341<br>H302<br>H315<br>H318<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H351<br>H341<br>H302<br>H315<br>H318<br>H412 | | | |
| 613-183-00-2 | reaction mass of: 5-(*N*-methylperfluorooctylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one;<br>5-(*N*-methylperfluoroheptylsulfonamido) methyl-3-octadecyl-1,3-oxazolidin-2-one | 413-640-4 | — | STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H410 | | | |
| 613-184-00-8 | nitrilotriethyleneammoniopropane-2-ol 2-ethylhexanoate | 413-670-8 | — | Eye Irrit. 2<br>Skin Sens. 1 | H319<br>H317 | GHS07<br>Wng | H319<br>H317 | | | |
| 613-185-00-3 | 2,3,5,6-tetrahydro-2-methyl-2*H*-cyclopenta[*d*]-1,2-thiazol-3-one | 407-630-9 | 82633-79-2 | Acute Tox. 3 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H318<br>H317<br>H410 | | | |
| 613-186-00-9 | (2*R*,3*R*)-3-((*R*)-1-(*tert*-butyldimethylsiloxy) ethyl)-4-oxoazetidin-2-yl acetate | 408-050-9 | 76855-69-1 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H319<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-188-00-X | 1-(3-(4-fluorophenoxy)propyl)-3-methoxy-4-piperidinone | 411-500-7 | 116256-11-2 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 | | | |
| 613-189-00-5 | 1,4,7,10-tetrakis(*p*-toluensulfonyl)-1,4,7,10-tetraazacyclododecane | 414-030-0 | 52667-88-6 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 613-190-00-0 | disodium 1-amino-4-(2-(5-chloro-6-fluoropyrimidin-4-ylamino-methyl)-4-methyl-6-sulfo-phenylamino)-9,10-dioxo-9,10-dihydro-anthracene-2-sulfonate | 414-040-5 | 149530-93-8 | Acute Tox. 4 (*)<br>Skin Sens. 1 | H302<br>H317 | GHS07<br>Wng | H302<br>H317 | | | |
| 613-191-00-6 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 421-150-7 | 143860-04-2 | Repr. 1B<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360F (***)<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS09<br>Dgr | H360F (***)<br>H314<br>H410 | | | |
| 613-193-00-7 | pentakis[3-(dimethylammonio)propylsulfamoyl]-[(6-hydroxy-4,4,8,8-tetramethyl-4,8-diazoniaundecane-1,11-diyldisulfamoyl)di[phthalocyaninecopper(II)]] heptalactate | 414-930-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 613-194-00-2 | 6,13-dichloro-3,10-bis{2-[4-fluoro-6-(2-sulfophenylamino)-1,3,5-triazin-2-ylamino]propylamino}benzo[5,6][1,4]oxazino[2,3-.b.]phenoxazine-4,11-disulphonic acid, lithium-, sodium salt | 418-000-8 | 163062-28-0 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 613-195-00-8 | 2,2-(1,4-phenylene)bis((4*H*—3,1-benzoxazine-4-one) | 418-280-1 | 18600-59-4 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-196-00-3 | 5-[[4-chloro-6-[[2-[[4-fluoro-6-[[5-hydroxy-6-[(4-methoxy-2-sulfophenyl)azo]-7-sulfo-2-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-1-methylethyl]amino]-1,3,5-triazin-2-yl]amino]-3-[[4-(ethenylsulfonyl)phenyl]azo]-4-hydroxy-naphtalene-2,7-disulfonic acid, sodium salt | 418-380-5 | 168113-78-8 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 613-197-00-9 | reaction mass of: 2,4,6-tri(butylcarbamoyl)-1,3,5-triazine;<br>2,4,6-tri(methylcarbamoyl)-1,3,5-triazine;<br>[(2-butyl-4,6-dimethyl)tricarbamoyl]-1,3,5-triazine;<br>[(2,4-dibutyl-6-methyl)tricarbamoyl]-1,3,5-triazine | 420-390-1 | 187547-46-2 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 613-199-00-X | reaction mass of: 1,3,5-tris(3-aminomethylphenyl)-1,3,5-(1*H*,3*H*,5*H*)-triazine-2,4,6-trione;<br>reaction mass of oligomers of 3,5-bis(3-aminomethylphenyl)-1-poly[3,5-bis(3-aminomethylphenyl)-2,4,6-trioxo-1,3,5-(1*H*,3*H*,5*H*)-triazin-1-yl]-1,3,5-(1*H*,3*H*,5*H*)-triazine-2,4,6-trione | 421-550-1 | — | Carc. 1B<br>Repr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H350<br>H360-D (***)<br>H317<br>H412 | GHS08<br>Dgr | H350<br>H360D (***)<br>H317<br>H412 | | | |
| 613-200-00-3 | Reaction product of: copper, (29*H*,31*H*-phthalocyaninato(2-)-*N*29,*N*30,*N*31,*N*32)-, chlorosulfuric acid and 3-(2-sulfooxyethylsulfonyl)aniline, sodium salts | 420-980-7 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 613-201-00-9 | (*R*)-5-bromo-3-(1-methyl-2-pyrrolidinyl methyl)-1*H*-indole | 422-390-5 | 143322-57-0 | Repr. 2<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f (***)<br>H372 (**)<br>H332<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H361f (***)<br>H372 (**)<br>H332<br>H302<br>H317<br>H410 | EUH070 | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-202-00-4 | pymetrozine (ISO);<br>(*E*)-4,5-dihydro-6-methyl-4-(3-pyridylmethyleneamino)-1,2,4-triazin-3(2*H*)-one | — | 123312-89-0 | Carc. 2<br>Aquatic Chronic 3 | H351<br>H412 | GHS08<br>Wng | H351<br>H412 | | | |
| 613-203-00-X | pyraflufen-ethyl; [1]<br>pyraflufen [2] | - [1]<br>- [2] | 129630-19-9 [1]<br>129630-17-7 [2] | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-204-00-5 | oxadiargyl (ISO);<br>3-[2,4-dichloro-5-(2-propynyloxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3*H*)-one;<br>5-*tert*-butyl-3-[2,4-dichloro-5-(prop-2-ynyloxy)phenyl]-1,3,4-oxadiazol-2(3*H*)-one | 254-637-6 | 39807-15-3 | Repr. 2<br>STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d (***)<br>H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H361d (***)<br>H373 (**)<br>H410 | | | |
| 613-205-00-0 | propiconazole(ISO);<br>(±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1*H*—1,2,4-triazole | 262-104-4 | 60207-90-1 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 613-206-00-6 | fenamidone (ISO);<br>(*S*)-5-methyl-2-methylthio-5-phenyl-3-phenylamino-3,5-dihydroimidazol-4-one | — | 161326-34-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-208-00-7 | imazamox (ISO);<br>(*RS*)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-methoxymethylnicotinic acid | — | 114311-32-9 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-209-00-2 | *cis*-1-(3-chloropropyl)-2,6-dimethyl-piperidin hydrochloride | 417-430-3 | 63645-17-0 | Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Skin Sens. 1<br>Aquatic Chronic 2 | H301<br>H373 (**)<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 (**)<br>H317<br>H411 | | | |
| 613-210-00-8 | 2-(3-chloropropyl)-2,5,5-trimethyl-1,3-dioxane | 417-650-1 | 88128-57-8 | STOT RE 2 (*)<br>Aquatic Chronic 3 | H373 (**)<br>H412 | GHS08<br>Wng | H373 (**)<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-211-00-3 | N-methyl-4-(*p*-formylstyryl)pyridinium methylsulfate | 418-240-3 | 74401-04-0 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 613-212-00-9 | 4-[4-(2-ethylhexyloxy)phenyl](1,4-thiazinane-1,1-dioxide) | 418-320-8 | 133467-41-1 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 613-213-00-4 | *cis*-1-benzoyl-4-[(4-methylsulfonyl)oxy]-L-proline | 416-040-0 | 120807-02-5 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 613-214-00-X | N,N-di-*n*-butyl-2-(1,2-dihydro-3-hydroxy-6-isopropyl-2-quinolylidene)-1,3-dioxoindan-5-carboxamide | 416-260-7 | 147613-95-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-215-00-5 | 2-chloromethyl-3,4-dimethoxypyridinium chloride | 416-440-5 | 72830-09-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H373 (**)<br>H315<br>H318<br>H317<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 (**)<br>H315<br>H318<br>H317<br>H411 | | | |
| 613-216-00-0 | 6-*tert*-butyl-7-(6-diethylamino-2-methyl-3-pyridylimino)-3-(3-methylphenyl)pyrazolo[3,2-c][1,2,4]triazole | 416-490-8 | 162208-01-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-217-00-6 | 4-[3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propionyloxy]-1-[2-[3-(3,5-di-*tert*-butyl-4-hydrophenyl)propionyloxy]ethyl]-2,2,6,6-tetramethylpiperidine | 416-770-1 | 73754-27-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-218-00-1 | 6-hydroxyindole | 417-020-4 | 2380-86-1 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-219-00-7 | 7a-ethyl-3,5-bis(1-methylethyl)-2,3,4,5-tetrahydrooxazolo[3,4-c]-2,3,4,5-tetrahydrooxazole | 417-140-7 | 79185-77-6 | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 613-220-00-2 | trans-(4*S*,6*S*)-5,6-dihydro-6-methyl-4*H*-thieno[2,3-b]thiopyran-4-ol, 7,7-dioxide | 417-290-3 | 147086-81-5 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 613-221-00-8 | 2-chloro-5-methyl-pyridine | 418-050-0 | 18368-64-4 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H312<br>H302<br>H315<br>H412 | GHS07<br>Wng | H312<br>H302<br>H315<br>H412 | | | |
| 613-222-00-3 | 4-(1-oxo-2-propenyl)-morpholine | 418-140-1 | 5117-12-4 | Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H373 (**)<br>H318<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 (**)<br>H318<br>H317 | | | |
| 613-223-00-9 | *N*-isopropyl-3-(4-fluorophenyl)-1*H*-indole | 418-790-4 | 93957-49-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-224-00-4 | 2,5-dimercaptomethyl-1,4-dithiane | 419-770-8 | 136122-15-1 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H317<br>H410 | | | |
| 613-225-00-X | reaction mass of:[2-(anthraquinon-1-ylamino)-6-[(5-benzoylamino)-anthraquinone-1-ylamino]-4-phenyl]-1,3,5-triazine;<br>2,6-bis-[(5-benzoylamino)-anthraquinon-1-ylamino]-4-phenyl-1,3,5-triazine. | 421-290-9 | — | STOT RE 2 (*)<br>Aquatic Chronic 4 | H373 (**)<br>H413 | GHS08<br>Wng | H373 (**)<br>H413 | | | |
| 613-226-00-5 | 1-(2-(ethyl(4-(4-(4-(4-(ethyl(2-pyridinoethyl)amino)-2-methylphenylazo)benzoylamino)-phenylazo)-3-methylphenyl)amino)ethyl)-pyridinium dichloride | 420-950-3 | 163831-67-2 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr | H318<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 613-227-00-0 | (±)-[(*R**,*R**) and (*R**,*S**)]-6-fluoro-3,4-dihydro-2-oxiranyl-2*H*-1-benzopyran | 419-600-2 | 99199-90-3 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 613-228-00-6 | (±)-(*R**,*S**)-6-fluoro-3,4-dihydro-2-oxiranyl-2*H*-1-benzopyran | 419-630-6 | 793669-26-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 613-230-00-7 | florasulam (ISO);<br>2',6',8-trifluoro-5-methoxy-5-triazolo[1,5-c];<br>pyrimidine-2-sulfonanilide | — | 145701-23-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 613-233-00-3 | 4,4'-(oxy-(bismethylene))-bis-1,3-dioxolane | 423-230-7 | 56552-15-9 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 614-001-00-4 | nicotine (ISO);<br>3-(*N*-methyl-2-pyrrolidinyl)pyridine | 200-193-3 | 54-11-5 | Acute Tox. 1<br>Acute Tox. 3 (*)<br>Aquatic Chronic 2 | H310<br>H301<br>H411 | GHS06<br>GHS09<br>Dgr | H310<br>H301<br>H411 | | | |
| 614-002-00-X | salts of nicotine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Chronic 2 | H330<br>H310<br>H300<br>H411 | GHS06<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H411 | | | A |
| 614-003-00-5 | strychnine | 200-319-7 | 57-24-9 | Acute Tox. 1<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H310<br>H300<br>H410 | | | |
| 614-004-00-0 | salts of strychnine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H330<br>H300<br>H410 | | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 614-005-00-6 | colchicine | 200-598-5 | 64-86-8 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | |
| 614-006-00-1 | brucine;<br>2,3-dimethoxystrychnine | 206-614-7 | 357-57-3 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Aquatic Chronic 3 | H330<br>H300<br>H412 | GHS06<br>Dgr | H330<br>H300<br>H412 | | | |
| 614-007-00-7 | brucine sulphate; [1]<br>brucine nitrate; [2]<br>strychnidin-10-one, 2,3-dimethoxy-, mono [(R)-1-methylheptyl 1,2-benzenedicarboxylate]; [3]<br>strychnidin-10-one, 2,3-dimethoxy-, compd. with (*S*)mono(1-methylheptyl)-1,2-benzenedicarboxylate (1:1) [4] | 225-432-9 [1]<br>227-317-9 [2]<br>269-439-5 [3]<br>269-710-8 [4] | 4845-99-2 [1]<br>5786-97-0 [2]<br>68239-26-9 [3]<br>68310-42-9 [4] | Acute Tox. 2 (*)<br>Acute Tox. 2 (*)<br>Aquatic Chronic 3 | H330<br>H300<br>H412 | GHS06<br>Dgr | H330<br>H300<br>H412 | | | A |
| 614-008-00-2 | aconitine | 206-121-7 | 302-27-2 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | |
| 614-009-00-8 | salts of aconitine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | A |
| 614-010-00-3 | atropine | 200-104-8 | 51-55-8 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | |
| 614-011-00-9 | salts of atropine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | A |
| 614-012-00-4 | hyoscyamine | 202-933-0 | 101-31-5 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | |
| 614-013-00-X | salts of hyoscyamine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | A |
| 614-014-00-5 | hyoscine | 200-090-3 | 51-34-3 | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*) | H330<br>H310<br>H300 | GHS06<br>Dgr | H330<br>H310<br>H300 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 614-015-00-0 | salts of hyoscine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 1<br>Acute Tox. 2 (*) | H330<br>H310<br>H300 | GHS06<br>Dgr | H330<br>H310<br>H300 | | | A |
| 614-016-00-6 | pilocarpine | 202-128-4 | 92-13-7 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | |
| 614-017-00-1 | salts of pilocarpine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | A |
| 614-018-00-7 | papaverine | 200-397-2 | 58-74-2 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 614-019-00-2 | salts of papaverine | — | — | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | A |
| 614-020-00-8 | physostigmine | 200-332-8 | 57-47-6 | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | |
| 614-021-00-3 | salts of physostigmine | — | — | Acute Tox. 2 (*)<br>Acute Tox. 2 (*) | H330<br>H300 | GHS06<br>Dgr | H330<br>H300 | | | A |
| 614-022-00-9 | digitoxin | 200-760-5 | 71-63-6 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*) | H331<br>H301<br>H373 (**) | GHS06<br>GHS08<br>Dgr | H331<br>H301<br>H373 (**) | | | |
| 614-023-00-4 | ephedrine | 206-080-5 | 299-42-3 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 614-024-00-X | salts of ephedrine | — | — | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | A |
| 614-025-00-5 | ouabain | 211-139-3 | 630-60-4 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*) | H331<br>H301<br>H373 (**) | GHS06<br>GHS08<br>Dgr | H331<br>H301<br>H373 (**) | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 614-026-00-0 | strophantin-K | 234-239-9 | 11005-63-3 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*) | H331<br>H301<br>H373 (**) | GHS06<br>GHS08<br>Dgr | H331<br>H301<br>H373 (**) | | | |
| 614-027-00-6 | bufa-4,20,22-trienolide, 6-(acetyloxy)-3-(β-D-glucopyranosyloxy)-8,14-dihydroxy-, (3β, 6β)-;<br>red squill;<br>scilliroside | 208-077-4 | 507-60-8 | Acute Tox. 2 (*) | H300 | GHS06<br>Dgr | H300 | | | |
| 614-028-00-1 | reaction mass of: 2-ethylhexyl mono-D-glucopyranoside;<br>2-ethylhexyl di-D-glucopyranoside | 414-420-0 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 614-029-00-7 | constitutional isomers of penta-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside;<br>constitutional isomers of hexa-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside;<br>constitutional isomers of hepta-O-allyl-β-D-fructofuransoyl-α-D-glucopyranoside | 419-640-0 | 68784-14-5 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 615-001-00-7 | methyl isocyanate | 210-866-3 | 624-83-9 | Flam. Liq. 2<br>Repr. 2<br>Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H225<br>H361d (***)<br>H330<br>H311<br>H301<br>H335<br>H315<br>H318<br>H334<br>H317 | GHS02<br>GHS06<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H225<br>H361d (***)<br>H330<br>H311<br>H301<br>H335<br>H315<br>H318<br>H334<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 615-002-00-2 | methyl isothiocyanate | 209-132-5 | 556-61-6 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H301<br>H314<br>H317<br>H410 | | | |
| 615-003-00-8 | thiocyanic acid | 207-337-4 | 463-56-9 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H332<br>H312<br>H302<br>H412 | GHS07<br>Wng | H332<br>H312<br>H302<br>H412 | EUH032 | | |
| 615-004-00-3 | salts of thiocyanic acid | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H332<br>H312<br>H302<br>H412 | GHS07<br>Wng | H332<br>H312<br>H302<br>H412 | EUH032 | | A |
| 615-005-00-9 | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate; [1]<br>2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate; [2]<br>*o*-(*p*-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3]<br>methylenediphenyl diisocyanate [4] | 202-966-0 [1]<br>219-799-4 [2]<br>227-534-9 [3]<br>247-714-0 [4] | 101-68-8 [1]<br>2536-05-2 [2]<br>5873-54-1 [3]<br>26447-40-5 [4] | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H332<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS08<br>GHS07<br>Dgr | H332<br>H319<br>H335<br>H315<br>H334<br>H317 | | Eye Irrit.; H319: C ≥ 5 %<br>STOT SE 3; H335: C ≥ 5 %<br>Skin Irrit. 2; H315: C ≥ 5 %<br>Resp. Sens. 1; H334: C ≥ 0,1 % | C<br>2 |
| 615-006-00-4 | 2-methyl-*m*-phenylene diisocyanate; toluene-2,4-di-isocyanate; [1]<br>4-methyl-*m*-phenylene diisocyanate; toluene-2,6-di-isocyanate; [2]<br>*m*-tolylidene diisocyanate; toluene-diisocyanate [3] | 202-039-0 [1]<br>209-544-5 [2]<br>247-722-4 [3] | 91-08-7 [1]<br>584-84-9 [2]<br>26471-62-5 [3] | Carc. 2<br>Acute Tox. 2 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H351<br>H330<br>H319<br>H335<br>H315<br>H334<br>H317<br>H412 | GHS06<br>GHS08<br>Dgr | H351<br>H330<br>H319<br>H335<br>H315<br>H334<br>H317<br>H412 | | Resp. Sens. 1; H334: C ≥ 0,1 % | C |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 615-007-00-X | 1,5-naphthylene diisocyanate | 221-641-4 | 3173-72-6 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Aquatic Chronic 3 | H332<br>H319<br>H335<br>H315<br>H334<br>H412 | GHS08<br>GHS07<br>Dgr | H332<br>H319<br>H335<br>H315<br>H334<br>H412 | | | |
| 615-008-00-5 | 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate;<br>isophorone di-isocyanate | 223-861-6 | 4098-71-9 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H331<br>H319<br>H335<br>H315<br>H334<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H319<br>H335<br>H315<br>H334<br>H317<br>H411 | | (*)<br>Resp. Sens. 1; H334: C ≥ 0,5 %<br>Skin Sens.1; H317: C ≥ 0,5 % | 2 |
| 615-009-00-0 | 4,4'-methylenedi(cyclohexyl isocyanate);<br>dicyclohexylmethane-4,4'-di-isocyanate | 225-863-2 | 5124-30-1 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H331<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS06<br>GHS08<br>Dgr | H331<br>H319<br>H335<br>H315<br>H334<br>H317 | | (*)<br>Resp. Sens. 1; H334: C ≥ 0,5 %<br>Skin Sens. 1; H317: C ≥ 0,5 % | 2 |
| 615-010-00-6 | 2,2,4-trimethylhexamethylene-1,6-di-isocyanate; [1]<br>2,4,4-trimethylhexamethylene-1,6-di-isocyanate [2] | 241-001-8 [1]<br>239-714-4 [2] | 16938-22-0 [1]<br>15646-96-5 [2] | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H331<br>H319<br>H335<br>H315<br>H334 | GHS06<br>GHS08<br>Dgr | H331<br>H319<br>H335<br>H315<br>H334 | | (*)<br>Resp. Sens. 1; H334: C ≥ 0,5 %<br>Skin Sens. 1; H317: C ≥ 0,5 % | C<br>2 |
| 615-011-00-1 | hexamethylene-di-isocyanate | 212-485-8 | 822-06-0 | Acute Tox. 3 (*)<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H331<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS06<br>GHS08<br>Dgr | H331<br>H319<br>H335<br>H315<br>H334<br>H317 | | (*)<br>Resp. Sens. 1; H334: C ≥ 0,5 %<br>Skin Sens. 1; H317: C ≥ 0,5 % | 2 |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 615-012-00-7 | 4-isocyanatosulphonyltoluene;<br>tosyl isocyanate | 223-810-8 | 4083-64-1 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | EUH014 | Eye Irrit.; H319: C ≥ 5 %<br>STOT SE 3; H335: C ≥ 5 %<br>Skin Irrit. 2; H315: C ≥ 5 % | |
| 615-013-00-2 | cyanamide;<br>carbanonitril | 206-992-3 | 420-04-2 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H301<br>H312<br>H319<br>H315<br>H317 | GHS06<br>Dgr | H301<br>H312<br>H319<br>H315<br>H317 | | | |
| 615-014-00-8 | tris(1-dodecyl-3-methyl-2-phenylbenzimidazolium)hexacyanoferrate | — | 7276-58-6 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 615-015-00-3 | 1,7,7-trimethylbicyclo(2,2,1)hept-2-yl thiocyanatoacetate;<br>isobornyl thiocyanoacetate | 204-081-5 | 115-31-1 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 615-016-00-9 | potassium cyanate | 209-676-3 | 590-28-3 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |
| 615-017-00-4 | calcium cyanamide | 205-861-8 | 156-62-7 | Acute Tox. 4 (*)<br>STOT SE 3<br>Eye Dam. 1 | H302<br>H335<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H335<br>H318 | | | |
| 615-018-00-X | 2-(2-butoxyethoxy)ethyl thiocyanate | 203-985-7 | 112-56-1 | Flam. Liq. 3<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*) | H226<br>H311<br>H301 | GHS02<br>GHS06<br>Dgr | H226<br>H311<br>H301 | | | |
| 615-019-00-5 | dicyclohexylcarbodiimide | 208-704-1 | 538-75-0 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H311<br>H302<br>H318<br>H317 | GHS06<br>GHS05<br>Dgr | H311<br>H302<br>H318<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 615-020-00-0 | methylene dithiocyanate | 228-652-3 | 6317-18-6 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1 | H330<br>H301<br>H314<br>H317<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H301<br>H314<br>H317<br>H400 | | | |
| 615-021-00-6 | 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione;<br>TGIC | 219-514-3 | 2451-62-9 | Muta. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H340<br>H331<br>H301<br>H373 (**)<br>H318<br>H317<br>H412 | GHS06<br>GHS08<br>GHS05<br>Dgr | H340<br>H331<br>H301<br>H373 (**)<br>H318<br>H317<br>H412 | | | |
| 615-022-00-1 | methyl 3-isocyanatosulfonyl-2-thiophenecarboxylate | 410-550-7 | 79277-18-2 | STOT RE 2 (*)<br>Resp. Sens. 1<br>Skin Sens. 1 | H373 (**)<br>H334<br>H317 | GHS08<br>Dgr | ~~E; R2~~<br>H373 (**)<br>H334<br>H317 | EUH014 | | |
| 615-023-00-7 | 2-(isocyanatosulfonylmethyl)benzoic acid methyl ester;<br>(alt.):methyl 2-(isocyanatosulfonylmethyl) benzoate | 410-900-9 | 83056-32-0 | Flam. Liq. 3<br>Muta. 2<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Resp. Sens. 1 | H226<br>H341<br>H332<br>H373 (**)<br>H318<br>H334 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H341<br>H332<br>H373 (**)<br>H318<br>H334 | EUH014 | | |
| 615-024-00-2 | 2-phenylethylisocyanate | 413-080-0 | 1943-82-4 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1A<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H331<br>H302<br>H314<br>H334<br>H317<br>H411 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H302<br>H314<br>H334<br>H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 615-025-00-8 | 4,4'-ethylidenediphenyl dicyanate | 405-740-1 | 47073-92-7 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H373 (**)<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H302<br>H373 (**)<br>H318<br>H410 | | | |
| 615-026-00-3 | 4,4'-methylenebis(2,6-dimethylphenyl cyanate) | 405-790-4 | 101657-77-6 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 615-028-00-4 | ethyl 2-(isocyanatosulfonyl)benzoate | 410-220-2 | 77375-79-2 | (****)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H302<br>H373 (**)<br>H318<br>H334<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | ~~E; R2~~<br>H302<br>H373 (**)<br>H318<br>H334<br>H317 | EUH014 | | |
| 615-029-00-X | 2,5-bis-isocyanatomethyl-bicyclo[2.2.1]heptane | 411-280-2 | — | Acute Tox. 2 (*)<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H330<br>H302<br>H314<br>H334<br>H317<br>H412 | GHS06<br>GHS08<br>GHS05<br>Dgr | H330<br>H302<br>H314<br>H334<br>H317<br>H412 | | | |
| 615-030-00-5 | alkali salts, alkali earth salts and other salts of thiocyanic acid not mentioned elsewhere in this Annex | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H332<br>H312<br>H302<br>H412 | GHS07<br>Wng | H332<br>H312<br>H302<br>H412 | EUH032 | | A |
| 615-031-00-0 | thallium salt of thiocyanic acid | 222-571-7 | 3535-84-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H332<br>H312<br>H302<br>H411 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H411 | EUH032 | | A |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 615-032-00-6 | metal salts of thiocyanic acid not mentioned elsewhere in this Annex | — | — | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H312<br>H302<br>H410 | EUH032 | | A |
| 616-001-00-X | *N*,*N*-dimethylformamide;<br>dimethyl formamide | 200-679-5 | 68-12-2 | Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H360-D (***)<br>H332<br>H312<br>H319 | GHS08<br>GHS07<br>Dgr | H360D (***)<br>H332<br>H312<br>H319 | | | |
| 616-002-00-5 | 2-fluoroacetamide | 211-363-1 | 640-19-7 | Acute Tox. 2 (*)<br>Acute Tox. 3 (*) | H300<br>H311 | GHS06<br>Dgr | H300<br>H311 | | | |
| 616-003-00-0 | acrylamide;<br>prop-2-enamide | 201-173-7 | 79-06-1 | Carc. 1B<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 3 (*)<br>STOT RE 1<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H350<br>H340<br>H361f (***)<br>H301<br>H372 (**)<br>H332<br>H312<br>H319<br>H315<br>H317 | GHS06<br>GHS08<br>Dgr | H350<br>H340<br>H361f (***)<br>H301<br>H372 (**)<br>H332<br>H312<br>H319<br>H315<br>H317 | | | D |
| 616-004-00-6 | allidochlor (ISO);<br>*N*,*N*-diallylchloroacetamide | 202-270-7 | 93-71-0 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H312<br>H302<br>H319<br>H315<br>H411 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H319<br>H315<br>H411 | | | |
| 616-005-00-1 | chlorthiamid (ISO);<br>2,6-dichloro (thiobenzamide) | 217-637-7 | 1918-13-4 | Acute Tox. 4 (*) | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-006-00-7 | dichlofluanid (ISO);<br>*N*-dichlorofluoromethylthio-*N*',*N*'-dimethyl-*N*-phenylsulphamide | 214-118-7 | 1085-98-9 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H319<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H319<br>H317<br>H410 | | | |
| 616-007-00-2 | diphenamid (ISO);<br>*N*,*N*-dimethyl-2,2-diphenylacetamide | 213-482-4 | 957-51-7 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 616-008-00-8 | propachlor (ISO);<br>2-chloro-*N*-isopropylacetanilide;<br>α-chloro-*N*-isopropylacetanilide | 217-638-2 | 1918-16-7 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H317<br>H410 | | | |
| 616-009-00-3 | propanil (ISO);<br>3',4'-dichloropropionanilide | 211-914-6 | 709-98-8 | Acute Tox. 4 (*)<br>Aquatic Acute 1 | H302<br>H400 | GHS07<br>GHS09<br>Wng | H302<br>H400 | | | |
| 616-010-00-9 | tosylchloramide sodium | 204-854-7 | 127-65-1 | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Resp. Sens. 1 | H302<br>H314<br>H334 | GHS08<br>GHS05<br>GHS07<br>Dg | H302<br>H314<br>H334 | EUH031 | | |
| 616-011-00-4 | *N*,*N*-dimethylacetamide | 204-826-4 | 127-19-5 | Repr. 1B<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*) | H360-D (***)<br>H332<br>H312 | GHS08<br>GHS07<br>Dgr | H360D (***)<br>H332<br>H312 | | Repr. 1B; H360D: C ≥ 5 % | |
| 616-012-00-X | *N*-(dichlorofluoromethylthio)phthalimide;<br>*N*-(fluorodichloromethylthio)phthalimide | 211-952-3 | 719-96-0 | Skin Irrit. 2 | H315 | GHS07<br>Wng | H315 | | | |
| 616-013-00-5 | butyraldehyde oxime | 203-792-8 | 110-69-0 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Eye Irrit. 2 | H311<br>H302<br>H319 | GHS06<br>Dgr | H311<br>H302<br>H319 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-014-00-0 | 2-butanone oxime;<br>ethyl methyl ketoxime;<br>ethyl methyl ketone oxime | 202-496-6 | 96-29-7 | Carc. 2<br>Acute Tox. 4 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H351<br>H312<br>H318<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H351<br>H312<br>H318<br>H317 | | | |
| 616-015-00-6 | alachlor (ISO);<br>2-chloro-2',6'-diethyl-N-(methoxymethyl) acetanilide | 240-110-8 | 15972-60-8 | Carc. 2<br>Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H317<br>H410 | | M=10 | |
| 616-016-00-1 | 1-(3,4-dichlorophenylimino) thiosemicarbazide | — | 5836-73-7 | Acute Tox. 2 (*) | H300 | GHS06<br>Dgr | H300 | | | |
| 616-017-00-7 | cartap hydrochloride | 239-309-2 | 15263-52-2 | Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H312<br>H302<br>H410 | | | |
| 616-018-00-2 | *N*,*N*-diethyl-*m*-toluamide;<br>deet | 205-149-7 | 134-62-3 | Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H302<br>H319<br>H315<br>H412 | GHS07<br>Wng | H302<br>H319<br>H315<br>H412 | | | |
| 616-019-00-8 | perfluidone (ISO);<br>1,1,1-trifluoro-N-(4-phenylsulphonyl-*o*-tolyl)methanesulphonamide; | 253-718-3 | 37924-13-3 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |
| 616-020-00-3 | tebuthiuron (ISO);<br>1-(5-*tert*-butyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea | 251-793-7 | 34014-18-1 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-021-00-9 | thiazafluron (ISO); 1,3-dimethyl-1-(5-trifluoromethyl-1,3,4-thiadiazol-2-yl)urea | 246-901-4 | 25366-23-8 | Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 616-022-00-4 | acetamide | 200-473-5 | 60-35-5 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | |
| 616-023-00-X | *N*-hexadecyl(or octadecyl)-*N*-hexadecyl(or octadecyl)benzamide | 401-980-6 | — | Skin Irrit. 2<br>Skin Sens. 1 | H315<br>H317 | GHS07<br>Wng | H315<br>H317 | | | |
| 616-024-00-5 | 2-(4,4-dimethyl-2,5-dioxooxazolidin-1-yl)-2-chloro-5-(2-(2,4-di-*tert*-pentylphenoxy) butyramido)-4,4-dimethyl-3-oxovaleranilide | 402-260-4 | 54942-74-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-025-00-0 | valinamide | 402-840-7 | 20108-78-5 | Repr. 2<br>Eye Irrit. 2<br>Skin Sens. 1 | H361f (***)<br>H319<br>H317 | GHS08<br>Wng | H361f (***)<br>H319<br>H317 | | | |
| 616-026-00-6 | thioacetamide | 200-541-4 | 62-55-5 | Carc. 1B<br>Acute Tox. 4 (*)<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H350<br>H302<br>H319<br>H315<br>H412 | GHS08<br>GHS07<br>Dgr | H350<br>H302<br>H319<br>H315<br>H412 | | | |
| 616-027-00-1 | tris(2-(2-hydroxyethoxy)ethyl)ammonium 3-acetoacetamido-4-methoxybenzenesulfonate | 403-760-5 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 616-028-00-7 | *N*-(4-(3-(4-cyanophenyl)ureido)-3-hydroxyphenyl)-2-(2,4-di-*tert*-pentylphenoxy)octanamide | 403-790-9 | 108673-51-4 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 616-029-00-2 | *N*,*N*'-ethylenebis(vinylsulfonylacetamide) | 404-790-1 | 66710-66-5 | Eye Dam. 1<br>Skin Sens. 1 | H318<br>H317 | GHS05<br>GHS07<br>Dgr | H318<br>H317 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-030-00-8 | ethidimuron (ISO);<br>1-(5-ethylsulphonyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea | 250-010-6 | 30043-49-3 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 616-031-00-3 | dimethachlor (ISO);<br>2-chloro-*N*-(2,6-dimethylphenyl)-*N*-(2-methoxyethyl)acetamide; | 256-625-6 | 50563-36-5 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 616-032-00-9 | diflufenican (ISO);<br>*N*-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide | — | 83164-33-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-033-00-4 | cyprofuram (ISO);<br>*N*-(3-chlorophenyl)-*N*-(tetrahydro-2-oxo-3-furyl)cyclopropanecarboxamide | 274-050-9 | 69581-33-5 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H312<br>H410 | | | |
| 616-034-00-X | pyracarbolid; (ISO);<br>3,4-dihydro-6-methyl-2*H*-pyran-5-carboxanilide | 246-419-4 | 24691-76-7 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-035-00-5 | cymoxanil (ISO);<br>2-cyano-*N*-[(ethylamino)carbonyl]-2-(methoxyimino)acetamide | 261-043-0 | 57966-95-7 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 616-036-00-0 | 2-chloracetamide | 201-174-2 | 79-07-2 | Repr. 2<br>Acute Tox. 3 (*)<br>Skin Sens. 1 | H361f (***)<br>H301<br>H317 | GHS06<br>GHS08<br>Dgr | H361f (***)<br>H301<br>H317 | | Skin Sens. 1; H317: C ≥ 0,1 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-037-00-6 | acetochlor (ISO);<br>2-chloro-*N*-(ethoxymethyl)-*N*-(2-ethyl-6-methylphenyl)acetamide | 251-899-3 | 34256-82-1 | Acute Tox. 4 (*)<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H332<br>H335<br>H315<br>H317<br>H410 | | | |
| 616-038-00-1 | (4-aminophenyl)-*N*-methylmethylensulfonamide hydrochloride | 406-010-5 | 88918-84-7 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411 | | | |
| 616-039-00-7 | 3',5'-dichloro-4'-ethyl-2'-hydroxypalmitanilide | 406-200-8 | 117827-06-2 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 616-040-00-2 | potassium *N*-(4-toluenesulfonyl)-4-toluenesulfonamide | 406-650-5 | 97888-41-0 | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 616-041-00-8 | 3',5'-dichloro-2-(2,4-di-*tert*-pentylphenoxy)-4'-ethyl-2'-hydroxyhexananilide | 406-840-8 | 101664-25-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-042-00-3 | *N*-(2-(6-ethyl-7-(4-methylphenoxy)-1*H*-pyrazolo[1,5-b][1,2,4]triazol-2-yl)propyl)-2-octadecyloxybenzamide | 407-070-5 | 142859-67-4 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 616-043-00-9 | isoxaben (ISO);<br>*N*-[3-(1-ethyl-1-methylpropyl)-1,2-oxazol-5-yl]-2,6-dimethoxybenzamide | 407-190-8 | 82558-50-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-044-00-4 | *N*-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-2-(3-pentadecylphenoxy)-butanamide | 402-510-2 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 616-045-00-X | 2'-(4-chloro-3-cyano-5-formyl-2-thienylazo)-5'-diethylamino-2-methoxyacetanilide | 405-190-2 | 122371-93-1 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-046-00-5 | *N*-(2-(6-chloro-7-methylpyrazolo(1,5-b)-1,2,4-triazol-4-yl)propyl)-2-(2,4-di-*tert*-pentylphenoxy)octanamide | 406-390-2 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 616-047-00-0 | reaction mass of: 2,2',2",2"'-(ethylenedinitrilotetrakis-*N*,*N*-di($C_{16}$)alkylacetamide;<br>2,2',2",2"'-(ethylenedinitrilotetrakis-*N*,*N*-di ($C_{18}$)alkylacetamide | 406-640-0 | — | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 616-048-00-6 | 3'-trifluoromethylisobutyranilide | 406-740-4 | 1939-27-1 | STOT RE 2 (*)<br>Aquatic Chronic 2 | H373 (**)<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H411 | | | |
| 616-049-00-1 | 2-(2,4-bis(1,1-dimethylethyl)phenoxy)-*N*-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-hexanamide | 408-150-2 | 99141-89-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-050-00-7 | lufenuron (ISO);<br>*N*-[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)-phenyl-aminocarbonyl]-2,6-difluorobenzamide | 410-690-9 | 103055-07-8 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 616-051-00-2 | reaction mass of: 2,4 -bis(*N*'-(4-methylphenyl)-ureido)-toluene;<br>2,6 -bis(*N*'-(4-methylphenyl)-ureido)-toluene | 411-070-0 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-052-00-8 | formamide | 200-842-0 | 75-12-7 | Repr. 1B | H360-D (***) | GHS08<br>Dgr | H360D (***) | | | |
| 616-053-00-3 | *N*-methylacetamide | 201-182-6 | 79-16-3 | Repr. 1B | H360-D (***) | GHS08<br>Dgr | H360D (***) | | | |
| 616-054-00-9 | iprodione (ISO);<br>3-(3,5-dichlorophenyl)-2,4-dioxo-*N*-isopropylimidazolidine-1-carboxamide | 253-178-9 | 36734-19-7 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-055-00-4 | propyzamide (ISO);<br>3,5-dichloro-*N*-(1,1-dimethylprop-2-ynyl) benzamide | 245-951-4 | 23950-58-5 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H410 | | | |
| 616-056-00-X | *N*-methylformamide | 204-624-6 | 123-39-7 | Repr. 1B<br>Acute Tox. 4 (*) | H360-D (***)<br>H312 | GHS08<br>GHS07<br>Dg | H360D (***)<br>H312 | | | |
| 616-057-00-5 | reaction mass of: *N*-[3-hydroxy-2-(2-methylacryloylaminomethoxy)propoxymethyl]-2-methylacrylamide;<br>*N*-[2,3-bis-(2-methylacryloylaminomethoxy) propoxymethyl]-2-methylacrylamide;<br>methacrylamide;<br>2-methyl-*N*-(2-methylacryloylaminomethoxymethyl)-acrylamide;<br>*N*-(2,3-dihydroxypropoxymethyl)-2-methylacrylamide | 412-790-8 | — | Carc. 1B<br>Muta. 2<br>STOT RE 2 (*) | H350<br>H341<br>H373 (**) | GHS08<br>Dgr | H350<br>H341<br>H373 (**) | | | |
| 616-058-00-0 | 1,3-bis(3-methyl-2,5-dioxo-1*H*-pyrrolinylmethyl)benzene | 412-570-1 | 119462-56-5 | STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H318<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H373 (**)<br>H318<br>H317<br>H410 | | | |
| 616-059-00-6 | 4-((4-(diethylamino)-2-ethoxyphenyl) imino)-1,4-dihydro-1-oxo-*N*-propyl-2-naphthalenecarboxamide | 412-650-6 | 121487-83-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-060-00-1 | Condensation product of: 3-(7-carboxyhept-1-yl)-6-hexyl-4-cyclohexene-1,2-dicarboxylic acid with polyamines (primarily aminoethyl-piperazine and triethylenetetramine) | 413-770-1 | — | Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H317<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-061-00-7 | *N*,*N*'—1,6-hexanediylbis(*N*-(2,2,6,6-tetramethyl-piperidin-4-yl)-formamide | 413-610-0 | 124172-53-8 | Eye Irrit. 2<br>Aquatic Chronic 3 | H319<br>H412 | GHS07<br>Wng | H319<br>H412 | | | |
| 616-062-00-2 | *N*-[3-[(2-acetyloxy)ethyl](phenyl-methyl) amino]-4-methoxyphenylacetamide | 411-590-8 | 70693-57-1 | Skin Corr. 1B<br>Aquatic Chronic 3 | H314<br>H412 | GHS05<br>Dgr | H314<br>H412 | | | |
| 616-063-00-8 | 3-dodecyl-(1-(1,2,2,6,6-pentamethyl-4-piperidin)-yl)-2,5-pyrrolidindione | 411-920-0 | 106917-30-0 | Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H373 (**)<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H302<br>H373 (**)<br>H314<br>H410 | | | |
| 616-064-00-3 | *N*—*tert*-butyl-3-methylpicolinamide | 406-720-5 | 32998-95-1 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-065-00-9 | 3'-(3-acetyl-4-hydroxyphenyl)-1,1-diethylurea | 411-970-3 | 79881-89-3 | Acute Tox. 4 (*)<br>STOT RE 2 (*) | H302<br>H373 (**) | GHS08<br>GHS07<br>Wng | H302<br>H373 (**) | | | |
| 616-066-00-4 | 5,6,12,13-tetrachloroanthra(2,1,9—*def*:6,5,10-*d'e'f'*)diisoquinoline-1,3,8,10 (2*H*,9*H*)-tetrone | 405-100-1 | 115662-06-1 | Repr. 2 | H361f (***) | GHS08<br>Wng | H361f (***) | | | |
| 616-067-00-X | dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioxoimidazolidin-1-yl)-4,4-dimethyl-3-oxovaleramido)-4-chlorobenzoate | 407-300-4 | 92683-20-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-068-00-5 | potassium 4-(11-methacrylamidoundecanamido)benzenesulfonate | 406-500-9 | 174393-75-0 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 616-069-00-0 | 1-hydroxy-5-(2-methylpropyloxycarbonylamino)-*N*-(3-dodecyloxypropyl)-2-naphthoamide | 406-210-2 | 110560-22-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-070-00-6 | reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea; 3-cyclohexyl-1-(4-(4-(3-octadecylureido) benzyl)phenyl)urea; 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-530-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-071-00-1 | reaction mass of: bis(*N*-cyclohexyl-*N*'-phenyleneureido)methylene; bis(*N*-octadecyl-*N*'-phenyleneureido)methylene; bis(*N*-dicyclohexyl-*N*'-phenyleneureido) methylene (1:2:1) | 406-550-1 | — | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 616-072-00-7 | 1-(2-deoxy-5-*O*-trityl-β-D-threopentofuranosyl)thymine | 407-120-6 | 55612-11-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-073-00-2 | 4'-ethoxy-2-benzimidazoleanilide | 407-600-5 | 120187-29-3 | Muta. 2<br>Aquatic Chronic 4 | H341<br>H413 | GHS08<br>Wng | H341<br>H413 | | | |
| 616-074-00-8 | *N*-butyl-2-(4-morpholinylcarbonyl)benzamide | 407-730-2 | 104958-67-0 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H317<br>H412 | GHS07<br>Wng | H319<br>H317<br>H412 | | | |
| 616-075-00-3 | D, L-(*N*,*N*-diethyl-2-hydroxy-2-phenylacetamide) | 408-120-9 | 65197-96-8 | Acute Tox. 4 (*)<br>Eye Dam. 1 | H302<br>H318 | GHS05<br>GHS07<br>Dgr | H302<br>H318 | | | |
| 616-076-00-9 | tebufenozide (ISO); *N*—*tert*-butyl-*N*'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide | 412-850-3 | 112410-23-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-077-00-4 | reaction mass of: 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1*H*,8*H*)-anthra[2,1,9—*def*: 6,5,10-*d'e'f'*]diisoquinolin-2-ylethansulfonic acid;<br>potassium 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1*H*,8*H*)-anthra[2,1,9—*def*: 6,5,10-*d'e'f'*]diisoquinolin-2-ylethansulfate | 411-310-4 | — | Eye Dam. 1 | H318 | GHS05<br>Dgr | H318 | | | |
| 616-078-00-X | 2-[2,4-bis(1,1-dimethyl-ethyl)phenoxy]-*N*-(2-hydroxy-5-methyl-phenyl)hexanamide | 411-330-3 | 104541-33-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-079-00-5 | 1,6-hexanediyl-bis(2-(2-(1-ethylpentyl)-3-oxazolidinyl)ethyl)carbamate | 411-700-4 | 140921-24-0 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 616-080-00-0 | 4-(2-((3-ethyl-4-methyl-2-oxo-pyrrolin-1-yl) carboxamido)ethyl)benzenesulfonamide) | 411-850-0 | 119018-29-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-081-00-6 | 5-bromo-8-naphtholactam | 413-480-5 | 24856-00-6 | Acute Tox. 4 (*)<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H317<br>H410 | | | |
| 616-082-00-1 | *N*-(5-chloro-3-((4-(diethylamino)-2-methylphenyl)imino-4-methyl-6-oxo-1,4-cyclohexadien-1-yl)benzamide | 413-200-1 | 129604-78-0 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 616-083-00-7 | [2-[(4-nitrophenyl)amino]ethyl]urea | 410-700-1 | 27080-42-8 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 616-084-00-2 | 2,4-bis[*N'*-(4-methylphenyl)ureido]toluene | 411-790-5 | — | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 616-085-00-8 | 3-(2,4-dichlorophenyl)-6-fluoro-quinazoline-2,4(1*H*,3*H*)-dione | 412-190-6 | 168900-02-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-086-00-3 | 2-acetylamino-6-chloro-4-[(4-diethylamino) 2-methylphenyl-imino]-5-methyl-1-oxo-2,5-cyclohexadiene | 412-250-1 | 102387-48-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-087-00-9 | reaction mass of: 7,9,9-trimethyl-3,14-dioxa-4,13-dioxo-5,12-diazahexadecane-1,16-diyl-prop-2-enoate; 7,7,9-trimethyl-3,14-dioxa-4,13-dioxo-5,12-diazahexadecan-1,16-diyl-prop-2-enoate | 412-260-6 | 52658-19-2 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H319<br>H317<br>H411 | GHS07<br>GHS09<br>Wng | H319<br>H317<br>H411 | | | |
| 616-088-00-4 | 2-aminosulfonyl-*N*,*N*-dimethylnicotinamide | 413-440-7 | 112006-75-4 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412 | GHS07<br>Wng | H317<br>H412 | | | |
| 616-089-00-X | 5-(2,4-dioxo-1,2,3,4-tetrahydropyrimidine)-3-fluoro-2-hydroxymethyltetrahydrofuran | 415-360-8 | 41107-56-6 | Muta. 2 | H341 | GHS08<br>Wng | H341 | | | |
| 616-090-00-5 | 1-(1,4-benzodioxan-2-ylcarbonyl)piperazine hydrochloride | 415-660-9 | 70918-74-0 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>STOT RE 2 (*)<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373 (**)<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 (**)<br>H411 | | | |
| 616-091-00-0 | 1,3,5-tris-[(2*S* and 2*R*)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1*H*,3*H*,5*H*)-trione | 423-400-0 | 59653-74-6 | Muta. 1B<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Eye Dam. 1<br>Skin Sens. 1 | H340<br>H331<br>H302<br>H373 (**)<br>H318<br>H317 | GHS06<br>GHS08<br>GHS05<br>Dgr | H340<br>H331<br>H302<br>H373 (**)<br>H318<br>H317 | | | |
| 616-092-00-6 | Polymeric reaction product of bicyclo[2.2.1] hepta-2,5-diene, ethene, 1,4-hexadiene, 1-propene with *N*,*N*-di-2-propenylformamide | 404-035-6 | — | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 616-093-00-1 | Reaction products of: aniline-terephthalaldehyde-*o*-toluidine condensate with maleic anhydride | 406-620-1 | 129217-90-9 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-094-00-7 | 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-370-3 | 58890-25-8 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413 | GHS07<br>Wng | H317<br>H413 | | | |
| 616-095-00-2 | 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-690-3 | 43136-14-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-096-00-8 | *N*-(3-hexadecyloxy-2-hydroxyprop-1-yl)-*N*-(2-hydroxyethyl)palmitamide | 408-110-4 | 110483-07-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-097-00-3 | *N*,*N*'—1,4-phenylenebis(2-((2-methoxy-4-nitrophenyl)azo)-3-oxobutanamide | 411-840-6 | 83372-55-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-098-00-9 | 1-[4-chloro-3-((2,2,3,3,3-pentafluoropropoxy)methyl)phenyl]-5-phenyl-1*H*—1,2,4-triazole-3-carboxamide | 411-750-7 | 119126-15-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 616-099-00-4 | 2-[4-[(4-hydroxyphenyl)sulfonyl]phenoxy]-4,4-dimethyl-*N*-[5-[(methylsulfonyl)amino]-2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]phenyl]-3-oxopentanamide | 414-170-2 | 135937-20-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-100-00-8 | 1,3-dimethyl-1,3-bis(trimethylsilyl)urea | 414-180-7 | 10218-17-4 | Acute Tox. 4 (*)<br>Skin Irrit. 2 | H302<br>H315 | GHS07<br>Wng | H302<br>H315 | | | |
| 616-101-00-3 | (*S*)-*N*—*tert*-butyl-1,2,3,4-tetrahydro-3-isoquinolinecarboxamide | 414-600-9 | 149182-72-9 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 616-102-00-9 | reaction mass of: α-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyloxy]-poly-(oxyethylene-co-oxypropylene);<br>1,2-(or 1,3-)bis[α-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl)-ω-oxy-poly(oxyethylene-co-oxypropylene)]-3-(or 2-)propanol;<br>1,2,3-tris[α-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl)-ω-oxy-poly-(oxyethylene-co-oxypropylene)]propane] | 415-870-0 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-103-00-4 | (*S*,*S*)-*trans*-4-(acetylamino)-5,6-dihydro-6-methyl-7,7-dioxo-4*H*-thieno[2,3-b]thiopyran-2-sulfonamide | 415-030-3 | 120298-38-6 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H317<br>H410 | | | |
| 616-104-00-X | benalaxyl (ISO);<br>methyl *N*-(2,6-dimethylphenyl)-*N*-(phenylacetyl)-DL-alaninate | 275-728-7 | 71626-11-4 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 616-105-00-5 | chlorotoluron (ISO);<br>3-(3-chloro-*p*-tolyl)-1,1-dimethylurea | 239-592-2 | 15545-48-9 | Carc. 2<br>Repr. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361d (***)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H351<br>H361d (***)<br>H410 | | | |
| 616-106-00-0 | phenmedipham (ISO);<br>methyl 3-(3-methylcarbaniloyloxy)carbanilate | 237-199-0 | 13684-63-4 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 616-108-00-1 | iodosulfuron-methyl-sodium;<br>sodium ({[5-iodo-2-(methoxycarbonyl)phenyl]sulfonyl}carbamoyl)(4-methoxy-6-methyl-1,3,5-triazin-2-yl)azanide | — | 144550-36-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 616-109-00-7 | sulfosulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethylsulfonylimidazo[1,2-a]pyridin-3-yl)sulfonylurea | — | 141776-32-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 616-110-00-2 | cyclanilide (ISO);<br>1-(2,4-dichloroanilinocarbonyl)cyclopropanecarboxylic acid | 419-150-7 | 113136-77-9 | Acute Tox. 4 (*)<br>Aquatic Chronic 2 | H302<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H411 | | | |
| 616-111-00-8 | fenhexamid (ISO);<br>*N*-(2,3-dichlor-4-hydroxyphenyl)-1-methylcyclohexancarboxamid | 422-530-5 | 126833-17-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-112-00-3 | oxasulfuron (ISO);<br>oxetan-3-yl 2-[(4,6-dimethylpyrimidin-2-yl)-carbamoylsulfamoyl]benzoate | — | 144651-06-9 | STOT RE 2 (*)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 (**)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H410 | | | |
| 616-113-00-9 | desmedipham (ISO);<br>ethyl 3-phenylcarbamoyloxyphenylcarbamate | 237-198-5 | 13684-56-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | M=10 | |
| 616-114-00-4 | dodecanamide, *N,N'*-(9,9',10,10'-tetrahydro-9,9',10,10'-tetraoxo(1,1'-bianthracene)-4,4'-diyl)bis- | 418-010-2 | 136897-58-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-115-00-X | *N*-(3-acetyl-2-hydroxyphenyl)-4-(4-phenylbutoxy)benzamide | 416-150-9 | 136450-06-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-116-00-5 | *N*-(4-dimethylaminopyridinium)-3-methoxy-4-(1-methyl-5-nitroindol-3-ylmethyl)-*N*-(*o*-tolylsulfonyl)benzamidate | 416-790-9 | 143052-96-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-117-00-0 | *N*-[2-(3-acetyl-5-nitrothiophen-2-ylazo)-5-diethylaminophenyl]acetamide | 416-860-9 | 777891-21-1 | Repr. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f (***)<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Wng | H361f (***)<br>H317<br>H410 | | | |
| 616-118-00-6 | *N*-(2',6'-dimethylphenyl)-2-piperidinecarboxamide hydrochloride | 417-950-0 | 65797-42-4 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 616-119-00-1 | 2-(1-butyl-3,5-dioxo-2-phenyl-(1,2,4)-triazolidin-4-yl)-4,4-dimethyl-3-oxo-*N*-(2-methoxy-5-(2-(dodecyl-1-sulfonyl))propionylamino)-phenyl)-pentanamide | 418-060-5 | 118020-93-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-120-00-7 | reaction mass of: *N*-(3-dimethylamino-4-methyl-phenyl)-benzamide;<br>*N*-(3-dimethylamino-2-methyl-phenyl)-benzamide;<br>*N*-(3-dimethylamino-3-methyl-phenyl)-benzamide | 420-600-1 | — | STOT RE 2 (*)<br>Aquatic Chronic 2 | H373 (**)<br>H411 | GHS08<br>GHS09<br>Wng | H373 (**)<br>H411 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-121-00-2 | 2,4-dihydroxy-*N*-(2-methoxyphenyl)benzamide | 419-090-1 | 129205-19-2 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 616-123-00-3 | *N*-[3-[[4-(diethylamino)-2-methylphenyl]imino]-6-oxo-1,4-cyclohexadienyl]acetamide | 414-740-0 | 96141-86-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 616-124-00-9 | lithium bis(trifluoromethylsulfonyl)imide | 415-300-0 | 90076-65-6 | Acute Tox. 3 (*)<br>Acute Tox. 3 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H311<br>H301<br>H314<br>H412 | GHS06<br>GHS05<br>Dgr | H311<br>H301<br>H314<br>H412 | | | |
| 616-125-00-4 | 3-cyano-*N*-(1,1-dimethylethyl)androsta-3,5-diene-17-β-carboxamide | 415-730-9 | 151338-11-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | 410 | | | |
| 616-127-00-5 | reaction mass of: *N*,*N*'-Ethane-1,2-diylbis(decanamide);<br>12-Hydroxy-*N*-[2-[1-oxydecyl)amino]ethyl]octadecanamide;<br>*N*,*N*'-Ethane-1,2-diylbis(12-hydroxyoctadecanamide) | 430-050-2 | — | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411 | GHS07<br>GHS09<br>Wng | H317<br>H411 | | | |
| 616-128-00-0 | *N*-(2-(1-allyl-4,5-dicyanoimidazol-2-ylazo)-5-(dipropylamino)phenyl)-acetamide | 417-530-7 | 123590-00-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-129-00-6 | *N*,*N*'-bis(2,2,6,6-tetramethyl-4-piperidyl) isophthalamide | 419-710-0 | 42774-15-2 | Acute Tox. 4 (*)<br>Eye Irrit. 2 | H302<br>H319 | GHS07<br>Wng | H302<br>H319 | | | |
| 616-130-00-1 | *N*-(3-(2-(4,4-dimethyl-2,5-dioxo-imidazolin-1-yl)-4,4-dimethyl-3-oxo-pentanoylamino)-4-methoxy-phenyl)-octadecanamide | 421-780-2 | 150919-56-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-132-00-2 | *N*-[4-(4-cyano-2-furfurylidene-2,5-dihydro-5-oxo-3-furyl)phenyl]butane-1-sulfonamide | 423-250-6 | 130016-98-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 616-133-00-8 | *N*-cyclohexyl-*S*,*S*-dioxobenzo[*b*]thiophene-2-carboxamide | 423-990-1 | 149118-66-1 | Acute Tox. 4 (*)<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410 | | | |
| 616-134-00-3 | 3,3'-bis(dioctyloxyphosphinothioylthio)-*N*,*N*'-oxybis(methylene)dipropionamide | 401-820-5 | 793710-14-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-135-00-9 | (3*S*,4a*S*,8a*S*)-2-[(2*R*,3*S*)-3-amino-2-hydroxy-4-phenylbutyl]-*N*-tert-butyldecahydroisoquinoline-3-carboxamide | 430-230-0 | 136522-17-3 | Acute Tox. 4 (*)<br>Aquatic Chronic 3 | H302<br>H412 | GHS07<br>Wng | H302<br>H412 | | | |
| 616-142-00-7 | 1,3-Bis(vinylsulfonylacetamido)propane | 428-350-3 | 93629-90-4 | Muta. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H341<br>H318<br>H317<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H341<br>H318<br>H317<br>H412 | | | |
| 616-143-00-2 | *N*,*N*'-dihexadecyl-*N*,*N*'-bis(2-hydroxyethyl) propanediamide | 422-560-9 | 149591-38-8 | Repr. 2<br>Eye Irrit. 2<br>Aquatic Chronic 4 | H361f (***)<br>H319<br>H413 | GHS08<br>Wng | H361f (***)<br>H319<br>H413 | | | |
| 617-001-00-2 | di-*tert*-butyl peroxide | 203-733-6 | 110-05-4 | Org. Perox. E<br>Flam. Liq. 2 | H242<br>H225 | GHS02<br>Dgr | H242<br>H225 | | | |
| 617-002-00-8 | α, α-dimethylbenzyl hydroperoxide; cumene hydroperoxide | 201-254-7 | 80-15-9 | Org. Perox. E<br>Acute Tox. 3 (*)<br>Acute Tox. 4 (*)<br>Acute Tox. 4 (*)<br>STOT RE 2 (*)<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H242<br>H331<br>H312<br>H302<br>H373 (**)<br>H314<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H242<br>H331<br>H312<br>H302<br>H373 (**)<br>H314<br>H411 | | Skin Corr. 1B; H314: C ≥ 10 %<br>Skin Irrit. 2; H315: 3 % ≤ C < 10 %<br>Eye Dam. 1; H318: 3 % ≤ C < 10 %<br>Eye Irrit. 2; H319: 1 % ≤ C < 3 %<br>STOT SE 3; H335: C < 10 % | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 617-003-00-3 | dilauroyl peroxide | 203-326-3 | 105-74-8 | Org. Perox. D | H242 | GHS02<br>Dgr | H242 | | | |
| 617-004-00-9 | 1,2,3,4-tetrahydro-1-naphthyl hydroperoxide | 212-230-0 | 771-29-9 | Org. Perox. D<br>Acute Tox. 4 (*)<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H302<br>H314<br>H400<br>H410 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H242<br>H302<br>H314<br>H410 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 617-006-00-X | bis(α, α-dimethylbenzyl) peroxide | 201-279-3 | 80-43-3 | Org. Perox. F<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H242<br>H319<br>H315<br>H411 | GHS02<br>GHS07<br>GHS09<br>Wng | H242<br>H319<br>H315<br>H411 | | | |
| 617-007-00-5 | *tert*-butyl α, α-dimethylbenzyl peroxide | 222-389-8 | 3457-61-2 | Org. Perox. E<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H242<br>H315<br>H411 | GHS02<br>GHS07<br>GHS09<br>Wng | H242<br>H315<br>H411 | | | |
| 617-008-00-0 | dibenzoyl peroxide;<br>benzoyl peroxide | 202-327-6 | 94-36-0 | Org. Perox. B<br>Eye Irrit. 2<br>Skin Sens. 1 | H241<br>H319<br>H317 | GHS01<br>GHS02<br>GHS07<br>Wng | H241<br>H319<br>H317 | | | T |
| 617-010-00-1 | 1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1]<br>1,1'-dioxybiscyclohexan-1-ol; [2]<br>cyclohexylidene hydroperoxide; [3]<br>cyclohexanone, peroxide [4]<br>[> 91 % solution] | 201-091-1 [1]<br>219-306-2 [2]<br>220-279-4 [3]<br>235-527-7 [4] | 78-18-2 [1]<br>2407-94-5 [2]<br>2699-11-8 [3]<br>12262-58-7 [4] | Org. Perox. A<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H240<br>H302<br>H314 | GHS01<br>GHS05<br>GHS07<br>Dgr | H240<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 5 % | C T |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 617-010-01-9 | 1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1]<br>1,1'-dioxybiscyclohexan-1-ol; [2]<br>cyclohexylidene hydroperoxide; [3]<br>cyclohexanone, peroxide [4]<br>[≤ 91 % solution] | 201-091-1 [1]<br>219-306-2 [2]<br>220-279-4 [3]<br>235-527-7 [4] | 78-18-2 [1]<br>2407-94-5 [2]<br>2699-11-8 [3]<br>12262-58-7 [4] | Org. Perox. C<br>Acute Tox. 4 (*)<br>Skin Corr. 1B | H242<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H242<br>H302<br>H314 | | STOT SE 3;<br>H335: C ≥ 5 % | C T |
| 617-012-00-2 | 8-*p*-menthyl hydroperoxide;<br>*p*-menthane hydroperoxide | 201-281-4 | 80-47-7 | Org. Perox. D<br>Skin Corr. 1B<br>Acute Tox. 4 (*) | H242<br>H314<br>H332 | GHS02<br>GHS05<br>GHS07<br>Dgr | H242<br>H314<br>H332 | | STOT SE 3;<br>H335: C ≥ 5 % | |
| 617-013-00-8 | *O*,*O*—*tert*-butyl *O*-docosyl monoperoxyoxalate | 404-300-6 | 116753-76-5 | Org. Perox. C (****)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H400<br>H410 | GHS02<br>GHS09<br>Dgr | H242<br>H410 | | | |
| 617-014-00-3 | 6-(nonylamino)-6-oxo-peroxyhexanoic acid | 406-680-9 | 104788-63-8 | Org. Perox. C (****)<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H242<br>H318<br>H317<br>H400 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H242<br>H318<br>H317<br>H400 | | | |
| 617-015-00-9 | bis(4-methylbenzoyl)peroxide | 407-950-9 | 895-85-2 | Org. Perox. B (****)<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H241<br>H400<br>H410 | GHS01<br>GHS02<br>GHS09<br>Dgr | H241<br>H410 | | | |
| 617-016-00-4 | 3-hydroxy-1,1-dimethylbutyl 2-ethyl-2-methylheptaneperoxoate | 413-910-1 | — | Org. Perox. C (****)<br>Flam. Liq. 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H226<br>H315<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Dgr | H242<br>H226<br>H315<br>H410 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 617-017-00-X | reaction mass of: 2,2'-bis(*tert*-pentylperoxy)-*p*-diisopropylbenzene; 2,2'-bis(*tert*-pentylperoxy)-*m*-diisopropylbenzene | 412-140-3 | 32144-25-5 | Org. Perox. D (****)<br>Aquatic Chronic 4 | H242<br>H413 | GHS02<br>Dgr | H242<br>H413 | | | T |
| 617-018-00-5 | reaction mass of: 1-methyl-1-(3-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 63 % by weight; 1-methyl-1-(4-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 31 % by weight | 410-840-3 | 71566-50-2 | Org. Perox. C (****)<br>Aquatic Chronic 2 | H242<br>H411 | GHS02<br>GHS09<br>Dgr | H242<br>H411 | | | T |
| 617-019-00-0 | 6-(phthalimido)peroxyhexanoic acid | 410-850-8 | 128275-31-0 | Org. Perox. D<br>Eye Dam. 1<br>Aquatic Acute 1 | H242<br>H318<br>H400 | GHS02<br>GHS05<br>GHS09<br>DgDgr | H242<br>H318<br>H400 | | | T |
| 617-020-00-6 | 1,3-di(prop-2,2-diyl)benzene bis(neodecanoylperoxide) | 420-060-5 | 117663-11-3 | Flam. Liq. 3<br>Org. Perox. D (****)<br>Aquatic Chronic 2 | H226<br>H242<br>H411 | GHS02<br>GHS09<br>Dgr | H226<br>H242<br>H411 | | | |
| 647-001-00-8 | glucosidase, β- | 232-589-7 | 9001-22-3 | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | |
| 647-002-00-3 | cellulase | 232-734-4 | 9012-54-8 | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | |
| 647-003-00-9 | cellobiohydrolase, exo- | 253-465-9 | 37329-65-0 | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | |
| 647-004-00-4 | cellulases with the exception of those specified elsewhere in this Annex | — | — | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | A |
| 647-005-00-X | bromelain, juice | 232-572-4 | 9001-00-7 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 647-006-00-5 | ficin | 232-599-1 | 9001-33-6 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-007-00-0 | papain | 232-627-2 | 9001-73-4 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-008-00-6 | pepsin A | 232-629-3 | 9001-75-6 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-009-00-1 | rennin | 232-645-0 | 9001-98-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-010-00-7 | trypsin | 232-650-8 | 9002-07-7 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-011-00-2 | chymotrypsin | 232-671-2 | 9004-07-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-012-00-8 | subtilisin | 232-752-2 | 9014-01-1 | STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1 | H335<br>H315<br>H318<br>H334 | GHS08<br>GHS05 GHS07<br>Dgr | H335<br>H315<br>H318<br>H334 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 647-013-00-3 | proteinase, microbial neutral | 232-966-6 | 9068-59-1 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-014-00-9 | proteases with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 | | | |
| 647-015-00-4 | amylase, α- | 232-565-6 | 9000-90-2 | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | |
| 647-016-00-X | amylases with the exception of those specified elsewhere in this Annex | — | — | Resp. Sens. 1 | H334 | GHS08<br>Dgr | H334 | | | |
| 648-001-00-0 | Distillates (coal tar), benzole fraction;<br>Light Oil;<br>[A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists of hydrocarbons having carbon numbers primarily in the range of $C_4$ to $C_{10}$ and distilling in the approximate range of 80 °C to 160 °C (175°F to 320°F).] | 283-482-7 | 84650-02-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-002-00-6 | Tar oils, brown-coal;<br>Light Oil;<br>[The distillate from lignite tar boiling in the range of approximately 80 °C to 250 °C (176°F to 482°F). Composed primarily of aliphatic and aromatic hydrocarbons and monobasic phenols.] | 302-674-4 | 94114-40-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-003-00-1 | Benzol forerunnings (coal);<br>Light Oil Redistillate, low boiling;<br>[The distillate from coke oven light oil having an approximate distillation range below 100 °C (212°F). Composed primarily of $C_4$ to $C_6$ aliphatic hydrocarbons.] | 266-023-5 | 65996-88-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-004-00-7 | Distillates (coal tar), benzole fraction, BTX-rich;<br>Light Oil Redistillate, low boiling;<br>[A residue from the distillation of crude benzole to remove benzole fronts. Composed primarily of benzene, toluene and xylenes boiling in the range of approximately 75 °C to 200 °C (167°F to 392°F).] | 309-984-9 | 101896-26-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-005-00-2 | Aromatic hydrocarbons, $C_{6-10}$, $C_8$-rich;<br>Light Oil Redistillate, low boiling | 292-697-5 | 90989-41-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-006-00-8 | Solvent naphtha (coal), light;<br>Light Oil Redistillate, low boiling | 287-498-5 | 85536-17-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-007-00-3 | Solvent naphtha (coal), xylene-styrene cut;<br>Light Oil Redistillate, intermediate boiling | 287-502-5 | 85536-20-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-008-00-9 | Solvent naphtha (coal), coumarone-styrene contg.;<br>Light Oil Redistillate, intermediate boiling | 287-500-4 | 85536-19-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-009-00-4 | Naphtha (coal), distn. residues;<br>Light Oil Redistillate, high boiling;<br>[The residue remaining from the distillation of recovered naphtha. Composed primarily of naphthalene and condensation products of indene and styrene.] | 292-636-2 | 90641-12-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-010-00-X | Aromatic hydrocarbons, $C_8$;<br>Light Oil Redistillate, high boiling | 292-694-9 | 90989-38-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-012-00-0 | Aromatic hydrocarbons, $C_{8-9}$, hydrocarbon resin polymn. by-product;<br>Light Oil Redistillate, high boiling;<br>[A complex combination of hydrocarbons obtained from the evaporation of solvent under vacuum from polymerized hydrocarbon resin. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_9$ and boiling in the range of approximately 120 °C to 215 °C (248°F to 419°F).] | 295-281-1 | 91995-20-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-013-00-6 | Aromatic hydrocarbons, $C_{9-12}$, benzene distn.;<br>Light Oil Redistillate, high boiling | 295-551-9 | 92062-36-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-014-00-1 | Extract residues (coal), benzole fraction alk., acid ext.;<br>Light Oil Extract Residues, low boiling;<br>[The redistillate from the distillate, freed of tar acids and tar bases, from bituminous coal high temperature tar boiling in the approximate range of 90 °C to 160 °C (194°F to 320°F). It consists predominantly of benzene, toluene and xylenes.] | 295-323-9 | 91995-61-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-015-00-7 | Extract residues (coal tar), benzole fraction alk., acid ext.;<br>Light Oil Extract Residues, low boiling;<br>[A complex combination of hydrocarbons obtained by the redistillation of the distillate of high temperature coal tar (tar acid and tar base free). It consists predominantly of unsubstituted and substituted mononuclear aromatic hydrocarbons boiling in the range of 85 °C-195 °C (185°F-383°F).] | 309-868-8 | 101316-63-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-016-00-2 | Extract residues (coal), benzole fraction acid;<br>Light Oil Extract Residues, low boiling;<br>[An acid sludge by-product of the sulphuric acid refining of crude high temperature coal. Composed primarily of sulfuric acid and organic compounds.] | 298-725-2 | 93821-38-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-017-00-8 | Extract residues (coal), light oil alk., distn. overheads;<br>Light Oil Extract Residues, low boiling;<br>[The first fraction from the distillation of aromatic hydrocarbons, coumarone, naphthalene and indene rich prefactionator bottoms or washed carbolic oil boiling substantially below 145 °C (293°F). Composed primarily of $C_7$ and $C_8$ aliphatic and aromatic hydrocarbons.] | 292-625-2 | 90641-02-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-018-00-3 | Extract residues (coal), light oil alk., acid ext., indene fraction;<br>Light Oil Extract Residues, intermediate boiling | 309-867-2 | 101316-62-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-019-00-9 | Extract residues (coal), light oil alk., indene naphtha fraction;<br>Light Oil Extract Residues, high boiling;<br>[The distillate from aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oils, having an approximate boiling range of 155 °C to 180 °C (311°F to 356°F). Composed primarily of indene, indan and trimethylbenzenes.] | 292-626-8 | 90641-03-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-020-00-4 | Solvent naphtha (coal);<br>Light Oil Extract Residues, high boiling;<br>[The distillate from either high temperature coal tar, coke oven light oil, or coal tar oil alkaline extract residue having an approximate distillation range of 130 °C to 210 °C (266°F to 410°F) Composed primarily of indene and other polycyclic ring systems containing a single aromatic ring. May contain phenolic compounds and aromatic nitrogen bases.] | 266-013-0 | 65996-79-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-021-00-X | Distillates (coal tar), light oils, neutral fraction;<br>Light Oil Extract Residues, high boiling;<br>[A distillate from the fractional distillation of high temperature coal tar. Composed primarily of alkyl-substituted one ring aromatic hydrocarbons boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F). May also include unsaturated hydrocarbons such as indene and coumarone.] | 309-971-8 | 101794-90-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-022-00-5 | Distillates (coal tar), light oils, acid exts.;<br>Light Oil Extract Residues, high boiling;<br>[This oil is a complex mixture of aromatic hydrocarbons, primarily indene, naphthalene, coumarone, phenol, and *o*-, *m*- and *p*-cresol and boiling in the range of 140 °C to 215 °C (284°F to 419°F).] | 292-609-5 | 90640-87-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-023-00-0 | Distillates (coal tar), light oils;<br>Carbolic Oil;<br>[A complex combination of hydrocarbons obtained by distillation of coal tar. It consists of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills at the approximate range of 150 °C to 210 °C (302°F to 410°F).] | 283-483-2 | 84650-03-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-024-00-6 | Tar oils, coal;<br>Carbolic Oil;<br>[The distillate from high temperature coal tar having an approximate distillation range of 130 °C to 250 °C (266°F to 410°F). Composed primarily of naphthalene, alkylnaphthalenes, phenolic compounds, and aromatic nitrogen bases.] | 266-016-7 | 65996-82-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-026-00-7 | Extract residues (coal), light oil alk., acid ext.;<br>Carbolic Oil Extract Residue;<br>[The oil resulting from the acid washing of alkali-washed carbolic oil to remove the minor amounts of basic compounds (tar bases). Composed primarily of indene, indan and alkylbenzenes.] | 292-624-7 | 90641-01-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-027-00-2 | Extract residues (coal), tar oil alk.;<br>Carbolic Oil Extract Residue;<br>[The residue obtained from coal tar oil by an alkaline wash such as aqueous sodium hydroxide after the removal of crude coal tar acids. Composed primarily of naphthalenes and aromatic nitrogen bases.] | 266-021-4 | 65996-87-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-028-00-8 | Extract oils (coal), light oil;<br>Acid Extract;<br>[The aqueous extract produced by an acidic wash of alkali-washed carbolic oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.] | 292-622-6 | 90640-99-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-029-00-3 | Pyridine, alkyl derivs.;<br>Crude Tar Bases;<br>[The complex combination of polyalkylated pyridines derived from coal tar distillation or as high-boiling distillates approximately above 150 °C (302°F) from the reaction of ammonia with acetaldehyde, formaldehyde or paraformaldehyde.] | 269-929-9 | 68391-11-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-030-00-9 | Tar bases, coal, picoline fraction; Distillate Bases; [Pyridine bases boiling in the range of approximately 125 °C to 160 °C (257°F 320°F) obtained by distillation of neutralized acid extract of the base-containing tar fraction obtained by the distillation of bituminous coal tars. Composed chiefly of lutidines and picolines.] | 295-548-2 | 92062-33-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-031-00-4 | Tar bases, coal, lutidine fraction; Distillate Bases | 293-766-2 | 91082-52-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-032-00-X | Extract oils (coal), tar base, collidine fraction; Distillate Bases; [The extract produced by the acidic extraction of bases from crude coal tar aromatic oils, neutralization, and distillation of the bases. Composed primarily of collidines, aniline, toluidines, lutidines, xylidines.] | 273-077-3 | 68937-63-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-033-00-5 | Tar bases, coal, collidine fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 181 °C to 186 °C (356°F to 367°F) from the crude bases obtained from the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of bituminous coal tar. It contains chiefly aniline and collidines.] | 295-543-5 | 92062-28-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-034-00-0 | Tar bases, coal, aniline fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 180 °C to 200 °C (356°F to 392°F) from the crude bases obtained by dephenolating and debasing the carbolated oil from the distillation of coal tar. It contains chiefly aniline, collidines, lutidines and toluidines.] | 295-541-4 | 92062-27-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-035-00-6 | Tar bases, coal, toluidine fraction;<br>Distillate Bases | 293-767-8 | 91082-53-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-036-00-1 | Distillates (petroleum), alkene-alkyne manuf. pyrolysis oil, mixed with high-temp. coal tar, indene fraction;<br>Redistillates;<br>[A complex combination of hydrocarbons obtained as a redistillate from the fractional distillation of bituminous coal high temperature tar and residual oils that are obtained by the pyrolytic production of alkenes and alkynes from petroleum products or natural gas. It consists predominantly of indene and boils in a range of approximately 160 °C to 190 °C (320°F to 374°F).] | 295-292-1 | 91995-31-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-037-00-7 | Distillates (coal), coal tar-residual pyrolysis oils, naphthalene oils;<br>Redistillates;<br>[The redistillate obtained from the fractional distillation of bituminous coal high temperature tar and pyrolysis residual oils and boiling in the range of approximately 190 °C to 270 °C (374°F to 518°F). Composed primarily of substituted dinuclear aromatics.] | 295-295-8 | 91995-35-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-038-00-2 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oil, redistillate;<br>Redistillates;<br>[The redistillate from the fractional distillation of dephenolated and debased methylnaphthalene oil obtained from bituminous coal high temperature tar and pyrolysis residual oils boiling in the approximate range of 220 °C to 230 °C (428°F to 446°F). It consists predominantly of unsubstituted and substituted dinuclear aromatic hydrocarbons.] | 295-329-1 | 91995-66-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-039-00-8 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oils;<br>Redistillates;<br>[A neutral oil obtained by debasing and dephenolating the oil obtained from the distillation of high temperature tar and pyrolysis residuel oils which has a boiling range of 225 °C to 255 °C (437°F to 491°F). Composed primarily of substituted dinuclear aromatic hydrocarbons.] | 310-170-0 | 122070-79-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-040-00-3 | Extract oils (coal), coal tar residual pyrolysis oils, naphthalene oil, distn. residues;<br>Redistillates;<br>[Residue from the distillation of dephenolated and debased methylnaphthalene oil (from bituminous coal tar and pyrolysis residual oils) with a boiling range of 240 °C to 260 °C (464°F to 500°F). Composed primarily of substituted dinuclear aromatic and heterocyclic hydrocarbons.] | 310-171-6 | 122070-80-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-041-00-9 | Absorption oils, bicyclo arom. and heterocyclic hydrocarbon fraction;<br>Wash Oil Redistillate;<br>[A complex combination of hydrocarbons obtained as a redistillate from the distillation of wash oil. It consists predominantly of 2-ringed aromatic and heterocyclic hydrocarbons boiling in the range of approximately 260 °C to 290 °C (500°F to 554°F).] | 309-851-5 | 101316-45-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-042-00-4 | Distillates (coal tar), upper, fluorene-rich;<br>Wash Oil Redistillate;<br>[A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists af aromatic and polycyclic hydrocarbons primarily fluorene and some acenaphthene.] | 284-900-0 | 84989-11-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-043-00-X | Creosote oil, acenaphthene fraction, acenaphthene-free;<br>Wash Oil Redistillate;<br>[The oil remaining after removal by a crystallization process of acenaphthene from acenaphthene oil from coal tar. Composed primarily of naphthalene and alkylnaphthalenes.] | 292-606-9 | 90640-85-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-044-00-5 | Distillates (coal tar), heavy oils;<br>Heavy Anthracene Oil;<br>[Distillate from the fractional distillation of coal tar of bituminous coal, with boiling range of 240 °C to 400 °C (464°F to 752°F). Composed primarily of tri- and polynuclear hydrocarbons and heterocyclic compounds.] | 292-607-4 | 90640-86-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-045-00-0 | Distillates (coal tar), upper;<br>Heavy Anthracene Oil;<br>[The distillate from coal tar having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of three to four membered condensed ring aromatic hydrocarbons and other hydrocarbons.] | 266-026-1 | 65996-91-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-046-00-6 | Anthracene oil, acid ext.;<br>Anthracene Oil Extract Residue;<br>[A complex combination of hydrocarbons from the base-freed fraction obtained from the distillation of coal tar and boiling in the range of approximately 325 °C to 365 °C (617°F to 689°F). It contains predominantly anthracene and phenanthrene and their alkyl derivatives.] | 295-274-3 | 91995-14-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-047-00-1 | Distillates (coal tar);<br>Heavy Anthracene Oil;<br>[The distillate from coal tar having an approximate distillation range of 100 °C to 450 °C (212°F to 842°F). Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.] | 266-027-7 | 65996-92-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-048-00-7 | Distillates (coal tar), pitch, heavy oils;<br>Heavy Anthracene Oil;<br>[The distillate from the distillation of the pitch obtained from bituminous high temperature tar. Composed primarily of tri- and polynuclear aromatic hydrocarbons and boiling in the range of approximately 300 °C to 470 °C (572°F to 878°F). The product may also contain heteroatoms.] | 295-312-9 | 91995-51-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-049-00-2 | Distillates (coal tar), pitch;<br>Heavy Anthracene Oil;<br>[The oil obtained from condensation of the vapors from the heat treatment of pitch. Composed primarily of two- to four-ring aromatic compounds boiling in the range of 200 °C to greater than 400 °C (392°F to greater than 752°F).] | 309-855-7 | 101316-49-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-050-00-8 | Distillates (coal tar), heavy oils, pyrene fraction;<br>Heavy Anthracene Oil Redistillate;<br>[The redistillate obtained from the fractional distillation of pitch distillate boiling in the range of approximately 350 °C to 400 °C (662°F to 752°F). Consists predominantly of tri- and polynuclear aromatics and heterocyclic hydrocarbons.] | 295-304-5 | 91995-42-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-051-00-3 | Distillates (coal tar), pitch, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate and boiling in the range of approximately 380 °C to 410 °C (7160 to 770°F). Composed primarily of tri- and polynuclear aromatic hydrocarbons and heterocyclic compounds.] | 295-313-4 | 91995-52-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-052-00-9 | Paraffin waxes (coal), brown-coal high-temp. tar, carbon-treated; Coal Tar Extract; [A complet combination of hydrocarbons obtained by the treatment of lignite carbonization tar with activated carbon for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-296-6 | 97926-76-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-053-00-4 | Paraffin waxes (coal), brown-coal high-temp tar, clay-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with bentonite for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-297-1 | 97926-77-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-054-00-X | Pitch; Pitch | 263-072-4 | 61789-60-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-055-00-5 | Pitch, coal tar, high-temp.;<br>Pitch;<br>[The residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 30 °C to 180 °C (86°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.] | 266-028-2 | 65996-93-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-056-00-0 | Pitch, coal tar, high-temp., heat-treated;<br>Pitch;<br>[The heat treated residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 80 °C to 180 °C (176°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.] | 310-162-7 | 121575-60-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-057-00-6 | Pitch, coal tar, high-temp., secondary;<br>Pitch Redistillate;<br>[The residue obtained during the distillation of high boiling fractions from bituminous coal high temperature tar and/or pitch coke oil, with a softening point of 140 °C to 170 °C (284°F to 392°F) according to DIN 52025. Composed primarily of tri- and polynuclear aromatic compounds which also contain heteroatoms.] | 302-650-3 | 94114-13-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-058-00-1 | Residues (coal tar), pitch distn.;<br>Pitch Redistillate;<br>[Residue from the fractional distillation of pitch distillate boiling in the range of approximately 400 °C to 470 °C (752°F to 846°F). Composed primarily of polynuclear aromatic hydrocarbons, and heterocyclic compounds.] | 295-507-9 | 92061-94-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-059-00-7 | Tar, coal, high-temp., distn. and storage residues;<br>Coal Tar Solids Residue;<br>[Coke- and ash-containing solid residues that separate on distillation and thermal treatment of bituminous coal high temperature tar in distillation installations and storage vessels. Consists predominantly of carbon and contains a small quantity of hetero compounds as well as ash components.] | 295-535-1 | 92062-20-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-060-00-2 | Tar, coal, storage residues;<br>Coal Tar Solids Residue;<br>[The deposit removed from crude coal tar storages. Composed primarily of coal tar and carbonaceous particulate matter.] | 293-764-1 | 91082-50-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-061-00-8 | Tar, coal, high-temp., residues;<br>Coal Tar Solids Residue;<br>[Solids formed during the coking of bituminous coal to produce crude bituminous coal high temperature tar. Composed primarily of coke and coal particles, highly aromatized compounds and mineral substances.] | 309-726-5 | 100684-51-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-062-00-3 | Tar, coal, high-temp., high-solids;<br>Coal Tar Solids Residue;<br>[The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons with a high solid content of coal-type materials.] | 273-615-7 | 68990-61-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-063-00-9 | Waste solids, coal-tar pitch coking;<br>Coal Tar Solids Residue;<br>[The combination of wastes formed by the coking of bituminous coal tar pitch. It consists predominantly of carbon.] | 295-549-8 | 92062-34-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-064-00-4 | Extract residues (coal), brown;<br>Coal Tar Extract;<br>[The residue from extraction of dried coal.] | 294-285-0 | 91697-23-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-065-00-X | Paraffin waxes (coal), brown-coal-high-temp. tar;<br>Coal Tar Extract;<br>[A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 295-454-1 | 92045-71-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-066-00-5 | Paraffin waxes (coal), brown-coal-high-temp. tar, hydrotreated;<br>Coal Tar Extract;<br>[A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process treated with hydrogen in the presence of a catalyst. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 295-455-7 | 92045-72-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-067-00-0 | Paraffin waxes (coal), brown-coal high-temp tar, silicic acid-treated;<br>Coal Tar Extract;<br>[A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with silicic acid for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-298-7 | 97926-78-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-068-00-6 | Tar, coal, low-temp., distn. residues;<br>Tar Oil, intermediate boiling;<br>[Residues from fractional distillation of low temperature coal tar to remove oils that boil in a range up to approximately 300 °C (572°F). Composed primarily of aromatic compounds.] | 309-887-1 | 101316-85-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-069-00-1 | Pitch, coal tar, low-temp;<br>Pitch Residue;<br>[A complex black solid or semi-solid obtained from the distillation of a low temperature coal tar. It has a softening point within the approximate range of 40 °C to 180 °C (104°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.] | 292-651-4 | 90669-57-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-070-00-7 | Pitch, coal tar, low-temp., oxidized;<br>Pitch Residue, oxidised;<br>[The product obtained by air-blowing, at elevated temperature, low-temperature coal tar pitch. It has a softening-point within the approximate range of 70 °C to 180 °C (158°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.] | 292-654-0 | 90669-59-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-071-00-2 | Pitch, coal tar, low-temp., heat-treated;<br>Pitch Residue, oxidised;<br>Pitch Residue, heat-treated;<br>[A complex black solid obtained by the heat treatment of low temperature coal tar pitch. It has a softening point within the approximate range of 50 °C to 140 °C (122°F to 284°F). Composed primarily of a complex mixture of aromatic compounds.] | 292-653-5 | 90669-58-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-072-00-8 | Distillates (coal-petroleum), condensed-ring arom;<br>Distillates;<br>[The distillate from a mixture of coal and tar and aromatic petroleum streams having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of 3- to 4-membered condensed ring aromatic hydrocarbons.] | 269-159-3 | 68188-48-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-073-00-3 | Aromatic hydrocarbons, $C_{20-28}$, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived;<br>Pyrolysis Products;<br>[A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{28}$ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-956-6 | 101794-74-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-074-00-9 | Aromatic hydrocarbons, $C_{20-28}$, polycyclic, mixed coal-tar pitch-polyethylene pyrolysis-derived;<br>Pyrolysis Products;<br>[A complex combination of hydrocarbons obtained from mixed coal tar pitch-polyethylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{28}$ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-957-1 | 101794-75-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-075-00-4 | Aromatic hydrocarbons, $C_{20-28}$, polycyclic, mixed coal-tar pitch-polystyrene pyrolysis-derived;<br>Pyrolysis Products;<br>[A complex combination of hydrocarbons obtained from mixed coal tar pitch-polystyrene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{28}$ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-958-7 | 101794-76-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-076-00-X | Pitch, coal tar-petroleum;<br>Pitch Residues;<br>[The residue from the distillation of a mixture of coal tar and aromatic petroleum streams. A solid with a softening point from 40 °C to 180 °C (140°F to 356°F). Composed primarily of a complex combination of three or more membered condensed ring aromatic hydrocarbons.] | 269-109-0 | 68187-57-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-077-00-5 | Phenanthrene, distn. residues;<br>Heavy Anthracene Oil Redistillate;<br>[Residue from the distillation of crude phenanthrene boiling in the approximate range of 340 °C to 420 °C (644°F to 788°F). It consists predominantly of phenanthrene, anthracene and carbazole.] | 310-169-5 | 122070-78-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-078-00-0 | Distillates (coal tar), upper, fluorene-free;<br>Wash Oil Redistillate;<br>[A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic polycyclic hydrocarbons, primarily diphenyl, dibenzofuran and acenaphthene.] | 284-899-7 | 84989-10-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-079-00-6 | Anthracene oil;<br>Anthracene oil;<br>[A complex combination of polycyclic aromatic hydrocarbons obtained from coal tar having an approximate distillation range of 300 °C ot 400 °C (572°F to 752°F). Composed primarily of phenanthrene, anthracene and carbazole.] | 292-602-7 | 90640-80-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-080-00-1 | Residues (coal tar), creosote oil distn.;<br>Wash Oil Redistillate;<br>[The residue from the fractional distillation of wash oil boiling in the approximate range of 270 °C to 330 °C (518°F to 626°F). It consists predominantly of dinuclear aromatic and heterocyclic hydrocarbons.] | 295-506-3 | 92061-93-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-081-00-7 | Tar, coal;<br>Coal tar;<br>[The by-product from the destructive distillation of coal. Almost black semisolid. A complex combination of aromatic hydrocarbons, phenolic compounds, nitrogen bases and thiophene.] | 232-361-7 | 8007-45-2 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-082-00-2 | Tar, coal, high-temp.;<br>Coal tar;<br>[The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons. May contain minor amounts of phenolic compounds and aromatic nitrogen bases.] | 266-024-0 | 65996-89-6 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-083-00-8 | Tar, coal, low-temp.;<br>Coal oil;<br>[The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in low temperature (less than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of condensed ring aromatic hydrocarbons, phenolic compounds, aromatic nitrogen bases, and their alkyl derivatives.] | 266-025-6 | 65996-90-9 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-084-00-3 | Distillates (coal), coke-oven light oil, naphthalene cut;<br>Naphthalene Oil;<br>[The complex combination of hydrocarbons obtained from prefractionation (continuous distillation) of coke oven light oil. It consists predominantly of naphthalene, coumarone and indene and boils above 148 °C (298°F).] | 285-076-5 | 85029-51-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-085-00-9 | Distillates (coal tar), naphthalene oils;<br>Naphthalene Oil;<br>[A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills in the approximate range of 200 °C to 250 °C (392°F to 482°F).] | 283-484-8 | 84650-04-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-086-00-4 | Distillates (coal tar), naphthalene oils, naphthalene-low;<br>Naphthalene Oil Redistillate;<br>[A complex combination of hydrocarbons obtained by crystallization of naphthalene oil. Composed primarily of naphthalene, alkyl naphthalenes and phenolic compounds.] | 284-898-1 | 84989-09-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-087-00-X | Distillates (coal tar), naphthalene oil crystn. mother liquor;<br>Naphthalene Oil Redistillate;<br>[A complex combination of organic compounds obtained as a filtrate from the crystallization of the naphthalene fraction from coal tar and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Contains chiefly naphthalene, thionaphthene and alkylnaphthalenes.] | 295-310-8 | 91995-49-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-088-00-5 | Extract residues (coal), naphthalene oil, alk.;<br>Naphthalene Oil Extract Residue;<br>[A complex combination of hydrocarbons obtained from the alkali washing of naphthalene oil to remove phenolic compounds (tar acids). It is composed of naphthalene and alkyl naphthalenes.] | 310-166-9 | 121620-47-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-089-00-0 | Extract residues (coal), naphthalene oil, alk., naphthalene-low;<br>Naphthalene Oil Extract Residue;<br>[A complex combination of hydrocarbons remaining after the removal of naphthalene from alkali-washed naphthalene oil by a crystallization process. It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-167-4 | 121620-48-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-090-00-6 | Distillates (coal tar), naphthalene oils, naphthalene-free, alk. exts.;<br>Naphthalene Oil Extract Residue;<br>[The oil remaining after the removal of phenolic compounds (tar acids) from drained naphthalene oil by an alkali wash. Composed primarily of naphthalene and alkyl naphthalenes.] | 292-612-1 | 90640-90-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-091-00-1 | Extract residues (coal), naphthalene oil alk., distn. overheads;<br>Naphthalene Oil Extract Residue;<br>[The distillation from alkali-washed naphthalene oil having an approximate distillation range of 180 °C to 220 °C (356°F to 428°F). Composed primarily of naphthalene, alkylbenzenes, indene and indan.] | 292-627-3 | 90641-04-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-092-00-7 | Distillates (coal tar), naphthalene oils, methylnaphthalene fraction;<br>Methylnaphthalene Oil;<br>[A distillate from the fractional distillation of high temperature coal tar. Composed primarily of substituted two ring aromatic hydrocarbons and aromatic nitrogen bases boiling in the range of approximately 225 °C to 255 °C (437°F to 491°F).] | 309-985-4 | 101896-27-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-093-00-2 | Distillates (coal tar), naphthalene oils, indole-methylnaphthalene fraction;<br>Methylnaphthalene Oil;<br>[A distillate from the fractional distillation of high temperature coal tar. Composed primarily of indole and methylnaphthalene boiling in the range of approximately 235 °C to 255 °C (455°F to 491°F).] | 309-972-3 | 101794-91-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-094-00-8 | Distillates (coal tar), naphthalene oils, acid exts.;<br>Methylnaphthalene Oil Extract Residue;<br>[A complex combination of hydrocarbons obtained by debasing the methylnaphthalene fraction obtained by the distillation of coal tar and boiling in the range of approximately 230 °C to 255 °C (446°F to 491°F). Contains chiefly 1(2)-methylnaphthalene, naphthalene, dimethylnaphthalene and biphenyl.] | 295-309-2 | 91995-48-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-095-00-3 | Extract residues (coal), naphthalene oil alk., distn. residues;<br>Methylnaphthalene Oil Extract Residue;<br>[The residue from the distillation of alkali-washed naphthalene oil having an approximate distillation range of 220 °C to 300 °C (428°F to 572°F). Composed primarily of naphthalene, alkylnaphthalenes and aromatic nitrogen bases.] | 292-628-9 | 90641-05-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-096-00-9 | Extract oils (coal), acidic, tar-base free;<br>Methylnaphthalene Oil Extract Residue;<br>[The extract oil boiling in the range of approximately 220 °C to 265 °C (428°F to 509°F) from coal tar alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove tar bases. Composed primarily of alkylnaphthalenes.] | 284-901-6 | 84989-12-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-097-00-4 | Distillates (coal tar), benzole fraction, distn. residues;<br>Wash Oil;<br>[A complex combination of hydrocarbons obtained from the distillation of crude benzole (high temperature coal tar). It may be a liquid with the approximate distillation range of 150 °C to 300 °C (302°F to 572°F) or a semi-solid or solid with a melting point up to 70 °C (158°F). It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-165-3 | 121620-46-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-098-00-X | Creosote oil, acenaphthene fraction;<br>Wash Oil;<br>[A complex combination of hydrocarbons produced by the distillation of coal tar and boiling in the range of approximately 240 °C to 280 °C (464°F to 536°F). Composed primarily of acenaphthene, naphthalene and alkyl naphthalene.] | 292-605-3 | 90640-84-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-099-00-5 | Creosote oil;<br>[A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic hydrocarbons and may contain appreciable quantities of tar acids and tar bases. It distills at the approximate range of 200 °C to 325 °C (392°F to 617°F).] | 263-047-8 | 61789-28-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-100-00-9 | Creosote oil, high-boiling distillate;<br>Wash Oil;<br>[The high-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillates, removed. It is crystal free at approximately 5 °C (41°F).] | 274-565-9 | 70321-79-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-101-00-4 | Creosote;<br>[The distillate of coal tar produced by the high temperature carbonization of bituminous coal. It consists primarily of aromatic hydrocarbons, tar acids and tar bases.] | 232-287-5 | 8001-58-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-102-00-X | Extract residues (coal), creosote oil acid;<br>Wash Oil Extract Residue;<br>[A complex combination of hydrocarbons from the base-freed fraction from the distillation of coal tar, boiling in the range of approximately 250 °C to 280 °C (482°F to 536°F). It consists predominantly of biphenyl and isomeric diphenylnaphthalenes.] | 310-189-4 | 122384-77-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-103-00-5 | Anthracene oil, anthracene paste;<br>Anthracene Oil Fraction;<br>[The anthracene-rich solid obtained by the crystallization and centrifuging of anthracene oil. It is composed primarily of anthracene, carbazole and phenanthrene.] | 292-603-2 | 90640-81-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-104-00-0 | Anthracene oil, anthracene-low;<br>Anthracene Oil Fraction;<br>[The oil remaining after the removal, by a crystallization process, of an anthracene-rich solid (anthracene paste) from anthracene oil. It is composed primarily of two, three and four membered aromatic compounds.] | 292-604-8 | 90640-82-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-105-00-6 | Residues (coal tar), anthracene oil distn.;<br>Anthracene Oil Fraction;<br>[The residue from the fraction distillation of crude anthracene boiling in the approximate range of 340 °C to 400 °C (644°F to 752°F). It consists predominantly of tri- and polynuclear aromatic and heterocyclic hydrocarbons.] | 295-505-8 | 92061-92-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-106-00-1 | Anthracene oil, anthracene paste, anthracene fraction;<br>Anthracene Oil Fraction;<br>[A complex combination of hydrocarbons from the distillation of anthracene obtained by the crystallization of anthracene oil from bituminous high temperature tar and boiling in the range of 330 °C to 350 °C (626°F to 662°F). It contains chiefly anthracene, carbazole and phenanthrene.] | 295-275-9 | 91995-15-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-107-00-7 | Anthracene oil, anthracene paste, carbazole fraction;<br>Anthracene Oil Fraction;<br>[A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthrancene oil from bituminous coal high temperature tar and boiling in the approximate range of 350 °C to 360 °C (662°F to 680°F). It contains chiefly anthacene, carbazole and phenanthrene.] | 295-276-4 | 91995-16-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-108-00-2 | Anthracene oil, anthracene paste, distn. lights;<br>Anthracene Oil Fraction;<br>[A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous light temperature tar and boiling in the range of approximately 290 °C to 340 °C (554°F to 644°F). It contains chiefly trinuclear aromatics and their dihydro derivatives.] | 295-278-5 | 91995-17-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-109-00-8 | Tar oils, coal, low-temp.;<br>Tar Oil, high boiling;<br>[A distillate from low-temperature coal tar. Composed primarily of hydrocarbons, phenolic compounds and aromatic nitrogen bases boiling in the range of approximately 160 °C to 340 °C (320°F to 644°F).] | 309-889-2 | 101316-87-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-110-00-3 | Extract residues (coal), low temp. coal atar alk.;<br>[The residue from low temperature coal tar oils after an alkaline wash, such as aqueous sodium hydroxide, to remove crude coal tar acids. Composed primarily of hydrocarbons and aromatic nitrogen bases.] | 310-191-5 | 122384-78-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-111-00-9 | Phenols, ammonia liquor ext.;<br>Alkaline Extract;<br>[The combination of phenols extracted, using isobutyl acetate, from the ammonia liquor condensed from the gas evolved in low-temperature (less than 700 °C (1292°F)) destructive distillation of coal. It consists predominantly of a mixture of monohydric and dihydric phenols.] | 284-881-9 | 84988-93-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-112-00-4 | Distillates (coal tar), light oils, alk. exts.;<br>Alkaline Extract;<br>[The aqueous extract from carbolic oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.] | 292-610-0 | 90640-88-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-113-00-X | Extracts, coal tar oil alk.;<br>Alkaline Extract;<br>[The extract from coal tar oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.] | 266-017-2 | 65996-83-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-114-00-5 | Distillates (coal tar), naphthalene oils, alk. exts.;<br>Alkaline Extract;<br>[The aqueous extract from naphthalene oil produced by an alkaline wash such as aqueous sodium hydroxid. Composed primarily of the alkali salts of various phenolic compounds.] | 292-611-6 | 90640-89-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-115-00-0 | Extract residues (coal), tar oil alk., carbonated, limed;<br>Crude Phenols;<br>[The product obtained by treatment of coal tar oil alkaline extract with $CO_2$ and CaO. Composed primarily of $CaCO_3$, $Ca(OH)_2$, $Na_2CO_3$ and other organic and inorganic impurities.] | 292-629-4 | 90641-06-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-116-00-6 | Tar acids, coal, crude;<br>Crude Phenols;<br>[The reaction product obtained by neutralizing coal tar oil alkaline extract with an acidic solution, such as aqueous sulfuric acid, or gaseous carbon dioxide, to obtain the free acids. Composed primarily of tar acids such as phenol, cresols, and xylenols.] | 266-019-3 | 65996-85-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-117-00-1 | Tar acids, brown-coal, crude;<br>Crude Phenols;<br>[An acidified alkaline extract of brown coal tar distillate. Composed primarily of phenol and phenol homologs.] | 309-888-7 | 101316-86-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-118-00-7 | Tar acids, brown-coal gasification;<br>Crude Phenols;<br>[A complex combination of organic compounds obtained from brown coal gasification. Composed primarily of $C_{6-10}$ hydroxy aromatic phenols and their homologs.] | 295-536-7 | 92062-22-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-119-00-2 | Tar acids, distn. residues;<br>Distillate Phenols;<br>[A residue from the distillation of crude phenol from coal. It consists predominantly of phenols having carbon numbers in the range of $C_8$ through $C_{10}$ with a softening point of 60 °C to 80 °C (140°F to 176°F).] | 306-251-5 | 96690-55-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-120-00-8 | Tar acids, methylphenol fraction;<br>Distillate Phenols;<br>[The fraction of tar acid rich in 3- and 4-methylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-892-9 | 84989-04-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-121-00-3 | Tar acids, polyalkylphenol fraction;<br>Distillate Phenols;<br>[The fraction of tar aicds, recovered by distillation of low-temperature coal tar crude tar acids, having an approximate boiling range of 225 °C to 320 °C (437°F to 608°F). Composed primarily of polyalkylphenols.] | 284-893-4 | 84989-05-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-122-00-9 | Tar acids, xylenol fraction;<br>Distillate Phenols;<br>[The fraction of tar acids, rich in 2,4- and 2,5-dimethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-895-5 | 84989-06-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-123-00-4 | Tar acids, ethylphenol fraction;<br>Distillate Phenols;<br>[The fraction of tar acids, rich in 3- and 4-ethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-891-3 | 84989-03-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-124-00-X | Tar acids, 3,5-xylenol fraction;<br>Distillate Phenols;<br>[The fraction of tar acids, rich in 3,5-dimethylphenol, recovered by distillation of low-temperature coal tar acids.] | 284-896-0 | 84989-07-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-125-00-5 | Tar acids, residues, distillates, first-cut;<br>Distillate Phenols;<br>[The residue from the distillation in the range of 235 °C to 355 °C (481°F to 697°F) of light carbolic oil.] | 270-713-1 | 68477-23-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-126-00-0 | Tar acids, cresylic, residues;<br>Distillate Phenols;<br>[The residue from crude coal tar acids after removal of phenol, cresols, xylenols and any higher boiling phenols. A black solid with a melting point approximately 80 °C (176°F). Composed primarily of polyalkyphenols, resin gums, and inorganic salts.] | 271-418-0 | 68555-24-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-127-00-6 | Phenols, $C_{9-11}$;<br>Distillate Phenols | 293-435-2 | 91079-47-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-128-00-1 | Tar acids, cresylic;<br>Distillate Phenols;<br>[A complex combination of organic compounds obtained from brown coal and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). It contains chiefly phenols and pyridine bases.] | 295-540-9 | 92062-26-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-129-00-7 | Tar acids, brown-coal, $C_2$-alkylphenol fraction;<br>Distillate Phenols;<br>[The distillate from the acidification of alkaline washed lignite tar distillate boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Composed primarily of *m*- and *p*-ethylphenol as well as cresols and xylenols.] | 302-662-9 | 94114-29-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-130-00-2 | Extract oils (coal), naphthalene oils;<br>Acid Extract;<br>[The aqueous extract produced by an acidic wash of alkali-washed napthalene oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.] | 292-623-1 | 90641-00-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-131-00-8 | Tar bases, quinoline derivs.;<br>Distillate Bases | 271-020-7 | 68513-87-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-132-00-3 | Tar bases, coal, quinoline derivs. fraction;<br>Distillate Bases | 274-560-1 | 70321-67-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-133-00-9 | Tar bases, coal, distn. residues;<br>Distillate Bases;<br>[The distillation residue remaining after the distillation of the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of coal tars. It contains chiefly aniline, collidines, quinoline and quinoline derivatives and toluidines.] | 295-544-0 | 92062-29-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-134-00-4 | Hydrocarbon oils, arom., mixed with polyethylene and polypropylene, pyrolyzed, light oil fraction;<br>Heat Treatment Products;<br>[The oil obtained from the heat treatment of a polyethylene/polypropylene mixture with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 120 °C (158°F to 248°F).] | 309-745-9 | 100801-63-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-135-00-X | Hydrocarbon oils, arom., mixed with polyethylene, pyrolyzed, light oil fraction;<br>Heat Treatment Products;<br>[The oil obtained from the heat treatment of polyethylene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of 70 °C to 120 °C (158°F to 248°F).] | 309-748-5 | 100801-65-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-136-00-5 | Hydrocarbon oils, arom., mixed with polystyrene, pyrolyzed, light oil fraction;<br>Heat Treatment Products;<br>[The oil obtained from the heat treatment of polystyrene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 210 °C (158°F to 410°F).] | 309-749-0 | 100801-66-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-137-00-0 | Extract residues (coal), tar oil alk., naphthalene distn. residues;<br>Naphthalene Oil Extract Residue;<br>[The residue obtained from chemical oil extracted after the removal of naphthalene by distillation composed primarily of two to four membered condensed ring aromatic hydrocarbons and aromatic nitrogen bases.] | 277-567-8 | 73665-18-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-138-00-6 | Creosote oil, low-boiling distillate;<br>Wash Oil;<br>[The low-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal, which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillate, removed. It is crystal free at approximately 38 °C (100°F).] | 274-566-4 | 70321-80-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-139-00-1 | Tar acids, cresylic, sodium salts, caustic solns.;<br>Alkaline Extract | 272-361-4 | 68815-21-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-140-00-7 | Extract oils (coal), tar base;<br>Acid Extract;<br>[The extract from coal tar oil alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillatin to remove naphthalene. Composed primarily of the acid salts of various aromatic nitrogen bases including pyridine, quinoline, and their alkyl derivatives.] | 266-020-9 | 65996-86-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-141-00-2 | Tar bases, coal, crude;<br>Crude Tar Bases;<br>[The reaction product obtained by neutralizing coal tar base extract oil with an alkaline solution, such as aqueous sodium hydroxide, to obtain the free bases. Composed primarily of such organic bases as acridine, phenanthridine, pyridine, quinoline and their alkyl derivatives.] | 266-018-8 | 65996-84-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | HJM |
| 648-142-00-8 | Residues (coal), liq. solvent extn.;<br>[A cohesive powder composed of coal mineral matter and undissolved coal remaining after extraction of coal by a liquid solvent.] | 302-681-2 | 94114-46-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-143-00-3 | Coal liquids, liq. solvent extn. soln.;<br>[The product obtained by filtration of coal mineral matter and undissolved coal from coal extract solution produced by digesting coal in a liquid solvent. A black, viscous, highly complex liquid combination composed primarily of aromatic and partly hydrogenated aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic and other aromatic oxygen compounds and their alkyl derivatives.] | 302-682-8 | 94114-47-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-144-00-9 | Coal liquids, liq. solvent extn.;<br>[The substantially solvent-free product obtained by the distillation of the solvent from filtered coal extract solution produced by digesting coal in a liquid solvent. A black semi-solid, composed primarily of a complex combination of condensed-ring aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic compounds and other aromatic oxygen compounds, and their alkyl derivatives.] | 302-683-3 | 94114-48-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H M |
| 648-145-00-4 | Tar brown-coal;<br>[An oil distilled from brown-coal tar. Composed primarily of aliphatic, naphthenic and one- to three-ring aromatic hydrocarbons, their alkyl derivates, heteroaromatics and one- and two-ring phenols boiling in the range of approximately 150 °C to 360 °C (302°F to 680°F).] | 309-885-0 | 101316-83-0 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-146-00-X | Tar, brown-coal, low-temp.;<br>[A tar obtained from low temperature carbonization and low temperature gasification of brown coal. Composed primarily of aliphatic, naphthenic and cyclic aromatic hydrocarbons, heteroaromatic hydrocarbons and cyclic phenols.] | 309-886-6 | 101316-84-1 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-147-00-5 | Light oil (coal), coke-oven;<br>Crude benzole;<br>[The volatile organic liquid extracted from the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of benzene, toluene, and xylenes. May contain other minor hydrocarbon constituents.] | 266-012-5 | 65996-78-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-148-00-0 | Distillates (coal), liq. solvent extn., primary;<br>[The liquid product of condensation of vapors emitted during the digestion of coal in a liquid solvent and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of partly hydrogenated condensed-ring aromatic hydrocarbons, aromatic compounds containing nitrogen, oxygen and sulfur, and their alkyl derivatives having carbon numbers predominantly in the range of $C_4$ through $C_{14}$.] | 302-688-0 | 94114-52-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-149-00-6 | Distillates (coal), solvent extn., hydrocracked;<br>[Distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction process and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of $C_4$ through $C_{14}$. Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-689-6 | 94114-53-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-150-00-1 | Naphtha (coal), solvent extn., hydrocracked; [Fraction of the distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of $C_4$ to $C_9$. Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-690-1 | 94114-54-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-151-00-7 | Gasoline, coal solvent extn., hydrocracked naphtha; [Motor fuel produced by the reforming of the refined naphtha fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic and naphthenic hydrocarbons, their alkyl derivatives and alkyl hydrocarbons having carbon numbers in the range of $C_4$ through $C_9$.] | 302-691-7 | 94114-55-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 648-152-00-2 | Distillates (coal), solvent extn., hydrocracked middle; [Distillate obtained from the hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 300 °C (356°F to 572°F). Composed primarily of two-ring aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes having carbon numbers predominantly in the range of $C_9$ through $C_{14}$. Nitrogen, sulfur and oxygen-containing compounds are also present.] | 302-692-2 | 94114-56-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-153-00-8 | Distillates (coal), solvent extn., hydrocracked hydrogenated middle;<br>[Distillate from the hydrogenation of hydrocracked middle distillate from coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 280 °C (356°F to 536°F). Composed primarily of hydrogenated two- ring carbon compounds and their alkyl derivatives having carbon numbers predominantly in the range of $C_9$ through $C_{14}$.] | 302-693-8 | 94114-57-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 648-154-00-3 | Fuels, jet aircraft, coal solvent extn., hydrocracked hydrogenated;<br>[Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 225 °C (356°F to 473°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of $C_{10}$ through $C_{12}$.] | 302-694-3 | 94114-58-6 | Carc. 2 | H351 | GHS08<br>Wng | H350 | | | H |
| 648-155-00-9 | Fuels, diesel, coal solvent extn., hydrocracked hydrogenated;<br>[Diesel engine fuel produced by the hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 200 °C to 280 °C (392°F to 536°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of $C_{11}$ through $C_{14}$.] | 302-695-9 | 94114-59-7 | Carc. 2 | H351 | GHS08<br>Wng | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 648-156-00-4 | Light oil (coal), semi-coking process; Fresh oil; [The volatile organic liquid condensed from the gas evolved in the low temperature (less than 700 °C (1292°F) destructive distillation of coal. Composed primarily of $C_{6-10}$ hydrocarbons.] | 292-635-7 | 90641-11-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H J |
| 649-001-00-3 | Extracts (petroleum), light naphthenic distillate solvent | 265-102-1 | 64742-03-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-002-00-9 | Extracts (petroleum), heavy paraffinic distillate solvent | 265-103-7 | 64742-04-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-003-00-4 | Extracts (petroleum), light paraffinic distillate solvent | 265-104-2 | 64742-05-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-004-00-X | Extracts (petroleum), heavy naphthenic distillate solvent | 265-111-0 | 64742-11-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-005-00-5 | Extracts (petroleum), light vacuum gas oil solvent | 295-341-7 | 91995-78-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-006-00-0 | hydrocarbons $C_{26-55}$, arom-rich | 307-753-7 | 97722-04-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-007-00-6 | fatty acids, tall-oil, reaction products with iminodiethanol and boric acid | 400-160-5 | — | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411 | GHS07<br>GHS09<br>Wng | H315<br>H411 | | | |
| 649-008-00-1 | Residues (petroleum), atm. tower; Heavy Fuel oil; [A complex residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{20}$ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-045-2 | 64741-45-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-009-00-7 | Gas oils (petroleum), heavy vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 265-058-3 | 64741-57-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-010-00-2 | Distillates (petroleum), heavy catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{35}$ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-063-0 | 64741-61-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-011-00-8 | Clarified oils (petroleum), catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{20}$ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-064-6 | 64741-62-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-012-00-3 | Residues (petroleum), hydrocracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the products of a hydrocracking process. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{20}$ and boiling above approximately 350 °C (662°F).] | 265-076-1 | 64741-75-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-013-00-9 | Residues (petroleum), thermal cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than $C_{20}$ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-081-9 | 64741-80-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-014-00-4 | Distillates (petroleum), heavy thermal cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{36}$ and boiling in the range of approximately 260 °C to 480 °C (500°F to 896°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-082-4 | 64741-81-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-015-00-X | Gas oils (petroleum), hydrotreated vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{50}$ and boiling in the range of approximately 230 °C to 600 °C (446°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-162-9 | 64742-59-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-016-00-5 | Residues (petroleum), hydrodesulfurized atmospheric tower;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating an atmospheric tower residuum with hydrogen in the presence of a catalyst under conditions primarily to remove organic sulfur compounds. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{20}$ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-181-2 | 64742-78-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-017-00-0 | Gas oils (petroleum), hydrodesulfurized heavy vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112 °C). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-189-6 | 64742-86-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-018-00-6 | Residues (petroleum), steam-cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained as the residual fraction from the distillation of the products of a steam cracking process (including steam cracking to produce ethylene). It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than $C_{14}$ and boiling above approximately 260 °C (500°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-193-8 | 64742-90-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-019-00-1 | Residues (petroleum), atmospheric;<br>Heavy Fuel oil;<br>[A complex residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{11}$ and boiling above approximately 200 °C (392°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 269-777-3 | 68333-22-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-020-00-7 | Clarified oils (petroleum), hydrodesulfurized catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating catalytic cracked clarified oil with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{20}$ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 269-782-0 | 68333-26-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-021-00-2 | Distillates (petroleum), hydrodesulfurized intermediate catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating intermediate catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{30}$ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.] | 269-783-6 | 68333-27-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-022-00-8 | Distillates (petroleum), hydrodesulfurized heavy catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treatment of heavy catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{35}$ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 269-784-1 | 68333-28-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-023-00-3 | Fuel oil, residues-straight-run gas oils, high-sulfur;<br>Heavy Fuel oil | 270-674-0 | 68476-32-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-024-00-9 | Fuel oil, residual;<br>Heavy Fuel oil;<br>[The liquid product from various refinery streams, usually residues. The composition is complex and varies with the source of the crude oil.] | 270-675-6 | 68476-33-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-025-00-4 | Residues (petroleum), catalytic reformer fractionator residue distn.;<br>Heavy Fuel oil;<br>[A complex residuum from the distillation of catalytic reformer fractionator residue. It boils approximately above 399 °C (750°F).] | 270-792-2 | 68478-13-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-026-00-X | Residues (petroleum), heavy coker gas oil and vacuum gas oil;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and vacuum gas oil. It predominantly consists of hydrocarbons having carbon numbers predominantly greater than $C_{13}$ and boiling above approximately 230 °C (446°F).] | 270-796-4 | 68478-17-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-027-00-5 | Residues (petroleum), heavy coker and light vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and light vacuum gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than $C_{13}$ and boiling above approximately 230 °C (446°F).] | 270-983-0 | 68512-61-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-028-00-0 | Residues (petroleum), light vacuum;<br>Heavy Fuel oil;<br>[A complex residuum from the vacuum distillation of the residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{13}$ and boiling above approximately 230 °C (446°F).] | 270-984-6 | 68512-62-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-029-00-6 | Residues (petroleum), steam-cracked light; Heavy Fuel oil; [A complex residuum from the distillation of the products from a steam-cracking process. It consists predominantly of aromatic and unsaturated hydrocarbons having carbon numbers greater than $C_7$ and boiling in the range of approximately 101 °C to 555 °C (214°F to 1030°F).] | 271-013-9 | 68513-69-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-030-00-1 | Fuel oil, No 6; Heavy Fuel oil; [A distillate oil having a minimum viscosity of 900 SUS at 37.7 °C (100°F) to a maximum of 9000 SUS at 37.7 °C (100°F).] | 271-384-7 | 68553-00-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-031-00-7 | Residues (petroleum), topping plant, low-sulfur; Heavy Fuel oil; [A low-sulfur complex combination of hydrocarbons produced as the residual fraction from the topping plant distillation of crude oil. It is the residuum after the straight-run gasoline cut, kerosene cut and gas oil cut have been removed.] | 271-763-7 | 68607-30-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-032-00-2 | Gas oils (petroleum), heavy atmospheric; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{35}$ and boiling in the range of approximately 121 °C to 510 °C (250°F to 950°F).] | 272-184-2 | 68783-08-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-033-00-8 | Residues (petroleum), coker scrubber, Condensed-ring-arom.-contg.;<br>Heavy Fuel oil;<br>[A very complex combination of hydrocarbons produced as the residual fraction from the distillation of vaccum residuum and the products from a thermal cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than $C_{20}$ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed rind aromatic hydrocarbons.] | 272-187-9 | 68783-13-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-034-00-3 | Distillates (petroleum), petroleum residues vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from the atmospheric distillation of crude oil.] | 273-263-4 | 68955-27-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-035-00-9 | Residues (petroleum), steam-cracked, resinous;<br>Heavy Fuel oil;<br>[A complex residuum from the distillation of steam-cracked petroleum residues.] | 273-272-3 | 68955-36-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-036-00-4 | Distillates (petroleum), intermediate vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum, distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{14}$ through $C_{42}$ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-683-0 | 70592-76-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-037-00-X | Distillates (petroleum), light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{35}$ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F).] | 274-684-6 | 70592-77-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-038-00-5 | Distillates (petroleum), vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having numbers predominantly in the range of $C_{15}$ through $C_{50}$ and boiling in the range of approximately 270 °C to 600 °C (518°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-685-1 | 70592-78-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-039-00-0 | Gas oils (petroleum), hydrodesulfurized coker heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by hydrodesulfurization of heavy coker distillate stocks, It consists predominantly of hydrocarbons having carbon numbers predominantly in the range $C_{18}$ to $C_{44}$ and boiling in the range of approximately 304 °C to 548 °C (579°F to 1018°F). Likely to contain 5 % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 285-555-9 | 85117-03-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-040-00-6 | Residues (petroleum), steam-cracked, distillates;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained during the production of refined petroleum tar by the distillation of steam cracked tar. It consists predominantly of aromatic and other hydrocarbons and organic sulfur compounds.] | 292-657-7 | 90669-75-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-041-00-1 | Residues (petroleum), vacuum, light;<br>Heavy Fuel oil;<br>[A complex residuum from the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than $C_{24}$ and boiling above approximately 390 °C (734°F).] | 292-658-2 | 90669-76-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-042-00-7 | Fuel oil, heavy, high-sulfur;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by the distillation of crude petroleum. It consists predominantly of aliphatic, aromatic and cycloaliphatic hydrocarbons having carbon numbers predominantly higher than $C_{25}$ and boiling above approximately 400 °C (752°F).] | 295-396-7 | 92045-14-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-043-00-2 | Residues (petroleum), catalytic cracking;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than $C_{11}$ and boiling above approximately 200 °C (392°F).] | 295-511-0 | 92061-97-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-044-00-8 | Distillates (petroleum), intermediate catalytic cracked, thermally degraded;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 220 °C to 450 °C (428°F to 842°F). This stream is likely to contain organic sulfur compounds.] | 295-990-6 | 92201-59-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-045-00-3 | Residual oils (petroleum);<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons, sulfur compounds and metal-containing organic compounds obtained as the residue from refinery fractionation cracking processes. It produces a finished oil with a viscosity above 2cSt. at 100 °C.] | 298-754-0 | 93821-66-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-046-00-9 | Residues, steam cracked, thermally treated;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by the treatment and distillation of raw steam-cracked naphtha. It consists predominantly of unsaturated hydrocarbons boiling in the range above approximately 180 °C (356°F).] | 308-733-0 | 98219-64-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-047-00-4 | Distillates (petroleum), hydrodesulfurized full-range middle;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating a petroleum stock with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{25}$ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F).] | 309-863-0 | 101316-57-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-048-00-X | Residues (petroleum), catalytic reformer fractionator;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{25}$ and boiling in the range of approximately 160 °C to 400 °C (320°F to 725°F). This stream is likely to contain 5 wt. % or more of 4- or 6-membered condensed ring aromatic hydrocarbons.] | 265-069-3 | 64741-67-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-049-00-5 | Petroleum;<br>Crude oil;<br>[A complex combination of hydrocarbons, It consists predominantly of aliphatic, alicyclic and aromatic hydrocarbons. It may also contain small amounts of nitrogen, oxygen and sulfur compounds. This category encompasses light, medium, and heavy petroleums, as well as the oils extended from tar sands. Hydrocarbonaceous materials requiring major chemical changes for their recovery or conversion to petroleum refinery feedstocks such as crude shale oils; upgraded shale oils and liquid coal fuels are not included in this definition.] | 232-298-5 | 8002-05-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-050-00-0 | Distillates (petroleum), light paraffinic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons normally present in this distillation range of crude oil.] | 265-051-5 | 64741-50-0 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-051-00-6 | Distillates (petroleum), heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons.] | 265-052-0 | 64741-51-1 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-052-00-1 | Distillates (petroleum), light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-053-6 | 64741-52-2 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-053-00-7 | Distillates (petroleum), heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-054-1 | 64741-53-3 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-054-00-2 | Distillates (petroleum), acid-treated heavy naphthenic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-117-3 | 64742-18-3 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-055-00-8 | Distillates (petroleum), acid-treated light naphthenic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-118-9 | 64742-19-4 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-056-00-3 | Distillates (petroleum), acid-treated heavy paraffinic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil having a viscosity of a least 100 SUS at 100°F (19cSt at 40 °C).] | 265-119-4 | 64742-20-7 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-057-00-9 | Distillates (petroleum), acid-treated light paraffinic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil having a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-121-5 | 64742-21-8 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-058-00-4 | Distillates (petroleum), chemically neutralized heavy paraffinic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained from a treating process to remove acidic materials. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of aliphatic hydrocarbons.] | 265-127-8 | 64742-27-4 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-059-00-X | Distillates (petroleum), chemically neutralized light paraffinic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-128-3 | 64742-28-5 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-060-00-5 | Distillates (petroleum), chemically neutralized heavy naphthenic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-135-1 | 64742-34-3 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-061-00-0 | Distillates (petroleum), chemically neutralized light naphthenic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS a 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-136-7 | 64742-35-4 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-062-00-6 | Gases (petroleum), catalytic cracked naphtha depropanizer overhead, $C_3$-rich acid-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of catalytic cracked hydrocarbons and treated to remove acidic impurities. It consists of hydrocarbons having carbon numbers in the range of $C_2$ through $C_4$, predominantly $C_3$.] | 270-755-0 | 68477-73-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-063-00-1 | Gases (petroleum), catalytic cracker;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-756-6 | 68477-74-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-064-00-7 | Gases (petroleum), catalytic cracker, $C_{1-5}$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers in the range of $C_1$ through $C_6$, predominantly $C_1$ through $C_5$.] | 270-757-1 | 68477-75-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-065-00-2 | Gases (petroleum), catalytic polymd. naphtha stabilizer overhead, $C_{2-4}$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic polymerized naphtha. It consists of aliphatic hydrocarbons having carbon numbers in the range of $C_2$ through $C_6$, predominantly $C_2$ through $C_4$.] | 270-758-7 | 68477-76-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-066-00-8 | Gases (petroleum), catalytic reformer, $C_{1-4}$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers in the range of $C_1$ through $C_6$, predominantly $C_1$ through $C_4$.] | 270-760-8 | 68477-79-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-067-00-3 | Gases (petroleum), $C_{3-5}$ olefinic-paraffinic alkylation feed;<br>Petroleum gas;<br>[A complex combination of olefinic and paraffinic hydrocarbons having carbon numbers in the range of $C_3$ through $C_5$ which are used as alkylation feed. Ambient temperatures normally exceed the critical temperature of these combinations.] | 270-765-5 | 68477-83-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-068-00-9 | Gases (petroleum), $C_4$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by distillation of products from a catalytic fractionation process. It consists of aliphatic hydrocarbons having carbon numbers in the range of $C_3$ through $C_5$, predominantly $C_4$.] | 270-767-6 | 68477-85-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-069-00-4 | Gases (petroleum), deethanizer overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced from distillation of the gas and gasoline fractions from the catalytic cracking process. It contains predominantly ethane and ethylene.] | 270-768-1 | 68477-86-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-070-00-X | Gases (petroleum), deisobutanizer tower overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the atmospheric distillation of a butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_4$.] | 270-769-7 | 68477-87-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-071-00-5 | Gases (petroleum), depropanizer dry, propene-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists predominantly of propylene with some ethane and propane.] | 270-772-3 | 68477-90-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-072-00-0 | Gases (petroleum), depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_4$.] | 270-773-9 | 68477-91-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-073-00-6 | Gases (petroleum), gas recovery plant depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons obtained by fractionation of miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_1$ through $C_4$, predominantly propane.] | 270-777-0 | 68477-94-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-074-00-1 | Gases (petroleum), Girbatol unit feed; Petroleum gas; [A complex combination of hydrocarbons that is used as the feed into the Girbatol unit to remove hydrogen sulfide. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_4$.] | 270-778-6 | 68477-95-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-075-00-7 | Gases (petroleum), isomerized naphtha fractionator, $C_4$-rich, hydrogen sulfide-free; Petroleum gas | 270-782-8 | 68477-99-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-076-00-2 | Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of catalytic cracked clarified oil and thermal cracked vacuum residue. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-802-5 | 68478-21-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-077-00-8 | Tail gas (petroleum), catalytic cracked naphtha stabilization absorber;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-803-0 | 68478-22-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-078-00-3 | Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulfurizer combined fractionater;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation of products from catalytic cracking, catalytic reforming and hydrodesulfurizing processes treated to remove acidic impurities. It consists predominantly of hydrocarbons having cabon numbers predominantly in the range of $C_1$ through $C_5$.] | 270-804-6 | 68478-24-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-079-00-9 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic reformed naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 270-806-7 | 68478-26-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-080-00-4 | Tail gas (petroleum), saturate gas plant mixed stream, $C_4$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of straight-run naphtha, distillation tail gas and catalytic reformed naphtha stabilizer tail gas. It consists of hydrocarbons having carbon numbers in the range of $C_3$ through $C_6$, predominantly butane and isobutane.] | 270-813-5 | 68478-32-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-081-00-X | Tail gas (petroleum), saturate gas recovery plant, $C_{1-2}$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of distillate tail gas, straight-run naphtha, catalytic reformed naphtha stabilizer tail gas. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_1$through $C_5$, predominantly methane and ethane.] | 270-814-0 | 68478-33-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-082-00-5 | Tail gas (petroleum), vacuum residues thermal cracker;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the thermal cracking of vacuum residues. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 270-815-6 | 68478-34-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-083-00-0 | Hydrocarbons, $C_{3-4}$-rich, petroleum distillate;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of $C_3$ through $C_5$, predominantly $C_3$ through $C_4$.] | 270-990-9 | 68512-91-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-084-00-6 | Gases (petroleum), full-range straight-run naphtha dehexanizer off;<br>petroleum gas;<br>[A complex combination of hydrocarbons obtained by the fractionation of the full-range straight-run naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_6$.] | 271-000-8 | 68513-15-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-085-00-1 | Gases (petroleum), hydrocracking depropanizer off, hydrocarbon-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbon produced by the distillation of products from a hydrocracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$. It may also contain small amounts of hydrogen and hydrogen sulfide.] | 271-001-3 | 68513-16-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-086-00-7 | Gases (petroleum), light straight-run naphtha stabilizer off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the stabilization of light straight-run naphtha. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_6$.] | 271-002-9 | 68513-17-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-087-00-2 | Residues (petroleum), alkylation splitter, $C_4$-rich;<br>Petroleum gas;<br>[A complex residuum from the distillation of streams various refinery operations. It consists of hydrocarbons having carbon numbers in the range of $C_4$ through $C_5$, predominantly butane and boiling in the range of approximately - 11.7 °C to 27.8 °C (11°F to 82°F).] | 271-010-2 | 68513-66-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-088-00-8 | Hydrocarbons, $C_{1-4}$;<br>Petroleum gas;<br>[A complex combination of hydrocarbons provided by thermal cracking and absorber operations and by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$ and boiling in the range of approximately minus 164 °C to minus 0.5 °C (-263°F to 31°F).] | 271-032-2 | 68514-31-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-089-00-3 | Hydrocarbons, $C_{1-4}$, sweetened;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by subjecting hydrocarbon gases to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$ and boiling in the range of approximately - 164 °C to - 0.5 °C (-263°F to 31°F).] | 271-038-5 | 68514-36-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-090-00-9 | Hydrocarbons, $C_{1-3}$;<br>Petroleum gas;<br>[A complex combination of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_3$ and boiling in the range of approximately minus 164 °C to minus 42 °C (-263°F to - 44°F).] | 271-259-7 | 68527-16-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-091-00-4 | Hydrocarbons, $C_{1-4}$, debutanizer fraction;<br>Petroleum gas | 271-261-8 | 68527-19-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-092-00-X | Gases (petroleum), $C_{1-5}$, wet;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil and/or the cracking of tower gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 271-624-0 | 68602-83-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-093-00-5 | Hydrocarbons, $C_{2-4}$;<br>Petroleum gas | 271-734-9 | 68606-25-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-094-00-0 | Hydrocarbons, $C_3$;<br>Petroleum gas | 271-735-4 | 68606-26-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-095-00-6 | Gases (petroleum), alkylation feed;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the catalytic cracking of gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_4$.] | 271-737-5 | 68606-27-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-096-00-1 | Gases (petroleum), depropanizer bottoms fractionation off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists predominantly of butane, isobutane and butadiene.] | 271-742-2 | 68606-34-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-097-00-7 | Gases (petroleum), refinery blend;<br>Petroleum gas;<br>[A complex combination obtained from various processes. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-183-7 | 68783-07-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-098-00-2 | Gases (petroleum), catalytic cracking;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_5$.] | 272-203-4 | 68783-64-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-099-00-8 | Gases (petroleum), $C_{2-4}$, sweetened;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_4$ and boiling in the range of approximately - 51 °C to - 34 °C (-60°F to - 30°F).] | 272-205-5 | 68783-65-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-100-00-1 | Gases (petroleum), crude oil fractionation off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the fractionation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-871-7 | 68918-99-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-101-00-7 | Gases (petroleum), dehexanizer off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the fractionation of combined naphtha streams. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-872-2 | 68919-00-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-102-00-2 | Gases (petroleum), light straight run gasoline fractionation stabilizer off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-878-5 | 68919-05-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-103-00-8 | Gases (petroleum), naphtha unifiner desulfurization stripper off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by a naphtha unifiner desulfurization process and stripped from the naphtha product. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 272-879-0 | 68919-06-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-104-00-3 | Gases (petroleum), straight-run naphtha catalytic reforming off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and fractionation of the total effluent. It consists of methane, ethane, and propane.] | 272-882-7 | 68919-09-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-105-00-9 | Gases (petroleum), fluidized catalytic cracker splitter overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the fractionation of the charge to the $C_3$ -$C_4$ splitter. It consists predominantly of $C_3$ hydrocarbons.] | 272-893-7 | 68919-20-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-106-00-4 | Gases (petroleum), straight-run stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of the liquid from the first tower used in the distillation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 272-883-2 | 68919-10-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-107-00-X | Gases (petroleum), catalytic cracked naphtha debutanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 273-169-3 | 68952-76-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-108-00-5 | Tail gas (petroleum), catalytic cracked distillate and naphtha stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of catalytic cracked naphtha and distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 273-170-9 | 68952-77-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-109-00-0 | Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber; petroleum gas; [A complex combination of hydrocarbons obtained from the separation of thermal-cracked distillates, naphtha and gas oil. It consists pedrominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 273-175-6 | 68952-81-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-110-00-6 | Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabilizer, petroleum coking;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of thermal cracked hydrocarbons from petroleum coking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 273-176-1 | 68952-82-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-111-00-1 | Gases (petroleum, light steam-cracked, butadiene conc.;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process, It consists of hydrocarbons having a carbon number predominantly of $C_4$.] | 273-265-5 | 68955-28-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-112-00-7 | Gases (petroleum), straight-run naphtha catalytic reformer stabilizer overhead;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_4$.] | 273-270-2 | 68955-34-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-113-00-2 | Hydrocarbons, $C_4$;<br>Petroleum gas | 289-339-5 | 87741-01-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-114-00-8 | Alkanes, $C_{1-4}$, $C_3$-rich;<br>Petroleum gas | 292-456-4 | 90622-55-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-115-00-3 | Gases (petroleum), steam-cracker $C_3$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from a steam cracking process. It consists predominantly of propylene with some propane and boils in the range of approximately - 70 °C to 0 °C (-94°F to 32°F).] | 295-404-9 | 92045-22-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-116-00-9 | Hydrocarbons, $C_4$, steam-cracker distillate;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of the products of a steam cracking process. It consists predominantly of hydrocarbons having a carbon number of $C_4$, predominantly 1-butene and 2-butene, containing also butane and isobutene and boiling in the range of approximately minus 12 °C to 5 °C (10.4°F to 41°F).] | 295-405-4 | 92045-23-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-117-00-4 | Petroleum gases, liquefied, sweetened, $C_4$ fraction;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by subjecting a liquified petroleum gas mix to a sweetening process to oxidize mercaptans or to remove acidic impurities. It consists predominantly of $C_4$ saturated and unsaturated hydrocarbons.] | 295-463-0 | 92045-80-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | HKSU |
| 649-118-00-X | Hydrocarbons, $C_4$, 1,3-butadiene- and isobutene-free;<br>Petroleum gas | 306-004-1 | 95465-89-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1B | H220<br>H350 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350 | | | H K U |
| 649-119-00-5 | Raffinates (petroleum), steam-cracked $C_4$ fraction cuprous ammonium acetate extn., $C_{3-5}$ and $C_{3-5}$ unsatd., butadiene-free;<br>Petroleum gas | 307-769-4 | 97722-19-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-120-00-0 | Gases (petroleum), amine system feed; Refinery gas; [The feed gas to the amine system for removal of hydrogen sulfide. It consists of hydrogen. Carbon monoxide, carbon dioxide, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$ may also be present.] | 270-746-1 | 68477-65-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-121-00-6 | Gases (petroleum), benzene unit hydrodesulfurizer off; Refinery gas; [Off gases produced by the benzene unit. It consists primarily of hydrogen. Carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$, including benzene, may also be present.] | 270-747-7 | 68477-66-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-122-00-1 | Gases (petroleum), benzene unit recycle, hydrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by recycling the gases of the benzene unit. It consists primarily of hydrogen with various small amounts of carbon monoxide and hydrocarbons having carbon numbers in the range of $C_1$ through $C_6$.] | 270-748-2 | 68477-67-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-123-00-7 | Gases (petroleum), blend oil, hydrogen-nitrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by distillation of a blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide, and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 270-749-8 | 68477-68-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-124-00-2 | Gases (petroleum), catalytic reformed naphtha stripper overheads;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from stabilization of catalytic reformed naphtha. Its consists of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 270-759-2 | 68477-77-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-125-00-8 | Gases (petroleum), $C_{6-8}$ catalytic reformer recycle;<br>Refinery gas;<br>[A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of $C_6$-$C_8$ feed and recycled to conserve hydrogen. It consists primarily of hydrogen. It may also contain various small amounts of carbon monoxide, carbon dioxide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-761-3 | 68477-80-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-126-00-3 | Gases (petroleum), $C_{6-8}$ catalytic reformer;<br>Refinery gas;<br>[A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of $C_6$-$C_8$feed. It consists of hydrocarbons having carbon numbers in the range of $C_1$ through $C_5$ and hydrogen.] | 270-762-9 | 68477-81-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-127-00-9 | Gases (petroleum), $C_{6-8}$ catalytic reformer recycle, hydrogen-rich;<br>Refinery gas | 270-763-4 | 68477-82-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-128-00-4 | Gases (petroleum), $C_2$-return stream; Refinery gas; [A complex combination of hydrocarbons obtained by the extraction of hydrogen from a gas stream which consists primarily of hydrogen with small amounts of nitrogen, carbon monoxide, methane, ethane, and ethylene. It contains predominantly hydrocarbons such as methane, ethane, and ethylene with small amounts of hydrogen, nitrogen and carbon monoxide.] | 270-766-0 | 68477-84-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-129-00-X | Gases (petroleum), dry sour, gas-concn.-unit-off; Refinery gas; [The complex combination of dry gases from a gas concentration unit. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_3$.] | 270-774-4 | 68477-92-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-130-00-5 | Gases (petroleum), gas concn. reabsorber distn.; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from combined gas streams in a gas concentration reabsorber. It consists predominantly of hydrogen, carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide and hydrocarbons having carbon numbers in the range of $C_1$ through $C_3$.] | 270-776-5 | 68477-93-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-131-00-0 | Gases (petroleum), hydrogen absorber off; Refinery gas; [A complex combination obtained by absorbing hydrogen from a hydrogen rich stream. It consists of hydrogen, carbon monoxide, nitrogen, and methane with small amounts of $C_2$ hydrocarbons.] | 270-779-1 | 68477-96-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-132-00-6 | Gases (petroleum), hydrogen-rich;<br>Refinery gas;<br>[A complex combination separated as a gas from hydrocarbon gases by chilling. It consists primarily of hydrogen with various small amounts of carbon monoxide, nitrogen, methane, and $C_2$ hydrocarbons.] | 270-780-7 | 68477-97-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-133-00-1 | Gases (petroleum), hydrotreater blend oil recycle, hydrogen-nitrogen-rich;<br>Refinery gas;<br>[A complex combination obtained from recycled hydrotreated blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 270-781-2 | 68477-98-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-134-00-7 | Gases (petroleum), recycle, hydrogen-rich;<br>Refinery gas;<br>[A complex combination obtained from recycled reactor gases. It consists primarily of hydrogen with various small amounts of carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers in the range of $C_1$ through $C_5$.] | 270-783-3 | 68478-00-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-135-00-2 | Gases (petroleum), reformer make-up, hydrogen-rich;<br>Refinery gas;<br>[A complex combination obtained from the reformers. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 270-784-9 | 68478-01-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-136-00-8 | Gases (petroleum), reforming hydrotreater; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen, methane, and ethane with various small amounts of hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_3$ thorugh $C_5$.] | 270-785-4 | 68478-02-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-137-00-3 | Gases (petroleum), reforming hydrotreater, hydrogen-methane-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen and methane with various small amounts of carbon monoxide, carbon dioxide, nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_5$.] | 270-787-5 | 68478-03-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-138-00-9 | Gases (petroleum), reforming hydrotreater make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 270-788-0 | 68478-04-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-139-00-4 | Gases (petroleum), thermal cracking distn.; Refinery gas; [A complex combination produced by distillation of products from a thermal cracking process. It consists of hydrogen, hydrogen sulfide, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-789-6 | 68478-05-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-140-00-X | Tail gas (petroleum), catalytic cracker refractionation absorber;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from refractionation of products from a catalytic cracking process. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_3$.] | 270-805-1 | 68478-25-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-141-00-5 | Tail gas (petroleum), catalytic reformed naphtha separator;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from the catalytic reforming of straight run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-807-2 | 68478-27-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-142-00-0 | Tail gas (petroleum), catalytic reformed naphtha stabilizer;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from the stabilization of catalytic reformed naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-808-8 | 68478-28-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-143-00-6 | Tail gas (petroleum), cracked distillate hydrotreater separator;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained by treating cracked distillates with hydrogen in the presence of a catalyst. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 270-809-3 | 68478-29-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-144-00-1 | Tail gas (petroleum), hydrodesulfurized straight-run naphtha separator;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from hydrodesulfurization of straight-run naphtha. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 270-810-9 | 68478-30-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-145-00-7 | Gases (petroleum), catalytic reformed straight-run naphtha stabilizer overheads;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from the catalytic reforming of straight-run naphtha followed by fractionation of the total effluent. It consists of hydrogen, methane, ethane and propane.] | 270-999-8 | 68513-14-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-146-00-2 | Gases (petroleum), reformer effluent high-pressure flash drum off;<br>Refinery gas;<br>[A complex combination produced by the high-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-003-4 | 68513-18-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-147-00-8 | Gases (petroleum), reformer effluent low-pressure flash drum off;<br>Refinery gas;<br>[A complex combination produced by low-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-005-5 | 68513-19-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-148-00-3 | Gases (petroleum), oil refinery gas distn. off; Refinery gas; [A complex combination separated by distillation of a gas stream containing hydrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers in the range of $C_1$ through $C_6$ or obtained by cracking ethane and propane. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_2$, hydrogen, nitrogen, and carbon monoxide.] | 271-258-1 | 68527-15-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-149-00-9 | Gases (petroleum), benzene unit hydrotreater depentanizer overheads; Refinery gas; [A complex combination produced by treating the feed from the benzene unit with hydrogen in the presence of a catalyst followed by depentanizing. It consists primarily of hydrogen, ethane and propane with various small amounts of nitrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$. It may contain trace amounts of benzene.] | 271-623-5 | 68602-82-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-150-00-4 | Gases (petroleum), secondary absorber off, fluidized catalytic cracker overheads fractionator; Refinery gas; [A complex combination produced by the fractionation of the overhead products from the catalytic cracking process in the fluidized catalytic cracker. It consists of hydrogen, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_3$.] | 271-625-6 | 68602-84-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-151-00-X | Petroleum products, refinery gases; Refinery gas; [A complex combination which consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-750-6 | 68607-11-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-152-00-5 | Gases (petroleum), hydrocracking low-pressure separator;<br>Refinery gas;<br>[A complex combination obtained by the liquid-vapor separation of the hydrocracking process reactor effluent. It consists predominantly of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_3$.] | 272-182-1 | 68783-06-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-153-00-0 | Gases (petroleum), refinery;<br>Refinery gas;<br>[A complex combination obtained from various petroleum refining operations. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_3$.] | 272-338-9 | 68814-67-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-154-00-6 | Gases (petroleum), platformer products separator off;<br>Refinery gas;<br>[A complex combination obtained from the chemical reforming of naphthenes to aromatics. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_4$.] | 272-343-6 | 68814-90-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-155-00-1 | Gases (petroleum), hydrotreated sour kerosine depentanizer stabilizer off;<br>Refinery gas;<br>[The complex combination obtained from the depentanizer stabilization of hydrotreated kerosine. It consists primarily of hydrogen, methane, ethane, and propane with various small amounts of nitrogen, hydrogen sulfide, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_5$.] | 272-775-5 | 68911-58-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-156-00-7 | Gases (petroleum), hydrotreated sour kerosine flash drum;<br>Refinery gas;<br>[A complex combination obtained from the flash drum of the unit treating sour kerosine with hydrogen in the presence of a catalyst. It consists primarily of hydrogen and methane with various small amounts of nitrogen, carbon monoxide, and hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_5$.] | 272-776-0 | 68911-59-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-157-00-2 | Gases (petroleum), distillate unifiner desulfurization stripper off;<br>Refinery gas;<br>[A complex combination stripped from the liquid product of the unifiner desulfurization process. It consists of hydrogen sulfide, methane, ethane, and propane.] | 272-873-8 | 68919-01-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-158-00-8 | Gases (petroleum), fluidized catalytic cracker fractionation off;<br>Refinery gas;<br>[A complex combination produced by the fractionation of the overhead product of the fluidized catalytic cracking process. It consists of hydrogen, hydrogen sulfide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-874-3 | 68919-02-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-159-00-3 | Gases (petroleum), fluidized catalytic cracker scrubbing secondary absorber off;<br>Refinery gas;<br>[A complex combination produced by scrubbing the overhead gas from the fluidized catalytic cracker. It consists of hydrogen, nitrogen, methane, ethane and propane.] | 272-875-9 | 68919-03-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-160-00-9 | Gases (petroleum), heavy distillate hydrotreater desulfurization stripper off;<br>Refinery gas;<br>[A complex combination stripped from the liquid product of the heavy distillate hydrotreater desulfurization process. It consists of hydrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-876-4 | 68919-04-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-161-00-4 | Gases (petroleum), platformer stabilizer off, light ends fractionation;<br>Refinery gas;<br>[A complex combination obtained by the fractionation of the light ends of the platinum reactors of the plattformer unit. It consists of hydrogen, methane, ethane and propane.] | 272-880-6 | 68919-07-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-162-00-X | Gases (petroleum), preflash tower off, crude distn.;<br>Refinery gas;<br>[A complex combination produced from the first tower used in the distillation of crude oil. It consists of nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-881-1 | 68919-08-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-163-00-5 | Gases (petroleum), tar stripper off;<br>Refinery gas;<br>[A complex combination obtained by the fractionation of reduced crude oil. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 272-884-8 | 68919-11-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-164-00-0 | Gases (petroleum), unifiner stripper off;<br>Refinery gas;<br>[A combination of hydrogen and methane obtained by fractionation of the products from the unifiner unit.] | 272-885-3 | 68919-12-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-165-00-6 | Tail gas (petroleum), catalytic hydrodesulfurized naphtha separator;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from the hydrodesulfurization of naphtha. It consists of hydrogen, methane, ethane, and propane.] | 273-173-5 | 68952-79-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-166-00-1 | Tail gas (petroleum), straight-run naphtha hydrodesulfurizer;<br>Refinery gas;<br>[A complex combination obtained from the hydrodesulfurization of straight-run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 273-174-0 | 68952-80-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-167-00-7 | Gases (petroleum), sponge absorber off, fluidized catalytic cracker and gas oil desulfurizer overhead fractionation;<br>Refinery gas;<br>[A complex combination obtained by the fractionation of products from the fluidized catalytic cracker and gas oil desulfurizer. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 273-269-7 | 68955-33-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-168-00-2 | Gases (petroleum), crude distn. and catalytic cracking;<br>Refinery gas;<br>[A complex combination produced by crude distillation and catalytic cracking processes. It consists of hydrogen, hydrogen sulfide, nitrogen, carbon monoxide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 273-563-5 | 68989-88-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-169-00-8 | Gases (petroleum), gas oil diethanolamine scrubber off;<br>Refinery gas;<br>[A complex combination produced by desulfurization of gas oils with diethanolamine. It consists predominantly of hydrogen sulfide, hydrogen and aliphatic hydrocarbons having carbon numbers in the range of $C_1$ through $C_5$.] | 295-397-2 | 92045-15-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-170-00-3 | Gases (petroleum), gas oil hydrodesulfurization effluent;<br>Refinery gas;<br>[A complex combination obtained by separation of the liquid phase from the effluent from the hydrogenation reaction. It consists predominantly of hydrogen, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_3$.] | 295-398-8 | 92045-16-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-171-00-9 | Gases (petroleum), gas oil hydrodesulfurization purge;<br>Refinery gas;<br>[A complex combination of gases obtained from the reformer and from the purges from the hydrogenation reactor. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 295-399-3 | 92045-17-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-172-00-4 | Gases (petroleum), hydrogenator effluent flash drum off;<br>Refinery gas;<br>[A complex combination of gases obtained from flash of the effluents after the hydrogenation reaction. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 295-400-7 | 92045-18-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-173-00-X | Gases (petroleum), naphtha steam cracking high-pressure residual;<br>Refinery gas;<br>[A complex combination obtained as a mixture of the non-condensable portions from the product of a naphtha steam cracking process as well as residual gases obtained during the preparation of subsequent products. It consists predominantly of hydrogen and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$ with which natural gas may also be mixed.] | 295-401-2 | 92045-19-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-174-00-5 | Gases (petroleum), residue visbaking off;<br>Refinery gas;<br>[A complex combination obtained from viscosity reduction of residues in a furnace. It consists predominantly of hydrogen sulfide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 295-402-8 | 92045-20-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-175-00-0 | Foots oil (petroleum), acid-treated;<br>Foots oil;<br>[A complex combination of hydrocarbons obtained by treatment of Foot's oil with sulfuric acid. It consists predominantly of branched-chain hydrocarbons with carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$.] | 300-225-7 | 93924-31-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-176-00-6 | Foots oil (petroleum), clay-treated;<br>Foots oil;<br>[A complex combination of hydrocarbons obtained by treatment of Foot's oil with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of branched chain hydrocarbons with carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$.] | 300-226-2 | 93924-32-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-177-00-1 | Gases (petroleum), $C_{3-4}$;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by distillation of products from the cracking of crude oil. It consists of hydrocarbons having carbon numbers in the range of $C_3$ through $C_4$, predominantly of propane and propylene, and boiling in the range of approximately - 51 °C to - 1 °C (- 60°F to 30°F.)] | 268-629-5 | 68131-75-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-178-00-7 | Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation absorber;<br>Petroleum gas;<br>[The complex combination of hydrocarbons from the distillation of the products from catalytic cracked distillates and catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_1$ through $C_4$.] | 269-617-2 | 68307-98-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-179-00-2 | Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons from the fractionation stabilization products from polymerization of naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_1$ through $C_4$.] | 269-618-8 | 68307-99-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-180-00-8 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer, hydrogen sulfide-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation stabilization of catalytic reformed naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 269-619-3 | 68308-00-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-181-00-3 | Tail gas (petroleum), cracked distillate hydrotreater stripper;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by treating thermal cracked distillates with hydrogen in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 269-620-9 | 68308-01-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-182-00-9 | Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of straight run distillates and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 269-630-3 | 68308-10-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-183-00-4 | Tail gas (petroleum), gas oil catalytic cracking absorber;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the distillation of products from the catalytic cracking of gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 269-623-5 | 68308-03-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-184-00-X | Tail gas (petroleum), gas recovery plant;<br>Petroleum gas;<br>[A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 269-624-0 | 68308-04-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-185-00-5 | Tail gas (petroleum), gas recovery plant deethanizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists of hydrocarbon having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 269-625-6 | 68308-05-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-186-00-0 | Tail gas (petroleum), hydrodesulfurized distillate and hydrodesulfurized naphtha fractionator, acid-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of hydrodesulfurized naphtha and distillate hydrocarbon streams and treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 269-626-1 | 68308-06-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-187-00-6 | Tail gas (petroleum), hydrodesulfurized vacuum gas oil stripper, hydrogen sulfide-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from stripping stabilization of catalytic hydrodesulfurized vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 269-627-7 | 68308-07-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-188-00-1 | Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation stabilization of light straight run naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 269-629-8 | 68308-09-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-189-00-7 | Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the distillation of the reaction products of propane with propylene. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 269-631-9 | 68308-11-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-190-00-2 | Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_6$.] | 269-632-4 | 68308-12-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-191-00-8 | Gases (petroleum), catalytic cracked overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from the catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_5$ and boiling in the range of approximately - 48 °C to 32 °C (-54°F to 90°F).] | 270-071-2 | 68409-99-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-193-00-9 | Alkanes, $C_{1-2}$;<br>Petroleum gas | 270-651-5 | 68475-57-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-194-00-4 | Alkanes, $C_{2-3}$;<br>Petroleum gas | 270-652-0 | 68475-58-1 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-195-00-X | Alkanes, $C_{3-4}$;<br>Petroleum gas | 270-653-6 | 68475-59-2 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-196-00-5 | Alkanes, $C_{4-5}$;<br>Petroleum gas | 270-654-1 | 68475-60-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-197-00-0 | Fuel gases;<br>Petroleum gas;<br>[A combination of light gases. It consists predominantly of hydrogen and/or low molecular weight hydrocarbons.] | 270-667-2 | 68476-26-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-198-00-6 | Fuel gases, crude oil of distillates;<br>Petroleum gas;<br>[A complex combination of light gases produced by distillation of crude oil and by catalytic reforming of naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$ and boiling in the range of approximately - 217 °C to - 12 °C (-423°F to 10°F).] | 270-670-9 | 68476-29-9 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-199-00-1 | Hydrocarbons, $C_{3-4}$;<br>Petroleum gas | 270-681-9 | 68476-40-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-200-00-5 | Hydrocarbons, $C_{4-5}$;<br>Petroleum gas | 270-682-4 | 68476-42-6 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-201-00-0 | Hydrocarbons, $C_{2-4}$, $C_3$-rich;<br>Petroleum gas | 270-689-2 | 68476-49-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-202-00-6 | Petroleum gases, liquefied;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_7$ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).] | 270-704-2 | 68476-85-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | HKSU |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-203-00-1 | Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_7$ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).] | 270-705-8 | 68476-86-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | HKSU |
| 649-204-00-7 | Gases (petroleum), $C_{3-4}$, isobutane-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated hydrocarbons usually ranging in carbon numbers from $C_3$ through $C_6$, predominantly butane and isobutane. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of $C_3$ through $C_4$, predominantly isobutane.] | 270-724-1 | 68477-33-8 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-205-00-2 | Distillates (petroleum), $C_{3-6}$, piperylene-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated aliphatic hydrocarbons usually ranging in the carbon numbers $C_3$ through $C_6$. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of $C_3$ through $C_6$, predominantly piperylenes.] | 270-726-2 | 68477-35-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-206-00-8 | Gases (petroleum), butane splitter overheads; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_4$.] | 270-750-3 | 68477-69-0 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-207-00-3 | Gases (petroleum), $C_{2-}$;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic fractionation process. It contains predominantly ethane, ethylene, propane, and propylene.] | 270-751-9 | 68477-70-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-208-00-9 | Gases (petroleum), catalytic-cracked gas oil depropanizer bottoms, $C_4$-rich acid-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of catalytic cracked gas oil hydrocarbon stream and treated to remove hydrogen sulfide and other acidic components. It consists of hydrocarbons having carbon numbers in the range of $C_3$ through $C_5$, predominantly $C_4$.] | 270-752-4 | 68477-71-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-209-00-4 | Gases (petroleum), catalytic-cracked naphtha debutanizer bottoms, $C_{3-5}$-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_5$.] | 270-754-5 | 68477-72-5 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |
| 649-210-00-X | Tail gas (petroleum), isomerized naphtha fractionation stabilizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization products from isomerized naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_4$.] | 269-628-2 | 68308-08-7 | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340 | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340 | | | H K U |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-211-00-5 | Foots oil (petroleum), carbon-treated;<br>Foots oil;<br>[A complex combination of hydrocarbons obtained by the treatment of Foots oil with activated carbon for the removal of trace constituents and impurities. It consists predominantly of saturated straight chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-126-0 | 97862-76-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-212-00-0 | Distillates (petroleum), sweetened middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{20}$ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-088-7 | 64741-86-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-213-00-6 | Gas oils (petroleum), solvent-refined;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{25}$ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-092-9 | 64741-90-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-214-00-1 | Distillates (petroleum), solvent-refined middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{20}$ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-093-4 | 64741-91-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-215-00-7 | Gas oils (petroleum), acid-treated;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{25}$ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-112-6 | 64742-12-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-216-00-2 | Distillates (petroleum), acid-treated middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{20}$ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).] | 265-113-1 | 64742-13-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-217-00-8 | Distillates (petroleum), acid-treated light;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{9}$ through $C_{16}$ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-114-7 | 64742-14-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-218-00-3 | Gas oils (petroleum), chemically neutralized;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{25}$ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-129-9 | 64742-29-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-219-00-9 | Distillates (petroleum), chemically neutralized middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{20}$ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).] | 265-130-4 | 64742-30-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-220-00-4 | Distillates (petroleum), clay-treated middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{20}$ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-139-3 | 64742-38-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-221-00-X | Distillates (petroleum), hydrotreated middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{25}$ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-148-2 | 64742-46-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-222-00-5 | Gas oils (petroleum), hydrodesulfurized;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{25}$ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-182-8 | 64742-79-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-223-00-0 | Distillates (petroleum), hydrodesulfurized middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{25}$ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-183-3 | 64742-80-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-224-00-6 | Fuels, diesel;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{20}$ and boiling in the range of approximately 163 °C to 357 °C (325°F to 675°F).] | 269-822-7 | 68334-30-5 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | H N |
| 649-225-00-1 | Fuel oil, No 2;<br>Gasoil – unspecified;<br>[A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F) to a maximum of 37,9 SUS at 37,7 °C (100°F).] | 270-671-4 | 68476-30-2 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-226-00-7 | Fuel oil, No 4;<br>Gasoil – unspecified;<br>[A distillate oil having a minimum viscosity of 45 SUS at 37,7 °C (100°F) to a maximum of 125 SUS at 37,7 °C (100°F).] | 270-673-5 | 68476-31-3 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | H |
| 649-227-00-2 | Fuels, diesel, No 2;<br>Gasoil – unspecified;<br>[A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F).] | 270-676-1 | 68476-34-6 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | H |
| 649-228-00-8 | Distillates (petroleum), catalytic reformer fractionator residue, high-boiling;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons from the distillation of catalytic reformer fracftionator residue. It boils in the range of approximately 343 °C to 399 °C (650°F to 750°F).] | 270-719-4 | 68477-29-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-229-00-3 | Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 288 °C to 371 °C (550°F to 700°F).] | 270-721-5 | 68477-30-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-230-00-9 | Distillates (petroleum), catalytic reformer fractionator residue, low-boiling;<br>Gasoil – unspecified;<br>[The complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils approximately below 288 °C (550°F).] | 270-722-0 | 68477-31-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-231-00-4 | Distillates (petroleum), highly refined middle;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained by the subjection of a petroleum fraction to several of the following steps: filtration, centrifugation, atmospheric distillation, vacuum distillation, acidification, neutralization and clay treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{20}$.] | 292-615-8 | 90640-93-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-232-00-X | Distillates (petroleum) catalytic reformer, heavy arom. conc.;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained from the distillation of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{16}$ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).] | 295-294-2 | 91995-34-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-233-00-5 | Gas oils, paraffinic;<br>Gasoil – unspecified;<br>[A distillate obtained from the redistillation of a complex combination of hydrocarbons obtained by the distillation of the effluents from a severe catalytic hydrotreatment of paraffins. It boils in the range of approximately 190 °C to 330 °C (374°F to 594°F).] | 300-227-8 | 93924-33-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-234-00-0 | Naphtha (petroleum), solvent-refined hydrodesulfurized heavy;<br>Gasoil – unspecified | 307-035-3 | 97488-96-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-235-00-6 | Hydrocarbons, $C_{16-20}$, hydrotreated middle distillate, distn. lights;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a middle distillate with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{20}$ and boiling in the range of approximately 290 °C to 350 °C (554°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).] | 307-659-6 | 97675-85-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-236-00-1 | Hydrocarbons, $C_{12-20}$, hydrotreated paraffinic, distn. lights;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of heavy paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{12}$ through $C_{20}$ and boiling in the range of approximately 230 °C to 350 °C (446°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).] | 307-660-1 | 97675-86-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-237-00-7 | Hydrocarbons, $C_{11-17}$, solvent-extd. light naphthenic;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a visciosity of 2.2 cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{17}$ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).] | 307-757-9 | 97722-08-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-238-00-2 | Gas oils, hydrotreated;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained from the redistillation of the effluents from the treatment of paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{17}$ through $C_{27}$ and boiling in the range of approximately 330 °C to 340 °C (626°F to 644°F).] | 308-128-1 | 97862-78-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-239-00-8 | Distillates (petroleum), carbon-treated light paraffinic;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment of a petroleum oil fraction with activated charcoal for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{12}$ through $C_{28}$.] | 309-667-5 | 100683-97-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-240-00-3 | Distillates (petroleum), intermediate paraffinic, carbon-treated;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment of petroleum with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{36}$.] | 309-668-0 | 100683-98-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-241-00-9 | Distillates (petroleum), intermediate paraffinic, clay-treated;<br>Gasoil – unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment of petroleum with bleaching earth for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{36}$.] | 309-669-6 | 100683-99-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-242-00-4 | Alkanes, $C_{12-26}$-branched and linear | 292-454-3 | 90622-53-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-243-00-X | Lubricating greases;<br>Grease;<br>[A complex combination of hydrocarbons having carbon numbers predominantly in the range of $C_{12}$ through $C_{50}$. May contain organic salts of alkali metals, alkaline earth metals, and/or aluminium compounds.] | 278-011-7 | 74869-21-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-244-00-5 | Slack wax (petroleum);<br>Slack wax;<br>[A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{20}$.] | 265-165-5 | 64742-61-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-245-00-0 | Slack wax (petroleum), acid-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained as a raffinate by treatment of a petroleum slack wax fraction with sulfuric acid treating process. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{20}$.] | 292-659-8 | 90669-77-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-246-00-6 | Slack wax (petroleum), clay-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treatment of a petroleum slack wax fraction with natural or modified clay in either a contacting or percolation process. It consists predominantly of saturated straight and branched hydrocarbons having carbon numbers predominantly greater than $C_{20}$.] | 292-660-3 | 90669-78-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-247-00-1 | Slack wax (petroleum), hydrotreated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treating slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{20}$.] | 295-523-6 | 92062-09-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-248-00-7 | Slack wax (petroleum), low-melting;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained from a petroleum fraction by solvent deparaffination. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 295-524-1 | 92062-10-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-249-00-2 | Slack wax (petroleum), low-melting, hydrotreated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treatment of low-melting petroleum slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C12.] | 295-525-7 | 92062-11-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-250-00-8 | Slack wax (petroleum), low-melting, carbon-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by the treatment of low-melting slack wax with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-155-9 | 97863-04-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-251-00-3 | Slack wax (petroleum), low-melting, clay-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with bentonite for removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-156-4 | 97863-05-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-252-00-9 | Slack wax (petroleum), low-melting, silicic acid-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-158-5 | 97863-06-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-253-00-4 | Slack wax (petroleum), carbon-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treatment of petroleum slack wax with activated charcoal for the removal of trace polar constituents and impurities.] | 309-723-9 | 100684-49-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-254-00-X | Petrolatum;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained as a semi-solid from dewaxing paraffinic residual oil. It consists predominantly of saturated crystalline and liquid hydrocarbons having carbon numbers predominantly greater than $C_{25}$.] | 232-373-2 | 8009-03-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-255-00-5 | Petrolatum (petroleum), oxidized;<br>Petrolatum;<br>[A complex combination of organic compounds, predominantly high molecular weight carboxylic acids, obtained by the air oxidation of petrolatum.] | 265-206-7 | 64743-01-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-256-00-0 | Petrolatum (petroleum), alumina-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained when petrolatum is treated with $Al_2O_3$ to remove polar components and impurities. It consists predominantly of saturated, crystalline, and liquid hydrocarbons having carbon numbers predominantly greater than $C_{25}$.] | 285-098-5 | 85029-74-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-257-00-6 | Petrolatum (petroleum), hydrotreated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained as a semi-solid from dewaxed paraffinic residual oil treated with hydrogen in the presence of a catalyst. It consists predominantly of saturated microcrystalline and liquid hydrocarbons having carbon numbers predominantly greater than $C_{20}$.] | 295-459-9 | 92045-77-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-258-00-1 | Petrolatum (petroleum), carbon-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than $C_{20}$.] | 308-149-6 | 97862-97-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-259-00-7 | Petrolatum (petroleum), silicic acid-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than $C_{20}$.] | 308-150-1 | 97862-98-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-260-00-2 | Petrolatum (petroleum), clay-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained by treatment of petrolatum with bleaching earth for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of greater than $C_{25}$.] | 309-706-6 | 100684-33-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H N |
| 649-261-00-8 | Gasoline, natural;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons separated from natural gas by processes such as refrigeration or absorption. It consists predominantly of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_8$ and boiling in the range of approximately minus 20 °C to 120 °C (-4°F to 248°F).] | 232-349-1 | 8006-61-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-262-00-3 | Naphtha;<br>Low boiling point naphtha;<br>[Refined, partly refined, or unrefined petroleum products by the distillation of natural gas. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_6$ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).]] | 232-443-2 | 8030-30-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-263-00-9 | Ligroine;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons obtained by the fractional distillation of petroleum. This fraction boils in a range of approximately 20 °C to 135 °C (58°F to 275°F).] | 232-453-7 | 8032-32-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-264-00-4 | Naphtha (petroleum), heavy straight-run;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{12}$ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-041-0 | 64741-41-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-265-00-X | Naphtha (petroleum), full-range straight-run;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately minus 20 °C to 220 °C (-4°F to 428°F).] | 265-042-6 | 64741-42-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-266-00-5 | Naphtha (petroleum), light straight-run;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced by distillation of crude oil. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{10}$ and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).] | 265-046-8 | 64741-46-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-267-00-0 | Solvent naphtha (petroleum), light aliph.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{10}$ and boiling in the range of approximately 35 °C to 160 °C (95°F to 320°F).] | 265-192-2 | 64742-89-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-268-00-6 | Distillates (petroleum), straight-run light; Low boiling point naphtha; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_7$ and boiling in the range of approximately - 88 °C to 99 °C (-127°F to 210°F).] | 270-077-5 | 68410-05-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-269-00-1 | Gasoline, vapor-recovery; Low boiling point naphtha; [A complex combination of hydrocarbons separated from the gases from vapor recovery systems by cooling. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately - 20 °C to 196 °C (-4°F to 384°F).] | 271-025-4 | 68514-15-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-270-00-7 | Gasoline, straight-run, topping-plant; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the topping plant by the distillation of crude oil. It boils in the range of approximately 36,1 °C to 193,3 °C (97°F to 380°F).] | 271-727-0 | 68606-11-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-271-00-2 | Naphtha (petroleum), unsweetened;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced from the distillation of naphtha streams from various refinery processes. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{12}$ and boiling in the range of approximately 0 °C to 230 °C (25°F to 446°F).] | 272-186-3 | 68783-12-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-272-00-8 | Distillates (petroleum), light straight-run gasoline fractionation stabilizer overheads;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_6$.] | 272-931-2 | 68921-08-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-273-00-3 | Naphtha (petroleum), heavy straight run, arom.-contg.;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons obtained from a distillation process of crude petroleum. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_8$ through $C_{12}$ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).] | 309-945-6 | 101631-20-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-274-00-9 | Naphtha (petroleum), full-range alkylate;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from $C_3$ through $C_5$. It consist of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).] | 265-066-7 | 64741-64-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-275-00-4 | Naphtha (petroleum), heavy alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from $C_3$ to $C_5$. It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{12}$ and boiling in the range of approximately 150 °C to 220 °C (302°F to 428°F).] | 265-067-2 | 64741-65-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-276-00-X | Naphtha (petroleum), light alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from $C_3$ through $C_5$. It consists of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of $C_7$ through $C_{10}$ and boiling in the range of aproximately 90 °C to 160 °C (194°F to 320°F).] | 265-068-8 | 64741-66-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-277-00-5 | Naphtha (petroleum), isomerization; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained from catalytic isomerization of straight chain paraffinic $C_4$ through $C_6$ hydrocarbons. It consists predominantly of saturated hydrocarbons such as isobutane, isopentane, 2,2-dimethylbutane, 2-methylpentane, and 3-methylpentane.] | 265-073-5 | 64741-70-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-278-00-0 | Naphtha (petroleum), solvent-refined light; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{11}$ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).] | 265-086-6 | 64741-84-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-279-00-6 | Naphtha (petroleum), solvent-refined heavy; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-095-5 | 64741-92-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-280-00-1 | Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from the UDEX extraction process on the catalytic reformer stream. It consists of saturated hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_9$.] | 270-088-5 | 68410-71-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-281-00-7 | Raffinates (petroleum), reformer, Lurgi unit-sepd.; Low boiling point modified naphtha; [The complex combination of hydrocarbons obtained as a raffinate from a Lurgi separation unit. It consists predominantly of non-aromatic hydrocarbons with various small amounts of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_8$.] | 270-349-3 | 68425-35-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-282-00-2 | Naphtha (petroleum), full-range alkylate, butane-contg.;<br>Low boiling point modified naphta;<br>[A complex combination of hydrocarbons produced by the distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from $C_3$ through $C_5$. It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ with some butanes and boiling in the range of approximately 35 °C to 200 °C (95°F to 428°F).] | 271-267-0 | 68527-27-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-283-00-8 | Distillates (petroleum), naphtha steam cracking-derived, solvent-refined light hydrotreated;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained as the raffinates from a solvent extraction process of hydrotreated light distillate from steam-cracked naphtha.] | 295-315-5 | 91995-53-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-284-00-3 | Naphtha (petroleum), $C_{4-12}$ butane-alkylate, isooctane-rich;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained by alkylation of butanes. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{12}$, rich in isooctane, and boiling in the range of approximately 35 °C to 210 °C (95°F to 410°F).] | 295-430-0 | 92045-49-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-285-00-9 | Hydrocarbons, hydrotreated light naphtha distillates, solvent-refined;<br>Low boiling point modified naphtha;<br>[A combination of hydrocarbons obtained from the distillation of hydrotreated naphtha followed by a solvent extraction and distillation process. It consists predominantly of saturated hydrocarbons boiling in the range of approximately 94 °C to 99 °C (201°F to 210°F).] | 295-436-3 | 92045-55-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-286-00-4 | Naphtha (petroleum), isomerization, $C_6$-fraction;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained by distillation of a gasoline which has been catalytically isomerized. It consists predominantly of hexane isomers boiling in the range of approximately 60 °C to 66 °C (140°F to 151°F).] | 295-440-5 | 92045-58-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-287-00-X | Hydrocarbons, $C_{6-7}$, naphtha-cracking, solvent-refined;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained by the sorption of benzene from a catalytically fully hydrogenated benzene-rich hydrocarbon cut that was distillatively obtained from prehydrogenated cracked naphtha. It consists predominantly of paraffinic and naphthenic hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_7$ and boiling in the range of approximately 70 °C to 100 °C (158°F to 212°F).] | 295-446-8 | 92045-64-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-288-00-5 | Hydrocarbons, $C_6$-rich, hydrotreated light naphtha distillates, solvent-refined;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained by distillation of hydrotreated naphtha followed by solvent extraction. It consists predominantly of saturated hydrocarbons and boiling in the range of approximately 65 °C to 70 °C (149°F to 158°F).] | 309-871-4 | 101316-67-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-289-00-0 | Naphtha (petroleum), heavy catalytic cracked;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by a distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{12}$ and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F). It contains a relatively large proportion of unsaturated hydrocarbons.] | 265-055-7 | 64741-54-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-290-00-6 | Naphtha (petroleum), light catalytic cracked;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). It contains a relatively large proportion of unsaturated hydrocarbons.] | 265-056-2 | 64741-55-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-291-00-1 | Hydrocarbons, $C_{3-11}$, catalytic cracker distillates;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillations of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_{11}$ and boiling in a range approximately up to 204 °C (400°F).] | 270-686-6 | 68476-46-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-292-00-7 | Naphtha (petroleum), catalytic cracked light distd.;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_1$ through $C_5$.] | 272-185-8 | 68783-09-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-293-00-2 | Distillates (petroleum), naphtha steam cracking-derived, hydrotreated light arom.;<br>Low boiling point cat-cracked naphtha.;<br>[A complex combination of hydrocarbons obtained by treating a light distillate from steam-cracked naphtha. It consists predominantly of aromatic hydrocarbons.] | 295-311-3 | 91995-50-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-294-00-8 | Naphtha (petroleum), heavy catalytic cracked, sweetened;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons obtained by subjecting a catalytic cracked petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{12}$ and boiling in the range of approximately 60 °C to 200 °C (140°F to 392°F).] | 295-431-6 | 92045-50-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-295-00-3 | Naphtha (petroleum), light catalytic cracked sweetened;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons obtained by subjecting naphtha from a catalytic cracking process to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons boiling in a range of approxim-ately 35 °C to 210 °C (95°F to 410°F).] | 295-441-0 | 92045-59-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-296-00-9 | Hydrocarbons, $C_{8-12}$, catalytic-cracking, chem. neutralized;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of a cut from the catalytic cracking process, having undergone an alkaline washing. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_8$ through $C_{12}$ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).] | 295-794-0 | 92128-94-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-297-00-4 | Hydrocarbons, $C_{8-12}$, catalytic cracker distillates;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons obtained by distillation of products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_{12}$ and boiling in the range of approximately 140 °C to 210 °C (284°F to 410°F).] | 309-974-4 | 101794-97-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-298-00-X | Hydrocarbons, $C_{8-12}$, catalytic cracking, chem. neutralized, sweetened;<br>Low boiling point cat-cracked naphtha | 309-987-5 | 101896-28-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-299-00-5 | Naphtha (petroleum), light catalytic reformed;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{11}$ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol. % or more benzene.]] | 265-065-1 | 64741-63-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-300-00-9 | Naphtha (petroleum), heavy catalytic reformed;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-070-9 | 64741-68-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-301-00-4 | Distillates (petroleum), catalytic reformed depentanizer;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons from the distillation of products from a catalytic reforming process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_6$ and boiling in the range of approximately - 49 °C to 63 °C - 57°F to 145°F).] | 270-660-4 | 68475-79-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-302-00-X | Hydrocarbons, $C_{2-6}$, $C_{6-8}$ catalytic reformer;<br>Low boiling point cat-reformed naphtha | 270-687-1 | 68476-47-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-303-00-5 | Residues (petroleum), $C_{6-8}$ catalytic reformer; Low boiling point cat-reformed naphtha'; [A complex residuum from the catalytic reforming of $C_{6-8}$ feed. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_6$.] | 270-794-3 | 68478-15-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-304-00-0 | Naphtha (petroleum), light catalytic reformed, arom.-free; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained from distillation of products from a catalytic reforming process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_8$ and boiling in the range of approximately 35 °C to 120 °C (95°F to 248°F). It contains a relatively large proportion of branched chain hydrocarbons with the aromatic components removed.] | 270-993-5 | 68513-03-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-305-00-6 | Distillates (petroleum), catalytic reformed straight-run naphtha overheads; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha followed by the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_6$.] | 271-008-1 | 68513-63-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-306-00-1 | Petroleum products, hydrofiner-powerformer reformates; Low boiling point cat-reformed naphtha; [The complex combination of hydrocarbons obtained in a hydrofiner-powerformer process and boiling in a range of approximately 27 °C to 210 °C (80°F to 410°F).] | 271-058-4 | 68514-79-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-307-00-7 | Naphtha (petroleum, full-range reformed); Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{12}$ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).] | 272-895-8 | 68919-37-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-308-00-2 | Naphtha (petroleum), catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{12}$ and boiling in the range of approximately 30 °C to 220 °C (90°F to 430°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol.% or more benzene.] | 273-271-8 | 68955-35-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-309-00-8 | Distillates (petroleum), catalytic reformed hydrotreated light, $C_{8-12}$ arom. fraction; Low boiling point cat-reformed naphtha; [A complex combination of alkylbenzenes obtained by the catalytic reforming of petroleum naphtha. It consists predominantly of alkylbenzenes having carbon numbers predominantly in the range of $C_8$ through $C_{10}$ and boiling in the range of approximately 160 °C to 180 °C (320°F to 356°F).] | 285-509-8 | 85116-58-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-310-00-3 | Aromatic hydrocarbons, $C_8$, catalytic reforming-derived; Low boiling point cat-reformed naphtha | 295-279-0 | 91995-18-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-311-00-9 | Aromatic hydrocarbons, $C_{7-12}$, $C_8$-rich; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ (primarily $C_8$) and can contain nonaromatic hydrocarbons, both boiling in the range of approximately 130 °C to 200 °C (266°F to 392°F).] | 297-401-8 | 93571-75-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-312-00-4 | Gasoline, $C_{5-11}$, high-octane stabilized reformed; Low boiling point cat-reformed naphtha; [A complex high octane combination of hydrocarbons obtained by the catalytic dehydrogenation of a predominantly naphthenic naphtha. It consists predominantly of aromatics and non-aromatics having carbon numbers predominantly in the range of $C_5$ through $C_{11}$ and boiling in the range of approximately 45 °C to 185 °C (113°F to 365°F).] | 297-458-9 | 93572-29-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-313-00-X | Hydrocarbons, $C_{7-12}$, $C_{>9}$-arom.-rich, reforming heavy fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 120 °C to 210 °C (248°F to 380°F) and $C_9$ and higher aromatic hydrocarbons.] | 297-465-7 | 93572-35-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-314-00-5 | Hydrocarbons, $C_{5-11}$, nonaroms.-rich, reforming light fraction;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of $C_5$ to $C_{11}$ and boiling in the range of approximately 35 °C to 125 °C (94°F to 257°F), benzene and toluene.] | 297-466-2 | 93572-36-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-315-00-0 | Foots oil (petroleum), silicic acid-treated;<br>Foots oil;<br>[A complex combination of hydrocarbons obtained by the treatment of Foots oil with silicic acid for removal of trace constituents and impurities. It consists predominantly of straight chain hydrocarbons having carbon numbers predominantly greater than $C_{12}$.] | 308-127-6 | 97862-77-6 | Carc. 1B | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H L |
| 649-316-00-6 | Naphtha (petroleum), light thermal cracked;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons from distillation of products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_8$ and boiling in the range of approximately minus 10 °C to 130 °C (14°F to 266°F).] | 265-075-6 | 64741-74-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-317-00-1 | Naphtha (petroleum), heavy thermal cracked;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons from distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{12}$ and boiling in the range of approximately 65 °C to 220 °C (148°F to 428°F).] | 265-085-0 | 64741-83-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-318-00-7 | Distillates (petroleum), heavy arom.;<br>Low boiling point thermally cracked naphtha;<br>[The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This higher boiling fraction consists predominantly of $C_5$-$C_7$ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having carbon number predominantly of $C_5$. This stream may contain benzene.] | 267-563-4 | 67891-79-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-319-00-2 | Distillates (petroleum), light arom.;<br>Low boiling point thermally cracked naphtha;<br>[The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This lower boiling fraction consists predominantly of $C_5$-$C_7$ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having a carbon number predominantly of $C_5$. This stream may contain benzene.] | 267-565-5 | 67891-80-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-320-00-8 | Distillates (petroleum), naphtha-raffinate pyrolyzate-derived, gasoline-blending;<br>Low boiling point thermally cracked naphtha;<br>[The complex combination of hydrocarbons obtained by the pyrolysis fractionation at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of hydrocarbons having a carbon number of $C_9$ and boiling at approximately 204 °C (400°F).] | 270-344-6 | 68425-29-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-321-00-3 | Aromatic hydrocarbons, $C_{6-8}$, naphtha-raffinate pyrolyzate-derived;<br>Low boiling point thermally cracked naphtha;<br>A complex combination of hydrocarbons obtained by the fractionation pyrolysis at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_8$, including benzene.] | 270-658-3 | 68475-70-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-322-00-9 | Distillates (petroleum), thermal cracked naphtha and gas oil;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons produced by distillation of thermally cracked naphtha and/or gas oil. It consists predominantly of olefinic hydrocarbons having a carbon number of $C_5$ and boiling in the range of approximately 33 °C to 60 °C (91°F to 140°F).] | 271-631-9 | 68603-00-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-323-00-4 | Distillates (petroleum), thermal cracked naphtha and gas oil, $C_5$-dimer-contg.;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists predominantly of hydrocarbons having a carbon number of $C_5$ with some dimerized $C_5$ olefins and boiling in the range of approximately 33 °C to 184 °C (91°F to 363°F).] | 271-632-4 | 68603-01-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-324-00-X | Distillates (petroleum), thermal cracked naphtha and gas oil, extractive;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists of paraffinic and olefinic hydrocarbons, predominantly isoamylenes such as 2-methyl-1-butene and 2-methyl-2-butene and boiling in the range of approximately 31 °C to 40 °C (88°F to 104°F).] | 271-634-5 | 68603-03-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-325-00-5 | Distillates (petroleum), light thermal cracked, debutanized arom.;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists predominantly of aromatic hydrocarbons, primarily benzene.] | 273-266-0 | 68955-29-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-326-00-0 | Naphtha (petroleum), light thermal cracked, sweetened;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate from the high temperature thermal cracking of heavy oil fractions to a sweetening process to convert mercaptans. It consists predominantly of aromatics, olefins and saturated hydrocarbons boiling in the range of approximately 20 °C to 100 °C (68°F to 212°F).] | 295-447-3 | 92045-65-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-327-00-6 | Naphtha (petroleum), hydrotreated heavy;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{13}$ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-150-3 | 64742-48-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-328-00-1 | Naphtha (petroleum), hydrotreated light;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-151-9 | 64742-49-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-329-00-7 | Naphtha (petroleum), hydrodesulfurized light;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-178-6 | 64742-73-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-330-00-2 | Naphtha (petroleum), hydrodesulfurized heavy;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-185-4 | 64742-82-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-331-00-8 | Distillates (petroleum), hydrotreated middle, intermediate boiling;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by the distillation of products from a middle distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{10}$ and boiling in the range of approximately 127 °C to 188 °C (262°F to 370°F).] | 270-092-7 | 68410-96-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-332-00-3 | Distillates (petroleum), light distillate hydrotreating process, low-boiling;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by the distillation of products from the light distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_9$ and boiling in the range of approximately 3 °C to 194 °C (37°F to 382°F).] | 270-093-2 | 68410-97-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-333-00-9 | Distillates (petroleum), hydrotreated heavy naphtha, deisohexanizer overheads;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by distillation of the products from a heavy naphtha hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_6$ and boiling in the range of approximately - 49 °C to 68 °C (-57°F to 155°F).] | 270-094-8 | 68410-98-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-334-00-4 | Solvent naphtha (petroleum), light arom., hydrotreated;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_{10}$ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).] | 270-988-8 | 68512-78-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-335-00-X | Naphtha (petroleum), hydrodesulfurized thermal cracked light;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by fractionation of hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_5$ to $C_{11}$ and boiling in the range of approximately 23 °C to 195 °C (73°F to 383°F).] | 285-511-9 | 85116-60-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-336-00-5 | Naphtha (petroleum), hydrotreated light, cycloalkane-contg.;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained from the distillation of a petroleum fraction. It consists predominantly of alkanes and cycloalkanes boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 285-512-4 | 85116-61-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-337-00-0 | Naphtha (petroleum), heavy steam-cracked, hydrogenated;<br>Low boiling point hydrogen treated naphtha | 295-432-1 | 92045-51-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-338-00-6 | Naphtha (petroleum), hydrodesulfurized full-range;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately 30 °C to 250 °C (86°F to 482°F).] | 295-433-7 | 92045-52-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-339-00-1 | Naphtha (petroleum), hydrotreated light steam-cracked;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction, derived from a pyrolysis process, with hydrogen in the presence of a catalyst. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{11}$ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).] | 295-438-4 | 92045-57-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-340-00-7 | Hydrocarbons, $C_{4-12}$, naphtha-cracking, hydrotreated;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by distillation from the product of a naphtha steam cracking process and subsequent catalytic selective hydrogenation of gum formers. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{12}$ and boiling in the range of approximately 30 °C to 230 °C (86°F to 446°F).] | 295-443-1 | 92045-61-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-341-00-2 | Solvent naphtha (petroleum), hydrotreated light naphthenic;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of cycloparaffinic hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_7$ and boiling in the range of approximately 73 °C to 85 °C (163°F to 185°F).] | 295-529-9 | 92062-15-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-342-00-8 | Naphtha (petroleum), light steam-cracked, hydrogenated;<br>Low boiling point hydrogen treated naphtha;<br>[A complex comination of hydrocarbons produced from the separation and subsequent hydrogenation of the products of a steam-cracking process to produce ethylene. It consists predominantly of saturated and unsaturated paraffins, cyclic paraffins and cyclic aromatic hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{10}$ and boiling in the range of approximately 50 °C to 200 °C (122°F to 392°F). The proportion of benzene hydrocarbons may vary up to 30 wt. % and the stream may also contain small amounts of sulphur and oxygenated compounds.] | 296-942-7 | 93165-55-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-343-00-3 | Hydrocarbons, $C_{6-11}$, hydrotreated, dearomatized;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-852-0 | 93763-33-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-344-00-9 | Hydrocarbons, $C_{9-12}$, hydrotreated, dearomatized;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-853-6 | 93763-34-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-345-00-4 | Stoddard solvent;<br>Low boiling point naphtha – unspecified;<br>[A colourless, refined petroleum distillate that is free from rancid or objectionable odors and that boils in a range of approximately 300°F to 400°F.] | 232-489-3 | 8052-41-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-346-00-X | Natural gas condensates (petroleum);<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons separated as a liquid from natural gas in a surface separator by retrograde condensation. It consists mainly of hydrocarbons having carbon numbers predominantly in the range of $C_2$ to $C_{20}$. It is a liquid at atmospheric temperature and pressure.] | 265-047-3 | 64741-47-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-347-00-5 | Natural gas (petroleum), raw liq. mix;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons separated as a liquid from natural gas in a gas recycling plant by processes such as refrigeration or absorption. It consists mainly of saturated aliphatic hydrocarbons having carbon numbers in the range of $C_2$ through $C_8$.] | 265-048-9 | 64741-48-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-348-00-0 | Naphtha (petroleum), light hydrocracked;<br>Low boiling naphtha – unspecified;<br>[A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{10}$, and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).] | 265-071-4 | 64741-69-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-349-00-6 | Naphtha (petroleum), heavy hydrocracked; Low boiling point naphtha – unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{12}$, and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F).] | 265-079-8 | 64741-78-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-350-00-1 | Naphtha (petroleum), sweetened; Low boiling point naphtha – unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{12}$ and boiling in the range of approximately minus 10 °C to 230 °C (14°F to 446°F).] | 265-089-2 | 64741-87-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-351-00-7 | Naphtha (petroleum), acid-treated; Low boiling point naphtha – unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-115-2 | 64742-15-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-352-00-2 | Naphtha (petroleum), chemically neutralized heavy; Low boiling point naphtha – unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{12}$ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-122-0 | 64742-22-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-353-00-8 | Naphtha (petroleum), chemically neutralized light;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-123-6 | 64742-23-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-354-00-3 | Naphtha (petroleum), catalytic dewaxed;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained from the catalytic dewaxing of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{12}$ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).] | 265-170-2 | 64742-66-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-355-00-9 | Naphtha (petroleum), light steam-cracked;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). This stream is likely to contain 10 vol.% or more benzene.] | 265-187-5 | 64742-83-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-356-00-4 | Solvent naphtha (petroleum), light arom.;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_{10}$ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).] | 265-199-0 | 64742-95-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-357-00-X | Aromatic hydrocarbons, $C_{6-10}$, acid-treated, neutralized;<br>Low boiling point naphtha – unspecified | 268-618-5 | 68131-49-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-358-00-5 | Distillates (petroleum), $C_{3-5}$, 2-methyl-2-butene-rich;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons from the distillation of hydrocarbons usually ranging in carbon numbers from $C_3$ through $C_5$, predominantly isopentane and 3-methyl-1-butene. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of $C_3$ through $C_5$, predominantly 2-methyl-2-butene.] | 270-725-7 | 68477-34-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-359-00-0 | Distillates (petroleum), polymd. steam-cracked petroleum distillates, $C_{5-12}$ fraction;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained from the distillation of polymerized steam-cracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{12}$.]] | 270-735-1 | 68477-50-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-360-00-6 | Distillates (petroleum), steam-cracked, $C_{5-12}$ fraction;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_{12}$.] | 270-736-7 | 68477-53-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-361-00-1 | Distillates (petroleum), steam-cracked, $C_{5-10}$ fraction, mixed with light steam-cracked petroleum naphtha $C_5$ fraction;<br>Low boiling point naphtha – unspecified | 270-738-8 | 68477-55-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-362-00-7 | Extracts (petroleum), cold-acid, $C_{4-6}$;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of organic compounds produced by cold acid unit extraction of saturated and unsaturated aliphatic hydrocarbons usually ranging in carbon numbers from $C_3$ through $C_6$, predominantly pentanes and amylenes. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers in the range of $C_4$ through $C_6$, predominantly $C_5$.] | 270-741-4 | 68477-61-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-363-00-2 | Distillates (petroleum), dependanizer overheads;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained from a catalytic cracked gas stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_6$.] | 270-771-8 | 68477-89-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-364-00-8 | Residues (petroleum), butane splitter bottoms;<br>Low boiling point naphtha – unspecified;<br>[A complex residuum from the distillation of butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_4$through $C_6$.] | 270-791-7 | 68478-12-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-365-00-3 | Residual oils (petroleum), deisobutanizer tower;<br>Low boiling point naphtha – unspecified;<br>[A complex residuum from the atmospheric distillation of the butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_6$.] | 270-795-9 | 68478-16-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-366-00-9 | Naphtha (petroleum), full-range coker;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons produced by the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{15}$ and boiling in the range of approximately 43 °C to 250 °C (110°F to 500°F).] | 270-991-4 | 68513-02-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-367-00-4 | Naphtha (petroleum), steam-cracked middle arom.;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons produced by the distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 130 °C to 220 °C (266°F to 428°F).]] | 271-138-9 | 68516-20-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-368-00-X | Naphtha (petroleum), clay-treated full-range straight-run;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of full-range straight-run naphtha with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{11}$ and boiling in the range of approximately - 20 °C to 220 °C (-4°F to 429°F).] | 271-262-3 | 68527-21-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-369-00-5 | Naphtha (petroleum), clay-treated light straight-run;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of light straight-run naphtha with a natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities, present. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{10}$ and boiling in the range of approximately 93 °C to 180 °C (200°F to 356°F.] | 271-263-9 | 68527-22-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-370-00-0 | Naphtha (petroleum), light steam-cracked arom.;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_9$ and boiling in the range of approximately 110 °C to 165 °C (230°F to 329°F).] | 271-264-4 | 68527-23-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-371-00-6 | Naphtha (petroleum), light steam-cracked, debenzenized;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_{12}$ and boiling in the range of approximately 80 °C to 218 °C (176°F to 424°F).] | 271-266-5 | 68527-26-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-372-00-1 | Naphtha (petroleum), arom.-contg.;<br>Low boiling point naphtha – unspecified | 271-635-0 | 68603-08-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-373-00-7 | Gasoline, pyrolysis, debutanizer bottoms;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists of hydrocarbons having carbon numbers predominantly greater than $C_5$.] | 271-726-5 | 68606-10-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-374-00-2 | Naphtha (petroleum), light, sweetened;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_3$ through $C_6$ and boiling in the range of approximately - 20 °C to 100 °C (-4°F to 212°F).] | 272-206-0 | 68783-66-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-375-00-8 | Natural gas condensates;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons separated and/or condensed from natural gas during transportation and collected at the wellhead and/or from the production, gathering, transmission, and distribution pipelines in deeps, scrubbers, etc. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_8$.] | 272-896-3 | 68919-39-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H J |
| 649-376-00-3 | Distillates (petroleum), naphtha unifiner stripper;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons produced by stripping the products from the naphtha unifiner. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of $C_2$ through $C_6$.] | 272-932-8 | 68921-09-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-377-00-9 | Naphtha (petroleum), catalytic reformed light, arom.-free fraction;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons remaining after removal of aromatic compounds from catalytic reformed light naphtha in a selective absorption process. It consists predominantly of paraffinic and cyclic compounds having carbon numbers predominantly in the range of $C_5$ to $C_8$ and boiling in the range of approximately 66 °C to 121 °C (151°F to 250°F).] | 285-510-3 | 85116-59-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-378-00-4 | Gasoline;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons consisting primarily of paraffins, cycloparaffins, aromatic and olefinic hydrocarbons having carbon numbers predominantly greater than $C_3$ and boiling in the range of 30 °C to 260 °C (86°F to 500°F).] | 289-220-8 | 86290-81-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-379-00-X | Aromatic hydrocarbons, $C_{7-8}$, dealkylation products, distn. residues;<br>Low boiling point naphtha – unspecified | 292-698-0 | 90989-42-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-380-00-5 | Hydrocarbons, $C_{4-6}$, dependanizer lights, arom. hydrotreater;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the dependanizer column before hydrotreatment of the aromatic charges. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_6$, predominantly pentanes and pentenes, and boiling in the range of approximately 25 °C to 40 °C (77°F to 104°F).] | 295-298-4 | 91995-38-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-381-00-0 | Distillates (petroleum), heat-soaked steam-cracked naphtha, $C_5$-rich;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of heat-soaked steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_4$ through $C_6$, predominantly $C_5$.] | 295-302-4 | 91995-41-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-382-00-6 | Extracts (petroleum), catalytic reformed light naphtha solvent;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained as the extract from the solvent extraction of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_8$ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).] | 295-331-2 | 91995-68-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-383-00-1 | Naphtha (petroleum), hydrodesulfurized light, dearomatized;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of hydrodesulfurized and dearomatized light petroleum fractions. It consists predominantly of $C_7$ paraffins and cycloparaffins boiling in a range of approximately 90 °C to 100 °C (194°F to 212°F).] | 295-434-2 | 92045-53-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-384-00-7 | Naphtha (petroleum), light, $C_5$-rich, sweetened;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_4$ through $C_5$, predominantly $C_5$, and boiling in the range of approximately minus 10 °C to 35 °C (14°F to 95°F).] | 295-442-6 | 92045-60-8 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-385-00-2 | Hydrocarbons, $C_{8-11}$, naphtha-cracking, toluene cut;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by distillation from prehydrogenated cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_{11}$ and boiling in the range of approximately 130 °C to 205 °C (266°F to 401°F).] | 295-444-7 | 92045-62-0 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-386-00-8 | Hydrocarbons, $C_{4-11}$, naphtha-cracking, arom.-free;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained from prehydrogenated cracked naphtha after distillative separation of benzene- and toluene-containing hydrocarbon cuts and a higher boiling fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range $C_4$ through $C_{11}$ and boiling in the range of approximately 30 °C to 205 °C (86°F to 401°F).] | 295-445-2 | 92045-63-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-387-00-3 | Naphtha (petroleum), light heat-soaked, steam-cracked;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by the fractionation of steam cracked naphtha after recovery from a heat soaking process. It consists predominantly of hydrocarbons having a carbon numbers predominantly in the range of $C_4$ through $C_6$ and boiling in the range of approximately 0 °C to 80 °C (32°F to 176°F.] | 296-028-8 | 92201-97-3 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-388-00-9 | Distillates (petroleum), $C_6$-rich;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained from the distillation of a petroleum feedstock. It consists predominantly of hydrocarbons having carbon numbers of $C_5$ through $C_7$, rich in $C_6$, and boiling in the range of approximately 60 °C to 70 °C (140°F to 158°F).] | 296-903-4 | 93165-19-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-389-00-4 | Gasoline, pyrolysis, hydrogenated;<br>Low boiling point naphtha-unspecified;<br>[A distillation fraction from the hydrogenation of pyrolysis gasoline boiling in the range of approximately 20 °C to 200 °C (68°F to 392°F).] | 302-639-3 | 94114-03-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-390-00-X | Distillates (petroleum), steam-cracked, $C_{8-12}$ fraction, polymd., distn. lights;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of the polymerized $C_8$ through $C_{12}$ fraction from steam-cracked petroleum distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_{12}$.] | 305-750-5 | 95009-23-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-391-00-5 | Extracts (petroleum) heavy naphtha solvent, clay-treated;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment of heavy naphthic solvent petroleum extract with bleaching earth. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{18}$ and boiling in the range of approximately 80 °C to 180 °C (175°F to 356°F).] | 308-261-5 | 97926-43-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-392-00-0 | Naphtha (petroleum), light steam-cracked, debenzenized, thermally treated;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment and distillation of debenzenized light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 95 °C to 200 °C (203°F to 392°F).] | 308-713-1 | 98219-46-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-393-00-6 | Naphtha (petroleum), light steam-cracked, thermally treated;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment and distillation of light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_6$ and boiling in the range of approximately 35 °C to 80 °C (95°F to 176°F).] | 308-714-7 | 98219-47-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-394-00-1 | Distillates (petroleum), $C_{7-9}$, $C_8$-rich, hydrodesulfurized dearomatized;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by the distillation of petroleum light fraction, hydrodesulfurized and dearomatized. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_7$ through $C_9$, predominantly $C_8$ paraffins and cycloparaffins, boiling in the range of approximately 120 °C to 130 °C (248°F to 266°F).] | 309-862-5 | 101316-56-7 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-395-00-7 | Hydrocarbons, $C_{6-8}$, hydrogenated sorption-dearomatized, toluene raffination;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained during the sorptions of toluene from a hydrocarbon fraction from cracked gasoline treated with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_8$ and boiling in the range of approximately 80 °C to 135 °C (176°F to 275°F).] | 309-870-9 | 101316-66-9 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-396-00-2 | Naphtha (petroleum), hydrodesulfurized full-range coker;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_5$ to $C_{11}$ and boiling in the range of approximately 23 °C to 196 °C (73°F to 385°F).] | 309-879-8 | 101316-76-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-397-00-8 | Naphtha (petroleum), sweetened light;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_5$ through $C_8$ and boiling in the range of approximately 20 °C to 130 °C (68°F to 266°F).] | 309-976-5 | 101795-01-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-398-00-3 | Hydrocarbons, $C_{3-6}$, $C_5$-rich, steam-cracked naphtha;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of $C_3$ through $C_6$, predominantly $C_5$.] | 310-012-0 | 102110-14-5 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-399-00-9 | Hydrocarbons, $C_5$-rich, dicyclopentadiene-contg.;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of the products from a stream-cracking process. It consists predominantly of hydrocarbons having carbon numbers of $C_5$ and dicyclopentadiene and boiling in the range of approximately 30 °C to 170 °C (86°F to 338°F).] | 310-013-6 | 102110-15-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-400-00-2 | Residues (petroleum), steam-cracked light, arom.;<br>Low boiling point naphtha – unspecified;<br>[A complex combination of hydrocarbons obtained by the distillation of the products of steam cracking or similar processes after taking off the very light products resulting in a residue starting with hydrocarbons having carbon numbers greater than $C_5$. It consists predominantly of aromatic hydrocarbons having carbon numbers greater than $C_5$ and boiling above approximately 40 °C (104°F).] | 310-057-6 | 102110-55-4 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-401-00-8 | Hydrocarbons, C ≥ 5, $C_{5-6}$-rich;<br>Low boiling point naphtha – unspecified | 270-690-8 | 68476-50-6 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-402-00-3 | Hydrocarbons, $C_5$-rich;<br>Low boiling point naphtha – unspecified | 270-695-5 | 68476-55-1 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-403-00-9 | Aromatic hydrocarbons, $C_{8-10}$;<br>Low boiling point naphtha – unspecified | 292-695-4 | 90989-39-2 | Carc. 1B<br>Asp. Tox. 1 | H350<br>H304 | GHS08<br>Dgr | H350<br>H304 | | | H P |
| 649-404-00-4 | Kerosine (petroleum);<br>Straight run kerosine;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{16}$ and boiling in the range of approximately 150 °C to 290 °C (320°F to 554°F).] | 232-366-4 | 8008-20-6 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-405-00-X | Solvent naphtha (petroleum), medium aliph.;<br>Straight run kerosine;<br>[A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{12}$ and boiling in the range of approximately 140 °C to 220 °C (284°F to 428°F).] | 265-191-7 | 64742-88-7 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-406-00-5 | Solvent naphtha (petroleum) heavy aliph.;<br>Straight run kerosine;<br>[A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{16}$ and boiling in the range of approximately 190 °C to 290 °C (374°F to 554°F).] | 265-200-4 | 64742-96-7 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-407-00-0 | Kerosine (petroleum), straight-run wide-cut;<br>Straight run kerosine;<br>[A complex combination of hydrocarbons obtained as a wide cut hydrocarbon fuel cut from atmospheric distillation and boiling in the range of approximately 70 °C to 220 °C (158°F to 428°F).] | 295-418-5 | 92045-37-9 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-408-00-6 | Distillates (petroleum), steam-cracked;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{16}$ and boiling in the range of approximately 90 °C to 290 °C (190°F to 554°F).] | 265-194-3 | 64742-91-2 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-409-00-1 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, $C_{8-10}$ fraction;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists of hydro-carbons having carbon numbers in the range of $C_8$ through $C_{10}$ and boiling in the range of approximately 129 °C to 194 °C (264°F to 382°F).] | 270-728-3 | 68477-39-4 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-410-00-7 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, $C_{10-12}$ fraction;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of $C_{10}$ through $C_{12}$.] | 270-729-9 | 68477-40-7 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-411-00-2 | Distillates (petroleum), steam-cracked, $C_{8-12}$ fraction;<br>Cracked kerosine;<br>[A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_{12}$.] | 270-737-2 | 68477-54-3 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-412-00-8 | Kerosine (petroleum), hydrodesulfurized thermal cracked;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons predominantly in the range of $C_8$ to $C_{16}$ and boiling in the range of approximately 120 °C to 283 °C (284°F to 541°F).] | 285-507-7 | 85116-55-8 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-413-00-3 | Aromtic hydrocarbons, $C_{\geq 10}$, steam-cracking, hydrotreated;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly greater than $C_{10}$ and boiling in the range of approximately 150 °C to 320 °C (302°F to 608°F).] | 292-621-0 | 90640-98-5 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-414-00-9 | Naphtha (petroleum), steam-cracked, hydrotreated, $C_{9-10}$-arom.-rich;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process thereafter treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of $C_9$ through $C_{10}$ and boiling in the range of approximately 140 °C to 200 °C (284°F to 392°F).] | 292-637-8 | 90641-13-7 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-415-00-4 | Distillates (petroleum), thermal-cracked, alkylarom. hydrocarbon-rich;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distillation of thermal-cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F.] | 309-866-7 | 101316-61-4 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-416-00-X | Distillates (petroleum), catalytic cracked heavy tar light;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distillation of catalytic cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-938-8 | 101631-13-4 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-417-00-5 | Solvent naphtha (petroleum), hydrocracked heavy arom.;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by the distillation of hydrocracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{16}$ and boiling in the range of approximately 235 °C to 290 °C (455°F to 554°F).] | 309-881-9 | 101316-80-7 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-418-00-0 | Distillates (petroleum), steam-cracked heavy tar light;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distillation of steam cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-940-9 | 101631-15-6 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-419-00-6 | Distillates (petroleum), alkylate;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from $C_3$ through $C_5$. It consists of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{17}$ and boiling in the range of approximately 205 °C to 320 °C (401°F to 608°F).] | 265-074-0 | 64741-73-7 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-420-00-1 | Extracts (petroleum), heavy naphtha solvent;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained as the extract from a solvent extraction process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_7$ through $C_{12}$ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).] | 265-099-7 | 64741-98-6 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-421-00-7 | Distillates (petroleum), chemically neutralized light;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{16}$ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-132-5 | 64742-31-0 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-422-00-2 | Distillates (petroleum), hydrotreated light; Kerosine – unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{16}$ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-149-8 | 64742-47-8 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-423-00-8 | Kerosine (petroleum), hydrodesulfurized; Kerosine – unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{16}$ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-184-9 | 64742-81-0 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-424-00-3 | Solvent naphtha (petroleum), heavy arom.; Kerosine – unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{16}$ and boiling in the range of approximately 165 °C to 290 °C (330°F to 554°F).] | 265-198-5 | 64742-94-5 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-425-00-9 | Naphtha (petroleum), heavy coker; Kerosine – unspecified; [A complex combination of hydrocarbons from the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_6$ through $C_{15}$ and boiling in the range of approximately 157 °C to 288 °C (315°F to 550°F).] | 269-778-9 | 68333-23-3 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-426-00-4 | Naphtha (petroleum), catalytic reformed hydrodesulfurized heavy, arom. fraction;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons produced by fractionation from catalytically reformed hydrodesulfurized naphtha. It consists predominantly of aromatic hydrocarbons having carbon numbers predominently in the range of $C_7$ to $C_{13}$ and boiling in the range of approximately 98 °C to 218 °C (208°F to 424°F).] | 285-508-2 | 85116-57-0 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-427-00-X | Kerosine (petroleum), sweetened;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{16}$ and boiling in the range of 130 °C to 290 °C (266°F to 554°F).] | 294-799-5 | 91770-15-9 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-428-00-5 | Kerosine (petroleum), solvent-refined sweetened;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained from a petroleum stock by solvent refining and sweetening and boiling in the range of approximately 150 °C to 260 °C (302°F to 500°F).] | 295-416-4 | 92045-36-8 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-429-00-0 | Hydrocarbons, $C_{9-16}$, hydrotreated, dearomatized;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-854-1 | 93763-35-0 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-430-00-6 | Kerosine (petroleum), solvent-refined hydrodesulfurized;<br>Kerosine – unspecified | 307-033-2 | 97488-94-3 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-431-00-1 | Distillates (petroleum), hydrodesulfurized full-range middle coker;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_8$ through $C_{16}$ and boiling in the range of approximately 120 °C to 283 °C (248°F to 541°F).] | 309-864-6 | 101316-58-9 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-432-00-7 | Solvent naphtha (petroleum), hydrodesulfurized heavy arom.;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{13}$ and boiling in the range of approximately 180 °C to 240 °C (356°F to 464°F).] | 309-882-4 | 101316-81-8 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-433-00-2 | Solvent naphtha (petroleum), hydrodesulfurized medium;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{13}$ and boiling in the range of approximately 175 °C to 220 °C (347°F to 428°F).] | 309-884-5 | 101316-82-9 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-434-00-8 | Kerosine (petroleum), hydrotreated;<br>Kerosine – unspecified;<br>[A complex combination of hydrocarbons obtained from the distillation of petroleum and subsequent hydrotreatment. It consists predominantly of alkanes, cycloalkanes and alkylbenzenes having carbon numbers predominantly in the range of $C_{12}$ through $C_{16}$ and boiling in the range of approximately 230 °C to 270 °C (446°F to 518°F).] | 309-944-0 | 101631-19-0 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 | | | H |
| 649-435-00-3 | Distillates (petroleum), light catalytic cracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{25}$ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 265-060-4 | 64741-59-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-436-00-9 | Distillates (petroleum), intermediate catalytic cracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ through $C_{30}$ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.] | 265-062-5 | 64741-60-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-437-00-4 | Distillates (petroleum), light hydrocracked; Cracked gasoil; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{18}$ and boiling in the range of approximately 160 °C to 320 °C (320°F to 608°F).] | 265-078-2 | 64741-77-1 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | H |
| 649-438-00-X | Distillates (petroleum), light thermal cracked; Cracked gasoil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{22}$ and boiling in the range of approximately 160 °C to 370 °C (320°F to 698°F).] | 265-084-5 | 64741-82-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-439-00-5 | Distillates (petroleum), hydrodesulfurized light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by treating light catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_9$ through $C_{25}$ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 269-781-5 | 68333-25-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-440-00-0 | Distillates (petroleum), light steam-cracked naphtha;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons from the multiple distillation of products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{10}$ through $C_{18}$.] | 270-662-5 | 68475-80-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-441-00-6 | Distillates (petroleum), cracked steam-cracked petroleum distillates;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by distilling cracked steam cracked distillate and/or its fractionation products. It consists of hydrocarbons having carbon numbers predominently in the range of $C_{10}$ to low molecular weight polymers.] | 270-727-8 | 68477-38-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-442-00-1 | Gas oils (petroleum), steam-cracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by distillation of the products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than $C_9$ and boiling in the range of from approximately 205 °C to 400 °C (400°F to 752°F).] | 271-260-2 | 68527-18-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-443-00-7 | Distillates (petroleum), hydrodesulfurized thermal cracked middle;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized themal cracker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{11}$ to $C_{25}$ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 285-505-6 | 85116-53-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-444-00-2 | Gas oils (petroleum), thermal-cracked, hydrodesulfurized;<br>Cracked gasoil | 295-411-7 | 92045-29-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-445-00-8 | Residues (petroleum), hydrogenated steam-cracked naphtha;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained as a residual fraction from the distillation of hydrotreated steam-cracked naphtha. It consists predominantly of hydrocarbons boiling in the range of approximately 200 °C to 350 °C (32°F to 662°F).] | 295-514-7 | 92062-00-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-446-00-3 | Residues (petroleum), steam-cracked naphtha distn.;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained as a column bottom from the separation of effluents from steam cracking naphtha at a high temperature. It boils in the range of approximately 147 °C to 300 °C (297°F to 572°F) and produces a finished oil having a viscosity of 18cSt at 50 °C.] | 295-517-3 | 92062-04-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-447-00-9 | Distillates (petroleum), light catalytic cracked, thermally degraded;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 190 °C to 340 °C (374°F to 644°F). This stream is likely to contain organic sulfur compounds.] | 295-991-1 | 92201-60-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-448-00-4 | Residues (petroleum), steam-cracked heat-soaked naphtha;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained as residue from the distillation of steam cracked heat soaked naphtha and boiling in the range of approximately 150 °C to 350 °C (302°F to 662°F).] | 297-905-8 | 93763-85-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-449-00-X | Hydrocarbons, $C_{16-20}$, solvent-dewaxed hydrocracked paraffinic distn. residue;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained by solvent dewaxing of a distillation residue from a hydrocracked paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{20}$ and boiling in the range of approximately 360 °C to 500 °C (680 °F to 932 °F). It produces a finished oil having a viscosity of 4,5 cSt at approximately 100 °C (212 °F).] | 307-662-2 | 97675-88-2 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | H |
| 649-450-00-5 | Gas oils (petroleum), light vacuum, thermal-cracked hydrodesulfurized;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained by catalytic dehydrosulfurization of thermal-cracked light vacuum petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{14}$ through $C_{20}$ and boiling in the range of approximately 270 °C to 370 °C (518°F to 698°F).] | 308-278-8 | 97926-59-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-451-00-0 | Distillates (petroleum), hydrodesulfurized middle coker;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons by fractionation from hydrodesulfurised coker distillate stocks. Is consists of hydrocarbons having carbon numbers predominantly in the range of $C_{12}$ through $C_{21}$ and boiling in the range of approximately 200 °C to 360 °C (392°F to 680°F).] | 309-865-1 | 101316-59-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-452-00-6 | Distillates (petroleum), heavy steam-cracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained by distillation of steam cracking heavy residues. It consists predominantly of highly alkylated heavy aromatic hydrocarbons boiling in the range of approximately 250 °C to 400 °C (482°F to 752°F).] | 309-939-3 | 101631-14-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H |
| 649-453-00-1 | Distillates (petroleum), heavy hydrocracked;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons from the distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers in the range of $C_{15}$-$C_{39}$ and boiling in the range of approximately 260 °C to 600 °C (500°F to 1112°F).] | 265-077-7 | 64741-76-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-454-00-7 | Distillates (petroleum), solvent-refined heavy paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).] | 265-090-8 | 64741-88-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-455-00-2 | Distillates (petroleum), solvent-refined light paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-091-3 | 64741-89-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-456-00-8 | Residual oils (petroleum), solvent deasphalted;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained as the solvent soluble fraction from $C_3$-$C_4$ solvent deasphalting of a residuum. It consists of hydrocarbons having carbon numbers predominantly higher than $C_{25}$ and boiling above approximately 400 °C (752°F).] | 265-096-0 | 64741-95-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-457-00-3 | Distillates (petroleum), solvent-refined heavy naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt a 40 °C). It contains relatively few normal paraffins.] | 265-097-6 | 64741-96-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-458-00-9 | Distillates (petroleum), solvent-refined light naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-098-1 | 64741-97-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-459-00-4 | Residual oils (petroleum,) solvent-refined;<br>Baseoil – unspecified;<br>[A complex combination by hydrocarbons obtained as the solvent insoluble fraction from solvent refining of a residuum using a polar organic solvent such as phenol or furfural. It consists of hydrocarbons having carbon numbers predominantly higher than $C_{25}$ and boiling above approximately 400 °C (752°F).] | 265-101-6 | 64742-01-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-460-00-X | Distillates (petroleum), clay-treated paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-137-2 | 64742-36-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-461-00-5 | Distillates (petroleum), clay-treated light paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-138-8 | 64742-37-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-462-00-0 | Residual oils (petroleum), clay-treated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treatment of a residual oil with a natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly higher than $C_{25}$ and boiling above approximately 400 °C (752°F).] | 265-143-5 | 64742-41-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-463-00-6 | Distillates (petroleum), clay-treated heavy naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-146-1 | 64742-44-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-464-00-1 | Distillates (petroleum), clay-treated light naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-147-7 | 64742-45-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-465-00-7 | Distillates (petroleum), hydrotreated heavy naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-155-0 | 64742-52-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-466-00-2 | Distillates (petroleum), hydrotreated light naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-156-6 | 64742-53-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-467-00-8 | Distillates (petroleum), hydrotreated heavy paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-157-1 | 64742-54-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-468-00-3 | Distillates (petroleum), hydrotreated light paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-158-7 | 64742-55-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-469-00-9 | Distillates (petroleum), solvent-dewaxed light paraffinic;<br>Baseoil – unspecified;<br>[A complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-159-2 | 64742-56-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-470-00-4 | Residual oils (petroleum), hydrotreated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{25}$ and boiling above approximately 400 °C (752°F).] | 265-160-8 | 64742-57-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-471-00-X | Residual oils (petroleum), solvent-dewaxed;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by removal of long, branched chain hydrocarbons from a residual oil by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly greater than $C_{25}$ and boiling above approximately 400 °C (752°F).] | 265-166-0 | 64742-62-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-472-00-5 | Distillates (petroleum), solvent-dewaxed heavy naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil of not less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-167-6 | 64742-63-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-473-00-0 | Distillates (petroleum), solvent-dewaxed light naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-168-1 | 64742-64-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-474-00-6 | Distillates (petroleum), solvent-dewaxed heavy paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity not less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-169-7 | 64742-65-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-475-00-1 | Naphthenic oils (petroleum), catalytic dewaxed heavy;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-172-3 | 64742-68-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-476-00-7 | Naphthenic oils (petroleum), catalytic dewaxed light;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-173-9 | 64742-69-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-477-00-2 | Paraffin oils (petroleum), catalytic dewaxed heavy;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).] | 265-174-4 | 64742-70-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-478-00-8 | Paraffin oils (petroleum), catalytic dewaxed light;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from a catalytic dewxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-176-5 | 64742-71-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-479-00-3 | Naphthenic oils (petroleum), complex dewaxed heavy;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by removing straight chain paraffin hydrocarbons as a solid by treatment with an agent such as urea. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil having a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-179-1 | 64742-75-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-480-00-9 | Naphthenic oils (petroleum), complex dewaxed light;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil having a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-180-7 | 64742-76-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-481-00-4 | Lubricating oils (petroleum), $C_{20-50}$, hydrotreated neutral oil-based, high-viscosity;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil, and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil having a viscosity of approximately 112cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-736-3 | 72623-85-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-482-00-X | Lubricating oils (petroleum), $C_{15-30}$, hydrotreated neutral oil-based;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocabons.] | 276-737-9 | 72623-86-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-483-00-5 | Lubricating oils (petroleum), $C_{20-50}$, hydrotreated neutral oil-based;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of approximately 32cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-738-4 | 72623-87-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-484-00-0 | Lubricating oils;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range $C_{15}$ through $C_{50}$.] | 278-012-2 | 74869-22-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-485-00-6 | Distillates (petroleum), complex dewaxed heavy paraffinci;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by dewaxing heavy paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil with a viscosity of equal to or greater than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 292-613-7 | 90640-91-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-486-00-1 | Distillates (petroleum), complex dewaxed light paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by dewaxing light paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{12}$ through $C_{30}$ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 292-614-2 | 90640-92-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-487-00-7 | Distillates (petroleum), solvent dewaxed heavy paraffinic, clay-treated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating dewaxed heavy paraffinic distillate with neutral or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$.] | 292-616-3 | 90640-94-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-488-00-2 | Hydrocarbons, $C_{20-50}$, solvent dewaxed heavy paraffinic, hydrotreated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons produced by treating dewaxed heavy paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$.] | 292-617-9 | 90640-95-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-489-00-8 | Distillates (petroleum), solvent dewaxed light paraffinic, clay-treated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of dewaxed light paraffinic distillate with natural or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$.] | 292-618-4 | 90640-96-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-490-00-3 | Distillates (petroleum), solvent dewaxed light paraffinic, hydrotreated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons produced by treating a dewaxed light paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$.] | 292-620-5 | 90640-97-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-491-00-9 | Residual oils (petroleum), hydrotreated solvent dewaxed;<br>Baseoil – unspecified | 292-656-1 | 90669-74-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-492-00-4 | Residual oils (petroleum), catalytic dewaxed;<br>Baseoil – unspecified | 294-843-3 | 91770-57-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-493-00-X | Distillates (petroleum), dewaxed heavy paraffinic, hydrotreated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{25}$ through $C_{39}$ and produces a finished oil with a viscosity of approximately 44 cSt at 50 °C.] | 295-300-3 | 91995-39-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-494-00-5 | Distillates (petroleum), dewaxed light paraffinic, hydrotreated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of $C_{21}$ through $C_{29}$ and produces a finished oil with a viscosity of approximately 13 cSt at 50 °C.] | 295-301-9 | 91995-40-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-495-00-0 | Distillates (petroleum), hydrocracked solvent-refined, dewaxed;<br>Baseoil – unspecified;<br>[A complex combination of liquid hydrocarbons obtained by recrystallization of dewaxed hydrocracked solvent-refined petroleum distillates.] | 295-306-6 | 91995-45-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-496-00-6 | Distillates (petroleum), solvent-refined light naphthenic, hydrotreated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst and removing the aromatic hydrocarbons by solvent extraction. It consists predominantly of naphthenic hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$ and produces a finished oil with a viscosity of between 13-15cSt at 40 °C.] | 295-316-0 | 91995-54-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-497-00-1 | Lubricating oils (petroleum), $C_{17-35}$, solvent-extd., dewaxed, hydrotreated;<br>Baseoil – unspecified | 295-423-2 | 92045-42-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-498-00-7 | Lubricating oils (petroleum), hydrocracked nonarom. solvent-deparaffined;<br>Baseoil – unspecified | 295-424-8 | 92045-43-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-499-00-2 | Residual oils (petroleum), hydrocracked acid-treated solvent-dewaxed;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons produced by solvent removal of paraffins from the residue of the distillation of acid-treated, hydrocracked heavy paraffins and boiling approximately above 380 °C (716°F).] | 295-499-7 | 92061-86-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-500-00-6 | Paraffin oils (petroleum), solvent-refined dewaxed heavy;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained from sulfur-containing paraffinic crude oil. It consists predominantly of a solvent refined deparaffinated lubricating oil with a viscosity of 65cSt at 50 °C.] | 295-810-6 | 92129-09-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-501-00-1 | Lubricating oils (petroleum), base oils, paraffinic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by refining of crude oil. It consists predominantly of aromatics, naphthenics and paraffinics and produces a finished oil with a viscosity of 120 SUS at 100°F (23cSt at 40 °C).] | 297-474-6 | 93572-43-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-502-00-7 | Hydrocarbons, hydrocracked paraffinic distn. residues, solvent-dewaxed;<br>Baseoil – unspecified | 297-857-8 | 93763-38-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-503-00-2 | Hydrocarbons, $C_{20-50}$, residual oil hydrogenation vacuum distillate;<br>Baseoil – unspecified | 300-257-1 | 93924-61-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-504-00-8 | Distillates (petroleum), solvent-refined hydrotreated heavy;<br>hydrogenated;<br>Baseoil – unspecified | 305-588-5 | 94733-08-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-505-00-3 | Distillates (petroleum), solvent-refined hydrocracked light;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by solvent dearomatization of the residue of hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{18}$ through $C_{27}$ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).] | 305-589-0 | 94733-09-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-506-00-9 | Lubricating oils (petroleum), $C_{18-40}$, solvent-dewaxed hydrocracked distillate-based;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by solvent deparaffination of the distillation residue from hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{18}$ through $C_{40}$ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).] | 305-594-8 | 94733-15-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-507-00-4 | Lubricating oils (petroleum), $C_{18-40}$, solvent-dewaxed hydrogenated raffinate-based;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by solvent deparaffination of the hydrogenated raffinate obtained by solvent extraction of a hydrotreated petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{18}$ through $C_{40}$ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).] | 305-595-3 | 94733-16-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-508-00-X | Hydrocarbons, $C_{13-30}$, arom.-rich, solvent-extd. naphthenic distillate;<br>Baseoil – unspecified | 305-971-7 | 95371-04-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-509-00-5 | Hydrocarbons, $C_{16-32}$, arom. rich, solvent-extd. naphthenic distillate;<br>Baseoil – unspecified | 305-972-2 | 95371-05-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-510-00-0 | Hydrocarbons, $C_{37-68}$, dewaxed deasphalted hydrotreated vacuum distn. residues;<br>Baseoil – unspecified | 305-974-3 | 95371-07-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-511-00-6 | Hydrocarbons, $C_{37-65}$, hydrotreated deasphalted vacuum distn. residues;<br>Baseoil – unspecified | 305-975-9 | 95371-08-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-512-00-1 | Distillates (petroleum), hydrocracked solvent-refined light;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by the solvent treatment of a distillate from hydrocracked petroleum distillates. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{18}$ through $C_{27}$ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F.] | 307-010-7 | 97488-73-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-513-00-7 | Distillates (petroleum), solvent-refined hydrogenated heavy;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons, obtained by the treatment of a hydrogenated petroleum distillate with a solvent. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{19}$ through $C_{40}$ and boiling in the range of approximately 390 °C to 550 °C (734°F to 1022°F).] | 307-011-2 | 97488-74-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-514-00-2 | Lubricating oils (petroleum), $C_{18-27}$, hydrocracked solvent-dewaxed;<br>Baseoil – unspecified | 307-034-8 | 97488-95-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-515-00-8 | Hydrocarbons, $C_{17-30}$, hydrotreated solvent-deasphalted atm. distn. residue, distn. lights;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a solvent deasphalted short residue with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{17}$ through $C_{30}$ and boiling in the range of approximately 300 °C to 400 °C (572°F to 752°F). It produces a finished oil having a viscosity of 4cSt at approximately 100 °C (212°F).] | 307-661-7 | 97675-87-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-516-00-3 | Hydrocarbons, $C_{17-40}$, hydrotreated solvent-deasphalted distn. residue, vacuum distn. lights;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the catalytic hydrotreatment of a solvent deasphalted short residue having a viscosity of 8cSt at approximately 100 °C (212°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{17}$ through $C_{40}$ and boiling in the range of approximately 300 °C to 500 °C (592°F to 932°F).] | 307-755-8 | 97722-06-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-517-00-9 | Hydrocarbons, $C_{13-27}$, solvent-extd. light naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 9.5cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{27}$ and boiling in the range of approximately 240 °C to 400 °C (464°F to 752°F.] | 307-758-4 | 97722-09-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-518-00-4 | Hydrocarbons, $C_{14-29}$, solvent-extd. light naphthenic;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 16cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{14}$ through $C_{29}$ and boiling in the range of approximately 250 °C to 425 °C (482°F to 797°F).] | 307-760-5 | 97722-10-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-519-00-X | Hydrocarbons, $C_{27-42}$, dearomatized;<br>Baseoil – unspecified | 308-131-8 | 97862-81-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-520-00-5 | Hydrocarbons, $C_{17-30}$, hydrotreated distillates, distn. lights;<br>Baseoil – unspecified | 308-132-3 | 97862-82-3 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-521-00-0 | Hydrocarbons, $C_{27-45}$, naphthenic vacuum distn.;<br>Baseoil – unspecified | 308-133-9 | 97862-83-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-522-00-6 | Hydrocarbons, $C_{27-45}$, dearomatized;<br>Baseoil – unspecified | 308-287-7 | 97926-68-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-523-00-1 | Hydrocarbons, $C_{20-58}$, hydrotreated;<br>Baseoil – unspecified | 308-289-8 | 97926-70-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-524-00-7 | Hydrocarbons, $C_{27-42}$, naphthenic;<br>Baseoil – unspecified | 308-290-3 | 97926-71-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-525-00-2 | Residual oils (petroleum), carbon-treated solvent-dewaxed;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment of solvent-dewaxed petroleum residual oils with activated charcoal for the removal of trace polar constituents and impurities.] | 309-710-8 | 100684-37-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-526-00-8 | Residual oils (petroleum), clay-treated solvent-dewaxed;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by treatment of solvent-dewaxed petroleum residual oils with bleaching earth for the removal of trace polar constituents and impurities.] | 309-711-3 | 100684-38-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-527-00-3 | Lubricating oils (petroleum), C $_{>25}$, solvent-extd., deasphalted, dewaxed, hydrogenated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of vacuum distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than $C_{25}$ and produces a finished oil with a viscosity in the order of 32cSt to 37cSt at 100 °C (212°F).] | 309-874-0 | 101316-69-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-528-00-9 | Lubricating oils (petroleum), $C_{17-32}$, solvent-extd., dewaxed, hydrogenated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{17}$ through $C_{32}$ and produced a finished oil with a viscosity in the order of 17cSt to 23cSt at 40 °C (104°F.] | 309-875-6 | 101316-70-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-529-00-4 | Lubricating oils (petroleum), $C_{20-35}$, solvent-extd., dewaxed, hydrogenated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{35}$ and produces a finished oil with a viscosity in the order of 37cSt to 44cSt at 40 °C (104°F).] | 309-876-1 | 101316-71-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-530-00-X | Lubricating oils (petroleum), $C_{24-50}$, solvent-extd., dewaxed, hydrogenated;<br>Baseoil – unspecified;<br>[A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{24}$ through $C_{50}$ and produces a finished oil with a viscosity in the order of 16cSt to 75cSt at 40 °C (104°F).] | 309-877-7 | 101316-72-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-531-00-5 | Extracts (petroleum), heavy naphthenic distillate solvent, arom. conc.;<br>Distillate aromatic extract (treated);<br>[An aromatic concentrate produced by adding water to heavy naphthenic distillate solvent extract and extraction solvent.] | 272-175-3 | 68783-00-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-532-00-0 | Extracts (petroleum), solvent-refined heavy paraffinic distillate solvent;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as the extract from the re-extraction of solvent-refined heavy paraffinic distillate. It consists of saturated and aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$.] | 272-180-0 | 68783-04-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-533-00-6 | Extracts (petroleum), heavy paraffinic distillates, solvent-deasphalted;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as the extract from a solvent extraction of heavy paraffinic distillate.] | 272-342-0 | 68814-89-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-534-00-1 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrotreated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by treating a heavy naphthenic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$ and produces a finished oil of at least 19cSt at 40 °C (100 SUS at 100°F).] | 292-631-5 | 90641-07-9 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-535-00-7 | Extracts (petroleum), heavy paraffinic distillate solvent, hydrotreated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons produced by treating a heavy paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{21}$ through $C_{33}$ and boiling in the range of approximately 350 °C to 480 °C (662°F to 896°F). | 292-632-0 | 90641-08-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-536-00-2 | Extracts (petroleum), light paraffinic distillate solvent, hydrotreated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons produced by treating a light paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{17}$ through $C_{26}$ and boiling in the range of approximately 280 °C to 400 °C (536°F to 752°F).] | 292-633-6 | 90641-09-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-537-00-8 | Extracts (petroleum), hydrotreated light paraffinic distillate solvent;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as the extract from solvent extraction of intermediate paraffinic top solvent distillate that is treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{36}$.] | 295-335-4 | 91995-73-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-538-00-3 | Extracts (petroleum), light naphthenic distillate solvent, hydrodesulfurized;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by treating the extract, obtained from a solvent extraction process, with hydrogen in the presence of a catalyst under conditions primarily to remove sulfur compounds. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{30}$. This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 295-338-0 | 91995-75-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-539-00-9 | Extracts (petroleum), light paraffinic distillate solvent, acid-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as a fraction of the distillation of an extract from the solvent extraction of light paraffinic top petroleum distillates that is subjected to a sulfuric acid refining. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{32}$.] | 295-339-6 | 91995-76-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-540-00-4 | Extracts (petroleum), light paraffinic distillate solvent, hydrodesulfurized;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by solvent extraction of a light paraffin distillate and treated with hydrogen to convert the organic sulfur to hydrogen sulfide which is eliminated. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{40}$ and produces a finished oil with a viscosity of greater than 10cSt at 40 °C.] | 295-340-1 | 91995-77-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-541-00-X | Extracts (petroleum), light vacuum gas oil solvent, hydrotreated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons, obtained by solvent extraction from light vacuum petroleum gas oils and treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{30}$.] | 295-342-2 | 91995-79-8 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-542-00-5 | Extracts (petroleum), heavy paraffinic distillate solvent, clay-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contact or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$. This stream is likely to contain 5 wt.% or more 4-6 membered ring aromatic hydrocarbons.] | 296-437-1 | 92704-08-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-543-00-0 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrodesulfurized;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{50}$ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.] | 297-827-4 | 93763-10-1 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-544-00-6 | Extracts (petroleum), solvent-dewaxed heavy paraffinic distillate solvent, hydrodesulfurized;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained from a solvent dewaxed petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of $C_{15}$ through $C_{50}$ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.] | 297-829-5 | 93763-11-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-545-00-1 | Extracts (petroleum), light paraffinic distillate solvent, carbon-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillate treated with activated charcoal to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{32}$.] | 309-672-2 | 100684-02-4 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-546-00-7 | Extracts (petroleum), light paraffinic distillate solvent, clay-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillates treated with bleaching earth to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{16}$ through $C_{32}$.] | 309-673-8 | 100684-03-5 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-547-00-2 | Extracts (petroleum), light vacuum, gas oil solvent, carbon-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oil treated with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{30}$.] | 309-674-3 | 100684-04-6 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-548-00-8 | Extracts (petroleum), light vacuum gas oil solvent, clay-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oils treated with bleaching earth for removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of $C_{13}$ through $C_{30}$.] | 309-675-9 | 100684-05-7 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 649-549-00-3 | Foots oil (petroleum);<br>Foots oil;<br>[A complex combination of hydrocarbons obtained as the oil fraction from a solvent deoiling or a wax sweating process. It consists predominantly of branched chain hydrocarbons having carbon numbers predominantly in the range of $C_{20}$ through $C_{50}$.] | 265-171-8 | 64742-67-2 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 649-550-00-9 | Foots oil (petroleum), hydrotreated;<br>Foots oil | 295-394-6 | 92045-12-0 | Carc. 1B | H350 | GHS08<br>Dgr | H350 | | | H L |
| 650-002-00-6 | turpentine, oil | 232-350-7 | 8006-64-2 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Asp. Tox. 1<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H226<br>H332<br>H312<br>H302<br>H304<br>H319<br>H315<br>H317<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H226<br>H332<br>H312<br>H302<br>H304<br>H319<br>H315<br>H317<br>H411 | | | |
| 650-003-00-1 | fenson (ISO);<br>4-chlorophenyl benzenesulphonate; | 201-274-6 | 80-38-6 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 2 | H302<br>H319<br>H411 | GHS07<br>GHS09<br>Wng | H302<br>H319<br>H411 | | | |
| 650-004-00-7 | norbormide (ISO);<br>5-(α-hydroxy-α-2-pyridylbenzyl)-7-(α-2-pyridylbenzylidene)bicyclo [2.2.1] hept-5-ene-2,3-dicarboximide | 213-589-6 | 991-42-4 | Acute Tox. 4 * | H302 | GHS07<br>Wng | H302 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 650-005-00-2 | (2*R*,6a*S*,12a*S*)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one, rotenone | 201-501-9 | 83-79-4 | Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H319<br>H335<br>H315<br>H410 | | | |
| 650-006-00-8 | benquinox (ISO);<br>*p*-benzoquinone 1-benzoylhydrazone 4-oxime | 207-807-9 | 495-73-8 | Acute Tox. 3 *<br>Acute Tox. 4 * | H301<br>H312 | GHS06<br>Dgr | H301<br>H312 | | | |
| 650-007-00-3 | chlordimeform (ISO);<br>$N_2$-(4-chloro-*o*-tolyl)-$N_1$,$N_1$-dimethylformamidine | 228-200-5 | 6164-98-3 | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H312<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H312<br>H302<br>H410 | | | |
| 650-008-00-9 | drazoxolon (ISO);<br>4-(2-chlorophenylhydrazone)-3-methyl-5-isoxazolone | 227-197-8 | 5707-69-7 | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H301<br>H410 | | | |
| 650-009-00-4 | chlordimeform hydrochloride;<br>*N*'-(4-chloro-*o*-tolyl)-*N*,*N*-dimethylformamidine monohydrochloride;<br>$N^2$-(4-chloro-*o*-tolyl)-$N^1$,$N^1$-dimethylformamidine hydorchloride | 243-269-1 | 19750-95-9 | Carc. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410 | | | |
| 650-010-00-X | benzyl violet 4B;<br>α-[4-(4-dimethylamino-α-{4-[ethyl(3-sodiosulphonatobenzyl)amino] phenyl}benzylidene)cyclohexa-2,5-dienylidene(ethyl) ammonio]toluene-3-sulphonate | 216-901-9 | 1694-09-3 | Carc. 2 | H351 | GHS08<br>Wng | H351 | | | |
| 650-012-00-0 | erionite | — | 12510-42-8 | Carc. 1A | H350 | GHS08<br>Dgr | H350 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 650-013-00-6 | asbestos | —<br>—<br>—<br>—<br>—<br>—<br>— | 12001-28-4<br>132207-32-0<br>12172-73-5<br>77536-66-4<br>77536-68-6<br>77536-67-5<br>12001-29-5 | Carc. 1A<br>STOT RE 1 | H350<br>H372 ** | GHS08<br>Dgr | H350<br>H372 ** | | | |
| 650-014-00-1 | diethyl 2,4-dihydroxycyclodisiloxane-2,4-diylbis(trimethylene)diphosphonate, tetrasodium salt, reaction products with disodium metasilicate | 401-770-4 | — | Skin Corr. 1B<br>Acute Tox. 4 * | H314<br>H302 | GHS05<br>GHS07<br>Dgr | H314<br>H302 | | | |
| 650-015-00-7 | rosin;<br>colophony | 232-475-7<br>232-484-6<br>277-299-1 | 8050-09-7<br>8052-10-6<br>73138-82-6 | Skin Sens. 1 | H317 | GHS07<br>Wng | H317 | | | |
| 650-016-00-2 | Mineral wool, with the exception of those specified elsewhere in this Annex;<br>[Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide ($Na_2O+K_2O+CaO+MgO+BaO$) content greater than 18 % by weight] | — | — | Carc. 2<br>Skin Irrit. 2 | H351<br>H315 | GHS08<br>GHS07<br>Wng | H351<br>H315 | | | AQR |
| 650-017-00-8 | Refractory Ceramic Fibres;<br>Special Purpose Fibres, with the exception of those specified elsewhere in this Annex;<br>[Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide ($Na_2O+K_2O+CaO+MgO+BaO$) content less or equal to 18 % by weight] | — | — | Carc. 1B<br>Skin Irrit. 2 | H350i<br>H315 | GHS08<br>GHS07<br>Dgr | H350i<br>H315 | | | A R |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 650-018-00-3 | Reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid | 406-230-1 | — | Flam. Liq. 3<br>Carc. 2<br>Skin Corr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H351<br>H314<br>H332<br>H317<br>H400<br>H410 | GHS02<br>GHS08<br>GHS05 GHS07<br>GHS09<br>Dgr | H226<br>H351<br>H314<br>H332<br>H317<br>H410 | | | |
| 650-031-00-4 | bis(4-hydroxy-*N*-methylanilinium) sulphate | 200-237-1 | 55-55-0 | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 **<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H317<br>H410 | | | |
| 650-032-00-X | cyproconazole (ISO);<br>(2*RS*,3*RS*;2*RS*,3*SR*)-2-(4-chlorophenyl)-3-cyclopropyl-1-(1*H*-1,2,4-triazol-1-yl)butan-2-ol | — | 94361-06-5 | Repr. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d ***<br>H302<br>H400<br>H410 | GHS08<br>GHS07 GHS09<br>Wng | H361d ***<br>H302<br>H410 | | | |
| 650-033-00-5 | (*S*)-α-cyano-3-phenoxybenzyl-(*S*)-2-(4-chlorophenyl)-3-methylbutyrate;<br>esfenvalerate | — | 66230-04-4 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr | H331<br>H301<br>H317<br>H410 | | | |
| 650-041-00-9 | triasulfuron (ISO) ;<br>1-[2-(2-chloroethoxy)phenylsulfonyl]-3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)urea | — | 82097-50-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |
| 650-042-00-4 | reaction product of: polyethylene-polyamine-($C_{16}$-$C_{18}$)-alkylamides with monothio-($C_2$)-alkyl phosphonates | 417-450-2 | — | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H315<br>H317<br>H412 | GHS07<br>Wng | H319<br>H315<br>H317<br>H412 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 650-043-00-X | reaction product of: 3,5-bis-*tert*-butylsalicylic acid and aluminiumsulfate | 420-310-3 | — | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H302<br>H410 | | | |
| 650-044-00-5 | mixed linear and branched $C_{14-15}$ alcohols ethoxylated, reaction product with epichlorohydrin | 420-480-9 | 158570-99-1 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng | H315<br>H317<br>H410 | | | |
| 650-045-00-0 | reaction product of: 1,2,3-propanetricarboxylic acid, 2-hydroxy, diethyl ester, 1-propanol and zirconium tetra-n-propanolate | 417-110-3 | — | Flam. Liq. 2<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H225<br>H315<br>H318<br>H411 | GHS02<br>GHS05<br>GHS09<br>Dgr | H225<br>H315<br>H318<br>H411 | | | |
| 650-046-00-6 | di(tetramethylammonium)(29*H*,31*H*-phthalocyanin-*N*29,*N*30,*N*31,*N*32)disulfonamide disulfonate, cuprate(2-)complex, derivates | 416-180-2 | 12222-04-7 | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H302<br>H373 **<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H411 | | | |
| 650-047-00-1 | dibenzylphenylsulfonium hexafluoroantimonate | 417-760-8 | 134164-24-2 | STOT RE 1<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H372 **<br>H302<br>H318<br>H317<br>H411 | GHS08<br>GHS05 GHS07<br>GHS09<br>Dgr | H372 **<br>H302<br>H318<br>H317<br>H411 | | | |
| 650-048-00-7 | reaction product of: borax, hydrogen peroxide, acetic acid anhydride and acetic acid | 420-070-1 | — | Org. Perox. D ****<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Acute 1 | H242<br>H332<br>H312<br>H302<br>H314<br>H400 | GHS02<br>GHS05 GHS07<br>GHS09<br>Dgr | H242<br>H332<br>H312<br>H302<br>H314<br>H400 | | | |

| Indexové číslo | Mezinárodní identifikace chemických látek | Číslo ES | Číslo CAS | Klasifikace | | Označení | | | Specifické koncent. limity, multiplikační faktory | Pozn. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Kódy tříd a kategorií nebezpečnosti | Kódy standardních vět o nebezpečnosti | Kódy výstražných symbolů a signálních slov | Kódy standardních vět o nebezpečnosti | Kódy doplň. standardních vět o nebezpečnosti | | |
| 650-049-00-2 | 2-alkoyloxyethyl hydrogen maleate, where alkoyl represents (by weight) 70 to 85 % unsaturated octadecoyl, 0.5 to 10 % saturated octadecoyl, and 2 to 18 % saturated hexadecoyl | 417-960-5 | — | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05 GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 | | | |
| 650-050-00-8 | reaction mass of: 1-methyl-3-hydroxypropyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate and/or 3-hydroxybutyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate; 1,3-butanediol bis[3-(3'-(1,1-dimethylethyl) 4'-hydroxy-phenyl)propionate] isomers; 1,3-butanediol bis[3-(3',5'-(1,1-dimethylethyl)-4'-hydroxyphenyl)propionate] isomers | 423-600-8 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 650-055-00-5 | silver sodium zirconium hydrogenphosphate | 422-570-3 | 155925-27-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410 | GHS09<br>Wng | H410 | | | |